FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Facility Name :	Corner Cleaners
Facility Address :	1377 Beville Rd. Daytona Beach, FL 32119
Date/Time :	June 10, 2010/9:55am
Persons present :	Kai Desai – Owner Danielle D. Owens -FDEP
Responsible Official:	Kai Desai
Phone/Email :	(386) 788-1019

Hazardous Waste Requirements { ▶ indicates potential SNCs }

Inspection Question	Rule Reference	Answer		
Generator Determination:				
 Days/week operate dryclean unit(s) 		5 days/wk		
 Pounds of clothes drycleaned per day 		35 lbs/day		
 Gallons of separator water generated per day 	Do not count if hardpiped to treatment system.	N/A		
 How often is sludge/muck scraped per week? 		Approx. Every 5 wks		
 Pounds of sludge/muck collected per scraping 		7.5 gals		
How often are filters changed?		N/A		
How many filters per change?		N/A		
 Sum above information to determine status: 	□ CESQG □	SQG LQG*		
CESQG: < 100 kg/month SQG: 100-1000 kg/r	nonth LQG: >1000 kg	g/month		
Preparedness & Prevention				
Employee notification system?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No		
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)]	$oxed{oxed}$ Yes $oxed{oxed}$ No		
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No		
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)]			
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)]			
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)]			
Contingency Planning:				
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)]	R/O		
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)]	⊠ Yes □ No		
Storage of hazardous waste:				
 Calculate the total weight of all perc waste in the storage area as follows: 	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs			
For 15-gal containers:	120 lbs			

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

# of containers1 x 120 lbs/container = lbs stored			
For 30-gal containers:			
# of containers x 240 lbs/container = lbs store			
Are all HW containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No	
If not, how long have they been on-site?			
SQG: is waste kept onsite ≤ 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ☒N/A	
Is there satellite accumulation?	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A	
If applicable, are satellite areas at/near the point of generation?	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☐N/A	
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)]	⊠ Yes □ No	
If not, percentage of HW containers not labeled:		%-59%	
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)]		
Are containers compatible with contents?	SQG [40 CFR 262.34(d)(2)]	X Yes No	
Adequate aisle space between waste containers?	SQG [40 CFR 262.34(d)(4)]	X Yes No	
Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.]	SQG [40 CFR 262.34(d)(2)]	⊠ Yes □ No	
Recordkeeping			
Are manifests available for the past three years?	CESQG [62-730.030(4) F.A.C.] SQG [40 CFR 262.44]	⊠ Yes □ No	
 If so, are manifests properly completed? 	SQG [40 CFR 262 subpart B]	│ │ │ │ Yes │ │ No │ │ N/A	
Are the originals present?	SQG [40 CFR 262 subpart B]	☐ Yes ☐ No ☐ N/A	
Exception reports?	SQG [40 CFR 268.44]	☐ Yes ☐ No ☒N/A	
LDRs completed?	SQG [40 CFR 268.7]	Yes No N/A	
Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)]	⊠ Yes □ No	
Dry Cleaner Stds.	•		
Is the facility registered and display its registration placard?	376.303, F.S	⊠ Yes □ No	
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?	376.303, F.S.	⊠Not in Program	
Are floor areas where solvent (product and waste) is managed or stored rendered impermeable to solvent?	376.3078(9)(a), F.S.	⊠ Yes □ No	
Are all containers of solvent product or solvent waste within secondary containment?	376.3078(9)(a), F.S.	⊠ Yes □ No	
Have all spills of more than 1 quart of dry cleaning solvent outside of a containment structure been reported to the State Warning Point by the owner/operator?	403.161(1)(d), F.S.	☐ Yes ☐ No ⊠N/A	
If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?	403.161(11)(d), F.S.	☐ Yes ☐ No ⊠N/A	

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Separator water Treatment System Question	tor Water Treatment System Questio	ns:
---	------------------------------------	-----

Separator Water Treatm	<u>nent System Questions:</u>						
Inspection Question					Answer		
Is a separator water treatment system employed?							
If so, is it within secondary containment?					X Yes N	lo N/A	
Does the system include the	ne proper filter?				X Yes N	lo N/A	
Are records available to de	emonstrate that the filters ha	ave			Yes N	lo N/A	
been changed in accordar	nce with the manufacturer's						
recommendations?							
Are spent filters disposed					Yes N		
	ain soaps, detergents, chlor				☐ ☐ Yes ☐ N	lo	
	e treatments system in orde						
ensure that the filter is effe solvents?	ctive to treat the chlorinated	1					
Solverits!							
Industrial Wastewater S	Standards						
Inspection Question:			Rule Reference	ce	Answ	er	
Facility on septic or sewer	?				⊠ Sewer	Septic	
Vacuum water discharged	d to:					Tx system	
Management and the state of the					Ground	Sink/Toilet	
Mop water discharged to:					☐ HW drum ☐ Ground	Tx system Sink/Toilet	
Are solvent-based spotters used on laundry (non-							
drycleaned) garments?				☐ Yes	⊠ No		
If the facility discharges to sewer, is it in compliance with		62.625 F.A.C.		□ Voo □ N	lo 🖂N/A		
local sewer permit?				│	IO MIN/A		
Dry Cleaning Equipmer	n t						
Type	Manufacturer^	Мо	odel Number^		Capacity^	Age^	
Dry to Dry	Suprema Partner	_	163	40	- Cap areny	7.90	
2.9 10 2.9							
Dry to Dry	Suprema Partner	L1	63	40			
Other							
Number Employees	Years in Operation	Dr	inking Water				
6	. care in operation		City Well				

Notes by Inspector

On June 10, 2010, Ms. Danielle D. Owens visited the subject facility to conduct a Level 2/Multimedia compliance inspection . The following potential non-compliance issues were discovered: 1) Mister not in secondary containment. 2) Floor surrounding perc machine and hazardous waste storage area not rendered impervious to solvent. On June 28, 2010 the facility submitted doucmentation demonstrating that potential non-compliance items corrective actions had been completed.