

<u>CHROMIUM</u> <u>ELECTROPLATING/ANODIZING</u>



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS RE-INSPECTIO				
AIRS ID#: 1030332 DATE: <u>11/8/07</u>	ARRIVE: <u>11:30</u>	DEPART: <u>12:45</u>		
FACILITY NAME: CLASSIC CHROME INC				
FACILITY LOCATION: 14835 49	rth St N			
CLEARWATER 33762-2836				
RESPONSIBLE OFFICIAL: TODD BUHNERKEMPER PHONE: (727)531-2000				
CONTACT NAME: TODD BUHNERKEMPER PHONE:				
REMITTANCE YEAR: 2006 ENTITLEMENT PERIOD: 11/18/2002 / 11/18/2007 (effective date) (end date)				
L	(0.000.0			
PART I: INSPECTION COMPLIANCE STATUS (check I only one box) IN COMPLIANCE IN COMPLIANCE IN COMPLIANCE				
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:				
1. Hard Chromium Plating a. Existing Large (0.015 mg/dscm) b. Existing Small (0.03 mg/dscm) c. New (0.015 mg/dscm) d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)				
2. Decorative Chromium Plating/Anodizing				
a. <u>Chromic Acid Bath</u>	 Emissions of ≤ 0.01/mg/dscm (4.4x10) Surface tension of ≤ 45 dynes/cm (3.2) (May only be selected if a wetting age 	$1 \times 10^{-3} \text{ lb-f/ft}$		
b. <u>Trivalent Chromium Bath</u>	 With wetting agent Without wetting agent ≤ 0.01mg/dscn 			
c. <u>Chromium Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10 Surface tension of 45 dynes/cm (3.1x1 (May only be selected if a wetting ag 	10^{-3} lb-f/ft)		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC

(<u>Select control</u> <u>device</u>)	DEVICE IN USE?
1. Composite Mesh Pad	Yes No
2. Fiber Bed Mist Eliminator	□Yes □No
3. Packed Bed Scrubber	□Yes □No
4. Packed Bed Scrubber/Composite Mesh Pad	□Yes □No
5.	□Yes □No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	

PART IV: <u>RECORDKEEPING/REPORTING</u> <u>REQUIREMENTS</u> – Rule 62-213.300(3)

Has the responsible official maintained the following records?

 Quarterly inspection records for add-on air pollution control devices and monitoring equipment. (applicable only to a facility using a packed bed scrubber, mist eliminator, or composite mesh pad) Operations and Maintenance Plan (OMP). (applicable only to a facility using a p scrubber, fiber-bed mist eliminator, or composite mesh pad)	□Yes backed b ⊠Yes	□No ⊠N/A ed □No □N/A
monitoring equipment (equipment identified, date performed, description)4. Records of date of occurrence, duration, cause, and corrective action of each malfunction of process, add-on pollution control device, and monitoring equipment.	⊠Yes ⊠Vos	
 Results of all performance tests Records of monitoring data. (<i>not applicable to trivalent chromium baths using a</i>) 	⊠Yes	
agent)		No N/A
<u>Composite Mesh Pad</u> Measure the pressure drop across the CMP daily Packed Bed Scrubber	Yes	No
Measure the pressure drop across the PBS and the inlet velocity daily	Yes	No
Measure the pressure drop across the FBME and the upstream device daily <u>Packed Bed Scrubber/Composite Mesh Pad</u>	Yes	No
Measure the pressure drop across the CMP daily	Yes	No
Measure the foam blanket thickness at the appropriate interval	Yes	No
Measure the surface tension at the appropriate interval 7. Purchase records of wetting agent components 8. Records of the date and time that fume suppressants are added to the bath 9. Records of rectifier capacity, if used to determine facility size	Yes	No N/A No N/A No N/A No N/A No N/A No N/A

Jeff Morris	11/8/07
Inspector's Name (Please Print)	Date of Inspection
	11/8/08
Inspector's Signature	Approximate Date of Next Inspection
COMMENTS: 11/8/07 - The big tank has accumulated hour	s = 24 hrs 44 min with a surface tension of 31.20 dynes/cm. T

COMMENTS: 11/8/07 - The big tank has accumulated hours = 24 hrs 44 min with a surface tension of 31.20 dynes/cm. The last surface tension test was performed on 12/8/07. Another test will not be required until 40 total accumulated hours or 45 dynes/cm is reached. The last recorded temperature was 117 deg F. The small tanks has accumulated hours = 27 hours 50 min with a surface tension of 32.28 dynes/cm. The last surface tension test was performed on 12/8/07. Another test was performed on 12/8/07. Another test will not be required until 40 total accumulated hours = 27 hours 50 min with a surface tension of 32.28 dynes/cm. The last surface tension test was performed on 12/8/07. Another test will not be required until 40 total accumulated hours or 45 dynes/cm is reached.[jm]