

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS RE-INSPECTION		
AIRS ID#: 1030332 DATE: <u>1/12/10</u>	ARRIVE: <u>10:30 a.m.</u> DEPART: <u>11:10 a.m.</u>	
FACILITY NAME: CLASSIC CHROME	3	
FACILITY LOCATION: 14835 49	ΓH ST N	
CLEARW	VATER 33762-2836	
OWNER/AUTHORIZED REPRESENTATIVE: TODD BUHNERKEMPER PHONE: (727)531-2000		
CONTACT NAME:	PHONE:	
ENTITLEMENT PERIOD: 1/26/2008 / 1/26/2013 (effective date) (end date)		
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE		
PART II: CLASSIFICATION – Rule 62 Facility type(s)/applicable standard as in 1. Hard Chromium Plating a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	dicated on notification form:	
2. Decorative Chromium Plating/Anodizing		
a. Chromic Acid Bath	1) Emissions of ≤ 0.01/mg/dscm (4.4x10 ⁻⁶ gr/dscf) 2) Surface tension of ≤ 45 dynes/cm (3.1x10 ⁻³ lb-f/ft) (May only be selected if a wetting agent is used.)	
b. Trivalent Chromium Bath	 With wetting agent	
c. <u>Chromium Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10⁻⁶ gr/dscf) Surface tension of 45 dynes/cm (3.1x10⁻³ lb-f/ft) (May only be selected if a wetting agent is used.) 	

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(Select control	
	DEVICE IN USE?
de rice)	BEVIOL III OOL.
1. Composite Mesh Pad	☐Yes ☐No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	☐Yes ☐No
5. Foam Blanket Fume Suppressant	□Yes □No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	⊠Yes □No □N/A
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300	(3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubber	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	Yes No N/A
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description)	- ⊠Yes ∐No
4. Records of date of occurrence, duration, cause, and corrective action of each	
malfunction of process, add-on pollution control device, and monitoring equipmen	
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using	
agent)	XYes No N/A
Commonite Mesh Dod	
Composite Mesh Pad Measure the pressure drop across the CMP daily	
Packed Bed Scrubber	- Lites Lino
Measure the pressure drop across the PBS and the inlet velocity daily	□Yes □No
Fiber-Bed Mist Eliminator	
Measure the pressure drop across the FBME and the upstream device daily	□Yes □No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	□Yes □No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes □No
Fume Suppressant w/ Wetting Agent	
Measure the surface tension at the appropriate interval	⊠Yes □No
7. Purchase records of wetting agent components	Yes No N/A
8. Records of the date and time that fume suppressants are added to the bath	⊠Yes □No □N/A
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	- ⊠Yes □No

Jeff Morris	1/12/10	
Inspector's Name (Please Print)	Date of Inspection	
	1/12/11	
Inspector's Signature	Approximate Date of Next Inspection	
COMMENTS: The facility teck performed the surface tension test on both tanks 1/12/10 to demonstrate compliance.		
Sm tank = 53 drops, 35.3 dynes/cm		
1.3 grams/ml x 1440 / 53 drops = 35.32 dynes/cm		
Big tank = 54 drops,		
1.3 grams/ml x 1440 / 54 drops = 34.67 dynes/cm		