

<u>CHROMIUM</u> <u>ELECTROPLATING/ANODIZING</u>



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:				
AIRS ID#: 0112293 DATE: 07/28/2006	ARRIVE: <u>1:30 PM</u> DEPART:			
FACILITY NAME: GULF PLATING				
FACILITY LOCATION: 2501 NE	13th Avenue			
WILTON	MANORS 33305			
RESPONSIBLE OFFICIAL: JOHN RICHARDS PHONE: (954)567-0303				
CONTACT NAME:	PHONE:			
REMITTANCE YEAR: 2005	ENTITLEMENT PERIOD: 8/2/2001 / 8/2/2006 (effective date) (end date)			
PART I: INSPECTION COMPLIANCE STATUS (check I only one box) □ IN COMPLIANCE □ MINOR Non-COMPLIANCE □ SIGNIFICANT Non-COMPLIANCE				
PART II: <u>CLASSIFICATION</u> – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form: 1. <u>Hard Chromium Plating</u> a. <u>Existing Large</u> (0.015 mg/dscm) b. <u>Existing Small</u> (0.03 mg/dscm) c. <u>New</u> (0.015 mg/dscm) d. <u>Alternative Standard</u> for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)				
2. Decorative Chromium Plating/Anodizing				
a. <u>Chromic Acid Bath</u>	1) Emissions of $\leq 0.01/\text{mg/dscm}$ (4.4x10 ⁻⁶ gr/dscf)I2) Surface tension of ≤ 45 dynes/cm (3.1x10 ⁻³ lb-f/ft)I(May only be selected if a wetting agent is used.)			
b. <u>Trivalent Chromium Bath</u>	1) With wetting agent \Box 2) Without wetting agent ≤ 0.01 mg/dscm ($4.4x10^{-6}$ gr/dscf) \Box			
c. <u>Chromium</u> <u>Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10⁻⁶ gr/dscf) Surface tension of 45 dynes/cm (3.1x10⁻³ lb-f/ft) (May only be selected if a wetting agent is used.) 			

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC

(Select	control			
device)				

DEVICE IN USE?

1. Composite Mesh Pad	Yes No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No
5. Foam Blanket Fume Suppressant	□Yes □No
6. E Fume Suppressant w/ Wetting Agent	⊠Yes □No
as the facility conducted an initial performance test to establish monitoring parameters?	$\nabla \nabla e_{\rm N} = \nabla N_0 = \nabla N/\Delta$

Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)

PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300(3)

Has the responsible official maintained the following records?

 Quarterly inspection records for add-on air pollution control devices and monitoring equipment. (applicable only to a facility using a packed bed scrubber, mist eliminator, or composite mesh pad)	□Yes acked be □Yes	□No ⊠N/A ed □No ⊠N/A
Monitoring equipment (equipment identified, date performed, description)4. Records of date of occurrence, duration, cause, and corrective action of each	⊠Yes	
malfunction of process, add-on pollution control device, and monitoring equipment.5. Results of all performance tests.6. Records of monitoring data. (<i>not applicable to trivalent chromium baths using a</i> to the second seco	Yes	
agent)		No N/A
<u>Composite Mesh Pad</u> Measure the pressure drop across the CMP daily Packed Bed Scrubber	Yes	No
Measure the pressure drop across the PBS and the inlet velocity daily	Yes	No
Measure the pressure drop across the FBME and the upstream device daily <u>Packed Bed Scrubber/Composite Mesh Pad</u>	Yes	No
Measure the pressure drop across the CMP daily	Yes	No
Foam Blanket Fume Suppressant Measure the foam blanket thickness at the appropriate interval	Yes	No
 Fume Suppressant w/ Wetting Agent Measure the surface tension at the appropriate interval Purchase records of wetting agent components Records of the date and time that fume suppressants are added to the bath Records of rectifier capacity, if used to determine facility size Records of the total process operating time	Yes	No N/A No N/A No N/A No N/A No N/A No No

07/28/2006

Inspector's Name (Please Print)

Date of Inspection

07/28/2007

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: In a compliance inspection conducted on 07/26/2006, AQD staff observed operations at Gulf Plating. AQD staff met with John Richards. Housekeeping was good and no environmental concerns were noted.