

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE:</b>	ANNUAL (INS1, INS2)	COMPLAINT/DISCOV	TERY (CI)				
	RE-INSPECTION (FUI)	ARMS COMPLAINT N	IO:				
<b>AIRS ID#:</b> 0112301 <b>DA</b> ′	ΤΕ: <u>2/26/09</u>	ARRIVE: <u>1415</u>	DEPART: <u>1600</u>				
FACILITY NAME: J&H QUALITY DRYCLEANERS							
FACILITY LOCATION	825 W SAMPLE RD						
	DEERFIELD BEACH	33064-2002					
OWNER/AUTHORIZE	D REPRESENTATIVE: IRFA	AN HAZOOR PHO	<b>NE:</b> (954)785-3689				
CONTACT NAME: sa	nme	PHO	NE: same				
ENTITLEMENT PERIO	OD: / (effective date) (end date)						
	(effective date) (end date)						
PART I: INSPECTION	COMPLIANCE STATUS (che	eck 🗹 only one box)					
IN COMPLIANC	CE MINOR Non-COMP	LIANCE SIGNIFIC	ANT Non-COMPLIANCE				
	LASSIFICATION - Rule 62-21 y one box in A)	13.300 FAC					
(check 🗹 oili	y one box iii A)						
A. 1. Existing smal	l <u>l area source</u> ly, x < 140 gal/yr	2. New small area sour dry-to-dry only, x <					
transfer only, $x < 200 \text{ gal/yr}$		transfer only, $x < 20$	) gal/yr				
both types, x	< 140 gal/yr before 12/9/91)	both types, $x < 140$ g (constructed on or af					
,	, <u> </u>	`	<i>'</i>				
<b>3. Existing large</b>	e area source	<b>4. New large area sour</b> dry-to-dry only, 140					
transfer only,	$200 \le x \le 1,800 \text{ gal/yr}$	transfer only, $200 \le 3$	$x \le 1,800 \text{ gal/yr}$				
	$40 \le x \le 1,800 \text{ gal/yr}$ before 12/9/91)	both types, $140 \le x \le$ (constructed on or af					
5. Ineligible for General Permit							
drop store/out	t of business/petroleum ds above limits						
<b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 45 gallons.							

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check <b>☑</b> only one box				
Do	es the responsible official of the dry cleaning facility:	for ea	ch questi	on)		
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes	□No	□N/A		
2.	Examine the containers for leakage?	⊠Yes	☐ No	□ N/A		
3.	Close and secure machine doors except during loading/unloading?	X Yes	☐ No			
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes	☐ No	□ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes	□ No	⊠ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a <b>Existing small</b> area source, no controls are requi	ired. <b>Pro</b>	ceed to I	Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>					
	3. If the facility classification is a <b>Existing large area source</b> , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. <b>Complete both sections A and B below.</b> Carbon adsorber must have been installed prior to September 22, 1993					
	4. If the facility classification is a <u>New large area source</u> , the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.					
<b>A.</b>	A. Has the responsible official of all <u>existing large</u> <u>area</u> & <u>new sources</u> :		(check only one box for each question)			
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	□No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes	□No	□N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	Yes	□No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- \( \sum Yes	□No	□N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	□No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?  a) Is the temperature differential equal to, or greater than 20° F?	Yes No N/A Yes No N/A			
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
	a) Is the perc concentration equal to, or less than 100 ppm?	□Yes □ No □ N/A			
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A			
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No No			
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PA	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for			
Does the responsible official:		each question)			
1.	Maintain receipts for perc purchased?	Yes No			
2.	Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No			
3.	Maintain leak detection inspection and repair reports for the following:				
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A			
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Yes No N/A			
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No    N/A			
5.	Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No    N/A			
6.	Maintain a startup/shutdown/malfunction plan?	⊠ Yes □ No			
7.	Maintain deviation reports?				
	a) Problem corrected?	Yes No N/A			
8.	Maintain a compliance plan, if applicable?	☐ Yes ☐ No     N/A			

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection?					
2. Does the facility maintain a leak log?					
c) Filter gaskets and seating d) Pumps  Yes No N/A i) Exh	ick cookers  Ils  Yes No N/A  No N/A  naust dampers  Yerter valves  Yerter valves  Yertidge filter housings Yes No N/A				
4. Which method(s) of detection (is/are) used by the responsible offici	ual?				
a) Visual examination (condensed solvent on exterior surfaces) ————————————————————————————————————					
Art Pennetta	2/26/09				
Inspector's Name (Please Print)	Date of Inspection				
	2/10				
Inspector's Signature	Approximate Date of Next Inspection				
COMMENTS: New owner. Facility uses a perc leak detector for bi-weekly monitoring					