

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

<u>INSPECTION</u> <u>TYPE</u> : ANNU	JAL (INS1, INS2)	COMPLAINT/DISCOVER	RY (CI)			
RE-IN	SPECTION (FUI)	ARMS COMPLAINT NO:				
AIRS ID#: 1030352 DATE: <u>1/</u>	<u>8/2008</u>	ARRIVE: <u>10:35AM</u>	DEPART: <u>10:55AM</u>			
FACILITY NAME: COASTAI	FACILITY NAME: COASTAL CLEANERS					
FACILITY LOCATION:	2166 Main Street					
	DUNEDIN 34698-5604	4				
OWNER/AUTHORIZED REP	RESENTATIVE: DAE	LIM PHONE	: (727)734-7983			
CONTACT NAME: same		PHONE	: (
ENTITLEMENT PERIOD: 2/5/2006 / 2/5/2011 (effective date) (end date)						
DAREL INCRECTION COM	N IANGE GEARVIS / 1	1. [7]		<u> </u>		
PART I: INSPECTION COM		<u> </u>	TAL COMPLIANCE			
	MINOR Non-COMPI	LIANCE SIGNIFICAN	T Non-COMPLIANCE			
PART II: <u>FACILITY CLASSI</u> (check ☑ only one b		3.300 FAC				
A. 1. Existing small area so dry-to-dry only, x < 200 both types, x < 140 g (constructed before 1	140 gal/yr) gal/yr al/yr	2. New small area source dry-to-dry only, x < 140 transfer only, x < 200 gaboth types, x < 140 gal/(constructed on or after) gal/yr al/yr yr			
3. Existing large area of dry-to-dry only, 140 transfer only, $200 \le x$ both types, $140 \le x \le x$ (constructed before 1	\le x \le 2,100 gal/yr x \le 1,800 gal/yr \le 1,800 gal/yr	4. New large area source dry-to-dry only, $140 \le x$ transfer only, $200 \le x \le$ both types, $140 \le x \le 1$, (constructed on or after	s < 2,100 gal/yr 1,800 gal/yr 800 gal/yr			
5. Ineligible for Gener drop store/out of bus facility exceeds above	iness/petroleum					

PA	RT III: GENERAL CONTROL REQUIREMENTS - Rule 62-213.300 FAC	(check ☑ only one box		
Does the responsible official of the dry cleaning facility: for each question)				
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes □No □N/A		
2.	Examine the containers for leakage?	⊠Yes □ No □ N/A		
3.	Close and secure machine doors except during loading/unloading?	⊠ Yes □ No		
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No □ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No ⊠ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)			
	1. If the facility classification is a Existing small area source , no controls are requi	ired. Proceed to Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.			
	 If the facility classification is a <u>Existing large area source</u>, the machine should be refrigerated condenser or a carbon adsorber. Complete both sections A and B below must have been installed prior to September 22, 1993 If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below. 	ow. Carbon adsorber		
	condenser. Complete both sections A and b below.			
Α.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)		
1.	Equipped all machines with the appropriate vent controls?	□Yes ⊠No		
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	Yes No N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	Yes No		
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- □Yes □No ⊠N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes ⊠No		

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	⊠Yes □No			
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- ∐Yes □ No ⊠N/A			
	a) Is the temperature differential equal to, or greater than $20^{\rm o}F?$	☐Yes ☐ No ☒ N/A			
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No ⊠ N/A			
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A			
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No ⊠ N/A			
5	Equip transfer machines (dryers, reclaimers, and washers) with individual				
٥.	condenser coils?	- Yes No N/A			
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☒ N/A			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC (check ✓ only one box for					
Do	oes the responsible official:	each question)			
1.	Maintain receipts for perc purchased?	Yes No			
2.	Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No			
3.	Maintain leak detection inspection and repair reports for the following:				
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No No N/A			
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	☐ Yes ☐ No N/A			
4.					
5	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☒ N/A			
٦.	Maintain calibration data? (for applicable direct reading instruments) Maintain exhaust duct monitoring data on perc concentrations?	<u> </u>			
		☐ Yes ☐ No N/A			
6.	Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No			
6.	Maintain exhaust duct monitoring data on perc concentrations? Maintain a startup/shutdown/malfunction plan?	 Yes □ No ⋈ N/A Yes □ No Yes □ No ⋈ N/A 			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?			
2. Does the facility maintain a leak log?	🖂 Yes 🗌 No		
3. Does the responsible official check the following areas for all Hose connections, fittings, couplings, and valves	/A g) Muck cookers Yes No N/A /A h) Stills Yes No N/A /A i) Exhaust dampers Yes No N/A /A j) Diverter valves Yes No N/A /A k) Cartridge filter housings Yes No N/A		
4. Which method(s) of detection (is/are) used by the respon	nsible official?		
a) Visual examination (condensed solvent on exterior surfaces)			
Shea Jackson	1/8/2008		
Inspector's Name (Please Print)	Date of Inspection		
	2008		
Inspector's Signature	Approximate Date of Next Inspection		

COMMENTS:

- I met with Mr. Lim, the facility contact. I observed the dryer was not in cleaning cycle.
- I reviewed the 2006 2007 calendar records. The calendars were in order with purchase receipts and waste manifest invoices attached to the appropriate months. The most recent manifest was 5/29/2007 for perc waste. The temperature and leak checks had been checked, as records were up to date 12/31/2007. Mr. Lim inquired as to why he had not been sent a calenda, for 2008..
- I gave Mr. Lim a copy of SBEAP information for the link to download the 2008 calendar, and a separator waste water guidance document, and P2 booklet for waste and brochure.
- The Perchloroethylene usage total for December was 96.7 gallons. The highest total for usage was 135.30 gallons for the month of May 2007. The equipment appeared to be in good condition, there were no perc odors detected.
- Mr. Lim stated the dryer maintains a $44^{\circ}F$ temperature very regularly, as I observed his temperature recordings in the calendar ranges were $44 45^{\circ}F$.
- Mr. Lim had his shutdown plan posted on his dryer for referencing during an emergency.
- I observed the new Fulton 15 HP boiler and the Zero water evaporator and secondary containment for waste receptacles in the boiler room. This room is on the east side of his shop. Mr. Lim stated he changes the filter ever 4 months; last change was 5/1/2007.
- I asked if he had obtained a Halogen detector. He stated he had not. I informed Mr. Lim of the requirement to obtain a Halogen detector by July 2008 and gave copy of the rule, and could result in a violation if he does not have by that date.
- The source appears to be in compliance at this time.