

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOV	ERY (CI)		
	RE-INSPECTION (FUI)	ARMS COMPLAINT N	O:		
AIRS ID#: 1170157 DA 7	ГЕ: <u>06/15/2006</u>	ARRIVE: <u>14:50</u>	DEPART: <u>15:15</u>		
FACILITY NAME: SUN	NLAND CLEANERS				
FACILITY LOCATION	: 895 Fox Valley Dr				
	LONGWOOD 32779				
RESPONSIBLE OFFICE	CSPONSIBLE OFFICIAL: GERARDO MENDEZ PHONE: (407)788-0491				
CONTACT NAME:	ONTACT NAME: PHONE:				
REMITTANCE YEAR:	2005 ENTITL	LEMENT PERIOD: 10/11/20 (effective d			
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					
DADT II. EACH ITY C	LASSIFICATION - Rule 62-2	212 200 EAC			
	y one box in A)	113.300 FAC			
transfer only, both types, x <	y, x < 140 gal/yr x < 200 gal/yr	2. New small area sour dry-to-dry only, x < 1 transfer only, x < 200 both types, x < 140 g (constructed on or aft	40 gal/yr) gal/yr al/yr		
3. Existing large	e area source y, 140 ≤ x ≤ 2,100 gal/yr	4. New large area sour	ce		
transfer only, both types, 14	$200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ efore $12/9/91$	transfer only, $200 \le x$ both types, $140 \le x \le$ (constructed on or aft	i ≤ 1,800 gal/yr 1,800 gal/yr		
transfer only, both types, 14 (constructed b 5. Ineligible for drop store/out facility exceed	$200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ defore $12/9/91$	transfer only, $200 \le x$ both types, $140 \le x \le$ (constructed on or aft	a ≤ 1,800 gal/yr 1,800 gal/yr er 12/9/91)		

PART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC (check ☑ only one box						
Do	es the responsible official of the dry cleaning facility:	for each question)				
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes □No □N/A				
2.	Examine the containers for leakage?	⊠Yes □ No □ N/A				
3.	Close and secure machine doors except during loading/unloading?	⊠ Yes □ No				
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No □ N/A				
5.	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No □ N/A				
	PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (Refer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source , no controls are requi	ired. Proceed to Part V.				
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993					
	4. If the facility classification is a <u>New large area source</u> , the machine should be excondenser. Complete both sections A and B below.	quipped with a refrigerated				
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)				
1.	Equipped all machines with the appropriate vent controls?	Yes No				
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	- Yes No N/A				
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- Yes No N/A				
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No				
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes No N/A				
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes □No				

PA	PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No No			
	a) Is the temperature differential equal to, or greater than $20^{\rm o}$ F?	□Yes □ No □ N/A			
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A			
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A			
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No No			
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC best he responsible official:	(check ☑ only one box for each question)			
1.	Maintain receipts for perc purchased?	- Xes No			
	Maintain rolling monthly total of yearly perc consumption?				
	Maintain leak detection inspection and repair reports for the following:				
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A			
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Yes No N/A			
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No N/A			
5.	Maintain exhaust duct monitoring data on perc concentrations?	Yes No N/A			
6.	Maintain a startup/shutdown/malfunction plan?	Yes No			
7.	Maintain deviation reports?	Yes No N/A			
	a) Problem corrected?	Yes No N/A			
8.	Maintain a compliance plan, if applicable?	Yes No N/A			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	X Yes No			
2. Does the facility maintain a leak log?	<u> </u>			
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	ek cookers s Yes No N/A Yes No N/A uust dampers Yes No N/A rter valves Yes No N/A ridge filter housings Yes No N/A			
4. Which method(s) of detection (is/are) used by the responsible official?a) Visual examination (condensed solvent on exterior surfaces)				
b) Physical detection (airflow felt through gaskets)				
**If using direct-reading instrumentation, is the equipment: ** \begin{align*} \text{N/A} \\ 1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm? 1) \begin{align*} \text{Yes} & \Box \\ 2) Calibrated against a standard gas prior to and after each use (PID/FID only)? 2) \begin{align*} \text{Yes} & \Box \\ 3) Inspected for leaks and obvious signs of wear on a weekly basis? 3) \begin{align*} \text{Yes} & \Box \\ 4) Kept in a clean and secure area when not in use?				
Michael Young	June 15, 2006			
Inspector's Name (Please Print)	Date of Inspection			
	June xx, 2007			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS:				