BON WORCDON	
Same Party	
FLORIDA	

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

	INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)			
RE-INSPECTION (FUI)	ARMS COMPLAINT NO:			
AIRS ID#: 1170080 DATE: 7/10/08	ARRIVE: <u>1:05</u> DEPART: <u>1</u>	<u>.23</u>		
FACILITY NAME: TOUCH OF CLASS DRY CLE	ANERS			
FACILITY LOCATION: 620 Hunt Club Blvd				
АРОРКА 32703				
OWNER/AUTHORIZED REPRESENTATIVE: (ERARDO MENDEZ PHONE: (407)788-0491			
CONTACT NAME:	PHONE:			
ENTITLEMENT PERIOD: 11/2/2006 / 11/2/20 (effective date) (end date				
L				
PART I: INSPECTION COMPLIANCE STATUS	(check 🗹 only one box)			
IN COMPLIANCE MINOR Non-CO	MPLIANCE SIGNIFICANT Non-COMPLIA	ANCE		
PART II: FACILITY CLASSIFICATION - Rule 6	PART II: FACILITY CLASSIFICATION - Rule 62-213 300 FAC			
	2-21.5.500 FAC			
(check \mathbf{M} only one box in A)	2-213.300 FAC			
(check ⊠ only one box in A) A. 1. Existing small area source	2-213.300 FAC 2. <u>New small area source</u>			
A. 1. Existing small area source \square dry-to-dry only, x < 140 gal/yr	2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr			
A. 1. <u>Existing small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr			
A. 1. Existing small area source \square dry-to-dry only, x < 140 gal/yr	2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	2. <u>New small area source</u> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)			
 A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source 	 2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr	 2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr	 2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before 12/9/91)5. Ineligible for General Permit drop store/out of business/petroleum	 2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr 			
A. 1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before 12/9/91)5. Ineligible for General Permit	 2. <u>New small area source</u> dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr 			

PART III: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC	(check 🗹 only one box
Does the responsible official of the dry cleaning facility:	for each question)
1. Store perc, and wastes containing perc, in tightly sealed & impervious containers?	Yes No N/A
2. Examine the containers for leakage?	Yes No N/A
3. Close and secure machine doors except during loading/unloading?	🛛 Yes 🗌 No
4. Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	Yes No N/A
5. Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	Yes No N/A

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC

(Refer to Part II-A.1.-4. Classification: page <u>1</u> of <u>4</u>, this form)

1. If the facility classification is a **Existing small area source**, no controls are required. **Proceed to Part V.**

2. If the facility classification is a <u>New small area source</u>, the machine should be equipped with a refrigerated condenser. Complete section A. below.

3. If the facility classification is a **Existing large area source**, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. **Complete both sections A and B below.** *Carbon adsorber must have been installed prior to September 22, 1993*

4. If the facility classification is a <u>New large area source</u>, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.

A.	Has the responsible official of all <u>existing large area & new sources</u> :		☑ only each ques	one box for stion)
1.	Equipped all machines with the appropriate vent controls?	Yes	No	
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes	No	N/A
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	Yes	No	□N/A
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	Yes	No	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes	□No	N/A
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	Yes	No	

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)				
B.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)		
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	∐Yes □No		
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	IYes No N/A Yes No N/A		
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	Yes No N/A		
	a) Is the perc concentration equal to, or less than 100 ppm?	Yes No N/A		
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes No N/A		
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	Yes No N/A		
6.	Route airflow to the carbon adsorber (if used) at all times?	Yes No N/A		

PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC				
Does the responsible official:	(check ☑ only one box for each question)			
1. Maintain receipts for perc purchased?	- 🛛 Yes 🗌 No			
2. Maintain rolling monthly total of yearly perc consumption?	Yes No			
3. Maintain leak detection inspection and repair reports for the following:				
a) documentation of leaks repaired w/in 24 hrs? or;	- Xes No N/A			
 b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 	Yes No N/A			
4. Maintain calibration data? (for applicable direct reading instruments)	Yes No N/A			
5. Maintain exhaust duct monitoring data on perc concentrations?	- Xes No N/A			
6. Maintain a startup/shutdown/malfunction plan?	- 🛛 Yes 🗌 No			
7. Maintain deviation reports?	- Xes No N/A			
a) Problem corrected?	🗌 Yes 🗌 No 🖾 N/A			
8. Maintain a compliance plan, if applicable?	- \boxtimes Yes \square No \square N/A			

PART VI:	LEAK DETECTION AN	<u>D REPAIRS</u> – Rule 62-213.300 FAC
----------	-------------------	--

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection? ------

(check ☑ only one box for each question)



2. Does the facility maintain a leak log? Xes I No	
 3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves Xestimate in the probability of th	
 4. Which method(s) of detection (is/are) used by the responsible official? a) Visual examination (condensed solvent on exterior surfaces) a) b) Physical detection (airflow felt through gaskets) b) c) Odor (noticeable perc odor) c) 	
 c) Odor (noticeable perc odor)	
**If using direct-reading instrumentation, is the equipment: ** ⊠N/A 1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm? 1) ☐ Yes 2) Calibrated against a standard gas prior to and after each use (PID/FID only)? 2) ☐ Yes No 3) Inspected for leaks and obvious signs of wear on a weekly basis? 3) ☐ Yes No 4) Kept in a clean and secure area when not in use? 4) ☐ Yes No 5) Verified for accuracy by use of duplicate samples (calorimetric only)? 5) ☐ Yes No	

Wanda Parker-Garvin

Inspector's Name (Please Print)

7/10/2008

Date of Inspection

Wanda Parker Kawin

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS:

Facility Name :	Touch of Class Dry Cleaners
Facility Address :	620 Hunt Club Blvd., Apopka, FL 32703
Date/Time :	July 10, 2008/1:05pm
Persons present :	Wanda Parker-Garvin - FDEP; Agnes Amarh
Responsible Official :	Gerardo Mendez
Phone/Email :	407-788-0491

Hazardous Waste Requirements

<pre>{</pre>	· · · · · · · · · · · · · · · · · · ·		
Inspection Question	Rule Reference	Answ	ver
General Records:			
 Type of facility? (CESQG, SQG, LQG*) 			SQG
Generator ID #:			
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]	🗌 Yes	🛛 No
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]	🗌 Yes	🛛 No
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]	🗌 Yes	🛛 No
Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]	🗌 Yes	🛛 No
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]	🗌 Yes	🛛 No
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]	Yes	🖂 No
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]		
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	🗌 Yes	🛛 No
Storage of hazardous waste:			
• The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance calculate the total weight of all perc waste in the storage area as follows:	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs		
 For 15-gal containers: # of containers x 120 lbs/container = lbs store 	d		
 For 30-gal containers: # of containers1 x 240 lbs/container = lbs stored 		240	
Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	🗌 Yes	🛛 No

inspector initial_____

9/6/2008 Page 1 of 4 *If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

In the facility in a smaller as with associative and time limits for I	NA/ stars as 2	
Is the facility in compliance with quantity and time limits for H		
SQG: is waste kept onsite < 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ⊠N/A
LQG*: is waste kept onsite ≤ 90 days?	LQG [40 CFR 262.34(a)]	🗌 Yes 🗌 No 🖾N/A
 Is there satellite accumulation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
 If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	□ Yes □ No ⊠N/A
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(3)]	🖂 Yes 🗌 No
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	🛛 Yes 🗌 No
Are containers compatible with contents?	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	🛛 Yes 🗌 No
Adequate aisle space and clearly marked exits?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	🛛 Yes 🗌 No
 Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.] 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	🛛 Yes 🗌 No
Are hazardous waste containers stored on a crack- free surface that will contain leaks or spills?		🛛 Yes 🗌 No
Is there adequate secondary containment?		X Yes No
Is entrance by unauthorized people restricted?		
Does the storage area have appropriate signage?		
Record keeping		
	SQG [40 CFR 262 subpart B]	
Are manifests properly completed?	LQG [40 CFR 262 subpart B]	🛛 Yes 🗌 No
Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	🛛 Yes 🗌 No
Exception reports?	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	☐ Yes ☐ No ⊠N/A
LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	☐ Yes ☐ No ⊠N/A
Are logs, shipping records, manifests kept at the facility for at least three years?	CESQG[62-730.030(4) F.A.C.] SQG [40 CFR 262.44] LQG [40 CFR 262.40]	🖂 Yes 🛛 🗌 No
Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)] LQG [40 CFR 262.12(c)]	🖂 Yes 🗌 No
Employee Training		
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)] LQG [40 CFR 265.16(a)&(b)]	🗌 Yes 🛛 No
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?	376.303, F.S.	yes
Are dikes or other containment structures installed	376.3078(9)(a), F.S.	🖂 Yes 🗌 No
around each machine or item of equipment in which		
dry cleaning solvents are used and around any area in		
which solvents or waste-containing solvents are		
stored?		
Were all spills of more than 1 quart of dry cleaning	403.161(1)(d), F.S.	Yes No
solvent outside of a containment structure, on or after		N/A
July 1, 1995, reported by the owner or operator to the		
state through the State Warning Point?		
If a spill occurred, did the owner or operator	403.161(11)(d), F.S.	Yes No
immediately upon the discovery of such a spill, initiate		N/A
and complete actions to abate the source of the spill?		

AST/UST Questions:

Inspection Question	Answer
Does the facility store petroleum products in a UST or AST?	☐ Yes ☐ No ⊠N/A

Separator Water Treatment System Questions:

Inspection Question	Answer
Is a separator water treatment system employed?	☐ Yes ☐ No ⊠N/A
Is the treatment system directly plumbed to the dry	🗌 Yes 🗌 No 🖾 N/A
cleaning unit? If so, is it within secondary containment?	
Does the system include a filter to reduce the	🗌 Yes 🗌 No 🖾 N/A
concentrations of chlorinated solvent(s) in the wastewater	
prior to evaporation or discharge?	
Are records available to demonstrate that the filters have	🗌 Yes 🗌 No 🖾N/A
been changed in accordance with the manufacturer's	
recommendations?	
Are wastewaters that contain soaps, detergents, chlorine,	🗌 Yes 🗌 No 🖾N/A
rust, etc. excluded from the treatments system in order to	
ensure that the filter is effective to treat the chlorinated	
solvents?	

Industrial Wastewater Standards

Inspection Question:	Rule Reference	Answer	
Does the facility discharge separator water, mop water from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic?	62.660 F.A.C.	🖂 Yes 🗌 No	
Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic?	62.600 F.A.C.	🖂 Yes 🗌 No	
Does the vacuum vent upward so that condensed solvent- containing water is returned to the vacuum tank rather than discharged onto ground?	403.087 F.S.	🖂 Yes 🗌 No	
Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off?	403.087 F.S.	🖂 Yes 🗌 No	
If the facility discharges to surface waters, is it in compliance with NPDES?	62.620 F.A.C.	☐ Yes ☐ No ⊠N/A	
If the facility discharges to the ground, is it in compliance with a state permit?	62.620 F.A.C.	☐ Yes ☐ No ⊠N/A	
If the facility discharges to sewer, is it in compliance with local sewer permit?	62.625 F.A.C.	Yes No N/A	
Is the facility on sewer other than POTW?	64 E-G	☐ Yes ☐ No ⊠N/A	

inspector initial

Dry Cleaning Equipment

Туре	Manufacturer	Serial Number	Capacity	Age

<u>Other</u>

Wanda Parker Karvin