FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Facility Name :	Classic Cleaners
Facility Address :	10841 S Hwy 441 Belleview, FL 34420
Date/Time :	June 15, 2010/3:25pm
Persons present :	Ernest Mattison, Presser Danielle Owens, FDEP
Responsible Official :	Stephen Ricketts
Phone/Email :	(352)568-5004

Hazardous Waste Requirements { **b** indicates potential SNCs }

Inspection Question Rule Reference		Answer	
Generator Determination:			
Days/week operate dryclean unit(s)		4	
Pounds of clothes drycleaned per day		80 lbs	
Gallons of separator water generated per day Do not count if hardpipe treatment system.		N/A	
 How often is sludge/muck scraped per week? 		Every 2	weeks
 Pounds of sludge/muck collected per scraping 		1 lb	
 How often are filters changed? 		Every 3 mo.	
 How many filters per change? 		2	
Sum above information to determine status:		🗌 SQG 🗌 LO	QG*
CESQG: < 100 kg/month SQG: 100-1000 kg	month LQG: >1000 kg	g/month	
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)]	🛛 Yes	🗌 No
Device to summon emergency response agencies?		🛛 Yes	🗌 No
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)]	🖂 Yes	🗌 No
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)]	🛛 Yes	🗌 No
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)]	🛛 Yes	🗌 No
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)]	🛛 Yes	🗌 No
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)]	100	
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)]	🛛 Yes	🗌 No
Storage of hazardous waste:			
 Calculate the total weight of all perc waste in the storage area as follows: 	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs		
For 15-gal containers:		240	lbs
8/31/2010 Page 1 of	1	inspector in	nitial <u>DDO</u>

*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

# of containers2 x 120 lbs/container = lbs stored		
For 30-gal containers:		
# of containers x 240 lbs/container = lbs store		
Are all HW containers marked with an	SQG [40 CFR 262.34(d)(4)]	🗌 Yes 🛛 No
accumulation start date?	accumulation start date?	
If not, how long have they been on-site?		6 mo.
SQG: is waste kept onsite < 180 days?	SQG [40 CFR 262.34(d)]	🗌 Yes 🗌 No 🖾 N/A
Is there satellite accumulation?	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
 If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)]	🛛 Yes 🗌 No
If not, percentage of HW containers not labeled:	☐ <10% ☐ 11%	6-59% 🗌 >60%
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)]	Yes No
Are containers compatible with contents?	SQG [40 CFR 262.34(d)(2)]	Yes No
Adequate aisle space between waste containers?	SQG [40 CFR 262.34(d)(4)]	Yes No
Are weekly inspections conducted and	SQG [40 CFR 262.34(d)(2)]	
documented? [62-730.160(6) F.A.C.]		🛛 Yes 🗌 No
Recordkeeping		
Are manifests available for the past three years?	CESQG [62-730.030(4) F.A.C.] SQG [40 CFR 262.44]	🛛 Yes 🗌 No
 If so, are manifests properly completed? 	SQG [40 CFR 262 subpart B]	🛛 Yes 🗌 No 🗌 N/A
Are the originals present?	SQG [40 CFR 262 subpart B]	Yes 🗌 No 🗌 N/A
Exception reports?	SQG [40 CFR 268.44]	Yes No N/A
LDRs completed?	SQG [40 CFR 268.7]	Yes No N/A
Does the facility ensure waste disposal to a	CESQG [40 CFR 261.5(g)(3)]	
permitted facility?	SQG [40 CFR 262.12(c)]	🖂 Yes 🔛 No
Dry Cleaner Stds.		
Is the facility registered and display its registration placard?	376.303, F.S	🛛 Yes 🗌 No
Is the facility in the dry cleaner solvent clean-up	376.303, F.S.	Not in Program
program? If so, what is the Facility ID #?		
Are floor areas where solvent (product and waste) is	376.3078(9)(a), F.S.	🛛 Yes 🗌 No
managed or stored rendered impermeable to solvent?		
Are all containers of solvent product or solvent waste	376.3078(9)(a), F.S.	🛛 Yes 🗌 No
within secondary containment?		
Have all spills of more than 1 quart of dry cleaning	403.161(1)(d), F.S.	Yes No
solvent outside of a containment structure been		⊠N/A
reported to the State Warning Point by the		
owner/operator?		
If a spill occurred, did the owner or operator	403.161(11)(d), F.S.	
immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?		⊠N/A
		1

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Separator Water Treatment System Questions:

Inspection Question	Answer
Is a separator water treatment system employed?	🗌 Yes 🖾 No
If so, is it within secondary containment?	☐ Yes ☐ No ⊠N/A
Does the system include the proper filter?	☐ Yes ☐ No ⊠N/A
Are records available to demonstrate that the filters have been changed in accordance with the manufacturer's recommendations?	☐ Yes ☐ No ⊠N/A
Are spent filters disposed of as haz waste?	☐ Yes ☐ No ⊠N/A
Are wastewaters that contain soaps, detergents, chlorine, rust, etc. excluded from the treatments system in order to ensure that the filter is effective to treat the chlorinated solvents?	☐ Yes ☐ No ⊠N/A

Industrial Wastewater Standards

Inspection Question:	Rule Reference	Answer	
Facility on septic or sewer?		🛛 Sewer	Septic
Vacuum water discharged to:		HW drum	Tx system
		Ground	Sink/Toilet
Mop water discharged to:		🛛 HW drum	🗌 Tx system
		Ground	Sink/Toilet
Are solvent-based spotters used on laundry (non-		☐ Yes	🖂 No
drycleaned) garments?			
If the facility discharges to sewer, is it in compliance with	62.625 F.A.C.		No 🕅 N/A
local sewer permit?			

Dry Cleaning Equipment

Туре	Manufacturer^	Model Number^	Capacity^	Age^
Dry to Dry	Aerotech USA	483	· •	

Other

Number Employees	Years in Operation	Drinking Water
3		🖂 City 🔲 Well

Notes by Inspector