FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

| Facility Name : | Nelson's Cleaners |
|------------------------|---|
| Facility Address : | 1203G West Hwy 50 Clermont, FL 34711 |
| Date/Time : | February 25, 2010/10:30am |
| Persons present : | Gary Nelson, Owner Danielle D. Owens, FDEP |
| Responsible Official : | Gary Nelson |
| Phone/Email : | (352) 394-6060 |

Hazardous Waste Requirements { **b** indicates potential SNCs }

| Inspection Question Rule Reference | | Answer | |
|---|--|--------------|-------------------|
| Generator Determination: | | | |
| Days/week operate dryclean unit(s) | | 4days/wk | |
| Pounds of clothes drycleaned per day | | 60 | lbs |
| Gallons of separator water generated per day | Do not count if hardpiped to treatment system. | 3 gals | |
| How often is sludge/muck scraped per week? | | 1/v | vk |
| Pounds of sludge/muck collected per scraping | | 1/I | |
| How often are filters changed? | | N/A | |
| How many filters per change? | | N/A | |
| Sum above information to determine status: | | | |
| CESQG: < 100 kg/month SQG: 100-1000 kg/ | month LQG: >1000 kg | g/month | |
| Preparedness & Prevention | | | |
| Employee notification system? | SQG [40 CFR 262.34(d)(4)] | 🛛 Yes | 🗌 No |
| Device to summon emergency response agencies? | | 🛛 Yes | 🗌 No |
| Portable fire extinguishers and spill control equipment? | SQG [40 CFR 262.34(d)(4)] | 🖂 Yes | 🗌 No |
| Are employees trained in HW management? | SQG [40 CFR 262.34(d)(5)(iii)] | 🛛 Yes | 🗌 No |
| Program to test emergency equipment? | SQG [40 CFR 262.34(d)(4)] | 🛛 Yes | 🗌 No |
| Minimized possibility of spills and releases | SQG [40 CFR 262.34(d)(4)] | 🛛 Yes | 🗌 No |
| Contingency Planning: | | | |
| Designated emergency coordinator? | SQG [40 CFR 262.34(d)(4)(i)] | R/ | 0 |
| Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? | SQG [40 CFR 262.34(d)(4)(ii)] | 🛛 Yes | 🗌 No |
| Storage of hazardous waste: | | | |
| Calculate the total weight of all perc waste in the storage area as follows: | Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs | | |
| For 15-gal containers: | | 120 | lbs |
| 5/12/2010 Page 1 of | 3 | inspector in | nitial <u>DDO</u> |

*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

| # of containers <u>1</u> x 120 lbs/container = lbs stored | | |
|---|---|------------------|
| For 30-gal containers: | | |
| # of containers x 240 lbs/container = lbs store | - | |
| Are all HW containers marked with an | SQG [40 CFR 262.34(d)(4)] | 🗌 Yes 🛛 No |
| accumulation start date? | | |
| If not, how long have they been on-site? | | |
| SQG: is waste kept onsite < 180 days? | SQG [40 CFR 262.34(d)] | ☐ Yes ☐ No ⊠N/A |
| Is there satellite accumulation? | SQG [40 CFR 262.34(c)] | ☐ Yes ☐ No ⊠N/A |
| If applicable, are satellite areas at/near the point of generation? | SQG [40 CFR 262.34(c)] | ☐ Yes ☐ No ⊠N/A |
| Are containers labeled with the words "Hazardous Waste"? | SQG [40 CFR 262.34(d)(4)] | 🛛 Yes 🗌 No |
| If not, percentage of HW containers not labeled: | ☐ <10% ☐ 11% | 6-59% 🗌 >60% |
| Are containers in good condition and kept closed? | SQG [40 CFR 262.34(d)(2),(4)] | 🛛 Yes 🗌 No |
| Are containers compatible with contents? | SQG [40 CFR 262.34(d)(2)] | Yes No |
| Adequate aisle space between waste containers? | SQG [40 CFR 262.34(d)(4)] | Yes No |
| Are weekly inspections conducted and | SQG [40 CFR 262.34(d)(2)] | |
| documented? [62-730.160(6) F.A.C.] | | 🛛 Yes 🗌 No |
| Recordkeeping | | |
| Are manifests available for the past three years? | CESQG [62-730.030(4) F.A.C.] SQG [40 CFR 262.44] | 🛛 Yes 🗌 No |
| If so, are manifests properly completed? | SQG [40 CFR 262 subpart B] | 🛛 Yes 🗌 No 🔤 N/A |
| Are the originals present? | SQG [40 CFR 262 subpart B] | Yes 🗌 No 🗌 N/A |
| Exception reports? | SQG [40 CFR 268.44] | Yes No N/A |
| LDRs completed? | SQG [40 CFR 268.7] | Yes No N/A |
| Does the facility ensure waste disposal to a permitted facility? | CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)] | 🛛 Yes 🗌 No |
| Dry Cleaner Stds. | | |
| Is the facility registered and display its registration placard? | 376.303, F.S | Yes No |
| Is the facility in the dry cleaner solvent clean-up | 376.303, F.S. | Not in Program |
| program? If so, what is the Facility ID #? | | |
| Are floor areas where solvent (product and waste) is | 376.3078(9)(a), F.S. | 🛛 Yes 🗌 No |
| managed or stored rendered impermeable to solvent? | | |
| Are all containers of solvent product or solvent waste | 376.3078(9)(a), F.S. | 🛛 Yes 🗌 No |
| within secondary containment? | | |
| Have all spills of more than 1 quart of dry cleaning | 403.161(1)(d), F.S. | Yes_ No |
| solvent outside of a containment structure been | | ⊠N/A |
| reported to the State Warning Point by the | | |
| owner/operator? | 403.161(11)(d), F.S. | |
| If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate | HUS. 101(11)(U), F.S. | |
| and complete actions to abate the source of the spill? | | ⊠N/A |
| | | |

FDEP Multimedia Program - DRY CLEANERS SECTOR Inspection Checklist (Part II)

Separator Water Treatment System Questions:

| Inspection Question | Answer |
|--|------------------|
| Is a separator water treatment system employed? | 🛛 Yes 🗌 No |
| If so, is it within secondary containment? | ☐ Yes ⊠ No ☐N/A |
| Does the system include the proper filter? | 🛛 Yes 🗌 No 🗌 N/A |
| Are records available to demonstrate that the filters have been changed in accordance with the manufacturer's recommendations? | ⊠ Yes □ No □N/A |
| Are spent filters disposed of as haz waste? | Yes No N/A |
| Are wastewaters that contain soaps, detergents, chlorine, rust, etc. excluded from the treatments system in order to ensure that the filter is effective to treat the chlorinated solvents? | ⊠ Yes □ No □N/A |

Industrial Wastewater Standards

| Inspection Question: | Rule Reference | Ans | swer |
|---|----------------|-----------|-------------|
| Facility on septic or sewer? | | 🛛 Sewer | Septic |
| Vacuum water discharged to: | | HW drum | Tx system |
| | | Ground | Sink/Toilet |
| Mop water discharged to: | | 🛛 HW drum | 🗌 Tx system |
| | | Ground | Sink/Toilet |
| Are solvent-based spotters used on laundry (non- | | ☐ Yes | 🖂 No |
| drycleaned) garments? | | | |
| If the facility discharges to sewer, is it in compliance with | 62.625 F.A.C. | | No 🕅 N/A |
| local sewer permit? | | | |

Dry Cleaning Equipment

| Туре | Manufacturer^ | Model Number^ | Capacity^ | Age^ |
|------------|---------------|---------------|-----------|------|
| Dry to Dry | Vapor Press | 353 | 35 lbs | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Other

| Number Employees | Years in Operation | Drinking Water | |
|------------------|--------------------|----------------|--|
| 6 | 19 | 🖂 City 🔲 Well | |
| | | | |

Notes by Inspector