

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

| INSPECTION TYPE:  | ANNUAL (INS1, INS2)   | COMPLAINT/DISCO  | VERY (CI)  |  |  |  |
|---|---|--|--|--|--|--|
| ]   | RE-INSPECTION (FUI)   | ARMS COMPLAINT   | NO:  |  |  |  |
|   |   |  |  |  |  |  |
| <b>AIRS ID#:</b> 0010101 <b>DAT</b>   | TE: <u>4-2-10</u>   | ARRIVE: <u>1115</u>  | <b>DEPART:</b> <u>1130</u>   |  |  |  |
| FACILITY NAME: CUS  | TOM CARE CLEANERS   |  |  |  |  |  |
| FACILITY LOCATION:  | 3735 W University Ave   |  |  |  |  |  |
|   | GAINESVILLE 32607-  | -2457  |  |  |  |  |
| OWNER/AUTHORIZED REPRESENTATIVE: DHARAMEN PATEL PHONE: (352)376-8420  |   |  |  |  |  |  |
| CONTACT NAME:   |   | РНО  | ONE:   |  |  |  |
| ENTITLEMENT PERIOD: 10/22/2006 / 10/22/2011 (effective date) (end date)   |   |  |  |  |  |  |
|   |   | . 🗖  |  |  |  |  |
|   | COMPLIANCE STATUS (che  |  | CANTEN COMPLIANCE  |  |  |  |
|   | E MINOR Non-COMPI   | LIANCE   SIGNIFIC  | CANT Non-COMPLIANCE  |  |  |  |
|   |   |  |  |  |  |  |
| PART II: <u>FACILITY CI</u> (check <b>☑</b> only  | <u>LASSIFICATION</u> - Rule 62-21 one box in A)   | 3.300 FAC  |  |  |  |  |
| A. 1. Existing small dry-to-dry only transfer only, x both types, x < (constructed be   | y, x < 140 gal/yr<br>x < 200 gal/yr<br>140 gal/yr   | 2. New small area sordry-to-dry only, x < transfer only, x < 20 both types, x < 140 (constructed on or a             | < 140 gal/yr<br>00 gal/yr<br>gal/yr  |  |  |  |
| transfer only, 2  | y, $140 \le x \le 2,100 \text{ gal/yr}$<br>$200 \le x \le 1,800 \text{ gal/yr}$<br>$0 \le x \le 1,800 \text{ gal/yr}$ | 4. New large area sou<br>dry-to-dry only, 140<br>transfer only, 200 ≤<br>both types, 140 ≤ x<br>(constructed on or a | $0 \le x \le 2.100 \text{ gal/yr}$<br>$\le x \le 1.800 \text{ gal/yr}$<br>$\le 1.800 \text{ gal/yr}$ |  |  |  |
| 5. Ineligible for (<br>drop store/out of facility exceeds   | of business/petroleum   |  |  |  |  |  |
| <b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 105 gallons. |   |  |  |  |  |  |

| PA | RT III: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC   | (check <b>☑</b> only one box |                |                    |  |  |
|----|---|------------------------------|----------------|--------------------|--|--|
| Do | es the responsible official of the dry cleaning facility:   | for ea                       |                |                    |  |  |
| 1. | Store perc, and wastes containing perc, in tightly sealed & impervious containers?  | ⊠Yes                         | □No            | □N/A               |  |  |
| 2. | Examine the containers for leakage?   | ⊠Yes                         | ☐ No           | □ N/A              |  |  |
| 3. | Close and secure machine doors except during loading/unloading?   | X Yes                        | ☐ No           |                    |  |  |
|    | Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?   | ⊠Yes                         | □ No           | □ N/A              |  |  |
|    | Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?   | □Yes                         | □ No           | ⊠ N/A              |  |  |
|    | RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)  |                              |                |                    |  |  |
|    | 1. If the facility classification is a <b>Existing small area</b> source, no controls are requi   | red. Pro                     | ceed to I      | Part V.            |  |  |
|    | 2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>   |                              |                |                    |  |  |
|    | <ol> <li>If the facility classification is a <u>Existing large area source</u>, the machine should be refrigerated condenser or a carbon adsorber. Complete both sections A and B below must have been installed prior to September 22, 1993</li> <li>If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below.</li> </ol> | w. Carb                      | oon adsor      | rber               |  |  |
| Α. | Has the responsible official of all <u>existing large</u> <u>area &amp; new sources</u> :   |                              | only each ques | one box for stion) |  |  |
| 1. | Equipped all machines with the appropriate vent controls?   | ⊠Yes                         | □No            |                    |  |  |
| 2. | Equipped dry-to-dry machines with a closed-loop vapor venting system?   | ⊠Yes                         | □No            | □N/A               |  |  |
| 3. | Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?   | ⊠Yes                         | □No            | □N/A               |  |  |
| 4. | Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?   | ⊠Yes                         | □No            |                    |  |  |
| 5. | Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?  | Yes                          | □No            | ⊠N/A               |  |  |
| 6. | Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?  | ⊠Yes                         | □No            |                    |  |  |

| PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)  |  |
|---|--|
| B. Does the responsible official of an existing large or new large area source also:  | (check ☑ only one box for each question)                     |
| Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  | □Yes □No   |
| Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?   | - Yes No N/A   |
| a) Is the temperature differential equal to, or greater than 20° F?   | □Yes □ No □ N/A  |
| 3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?   | □Yes □ No □ N/A  |
| a) Is the perc concentration equal to, or less than 100 ppm?  | □Yes □ No □ N/A  |
| 4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?   | □Yes □ No □ N/A  |
| 5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | - Yes No N/A   |
| 6. Route airflow to the carbon adsorber (if used) at all times?   | □Yes □ No □ N/A  |
|   |  |
|   |  |
| PART V. DECORDEFERING DECLUREMENTS   Dulo 62-213 300(3) FAC   |  |
| PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC  Does the responsible official:  | (check ☑ only one box for each question)                     |
| Does the responsible official:  | each question)   |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)  Yes No                                       |
| Does the responsible official:  | each question)  ⊠ Yes □ No                                   |
| Does the responsible official:  1. Maintain receipts for perc purchased?  2. Maintain rolling monthly total of yearly perc consumption?   | each question)  Yes No Yes No                                |
| Does the responsible official:  1. Maintain receipts for perc purchased?  2. Maintain rolling monthly total of yearly perc consumption?  3. Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days   | each question)  Yes No Yes No No No                          |
| Does the responsible official:  1. Maintain receipts for perc purchased?  2. Maintain rolling monthly total of yearly perc consumption?  3. Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;   | each question)  Yes No Yes No                                |
| Does the responsible official:  1. Maintain receipts for perc purchased?  2. Maintain rolling monthly total of yearly perc consumption?  3. Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | each question)  ☐ Yes ☐ No ☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)     Yes                                       |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)     Yes                                       |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)     Yes                                       |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |
| Does the responsible official:  1. Maintain receipts for perc purchased?  | each question)    Yes  |

| 2. Does the facility maintain a leak log?   |                                     |  |  |  |  |
|---|-------------------------------------|--|--|--|--|
| 3. Does the responsible official check the following areas for leaks?  a) Hose connections, fittings,     couplings, and valves | tills                               |  |  |  |  |
| 4. Which method(s) of detection (is/are) used by the responsible offi   | cial?                               |  |  |  |  |
| a) Visual examination (condensed solvent on exterior surfaces)  |                                     |  |  |  |  |
| Marc Lovallo  | 4-2-10                              |  |  |  |  |
| Inspector's Name (Please Print)   | Date of Inspection                  |  |  |  |  |
|   | April 2011                          |  |  |  |  |
| Inspector's Signature   | Approximate Date of Next Inspection |  |  |  |  |
| COMMENTS:   |                                     |  |  |  |  |