

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE:</b> ANNUAL (INS	, INS2) 🕍 COMPLAINT/DISCOVERY (CI) 📙				
RE-INSPECTIO	N (FUI) ARMS COMPLAINT NO:				
AIRS ID#: 0990448 DATE: <u>4/23/2009</u>	ARRIVE: <u>1:00 PM</u> DEPART: <u>1:30 PM</u>				
FACILITY NAME: BROADWAY CLEA	NERS				
FACILITY LOCATION: 2785 Broad	ndway				
RIVIERA	BEACH 33404				
OWNER/AUTHORIZED REPRESENTA	ATIVE: PRAVIN PATEL PHONE: (561)744-7609				
CONTACT NAME: Same	PHONE: (				
ENTITLEMENT PERIOD: 8/31/2006 / 8/31/2011 (effective date) (end date)					
PART I: INSPECTION COMPLIANCE	STATUS (check only one box)				
PART II: FACILITY CLASSIFICATIO (check ☑ only one box in A)	<u>N</u> - Rule 62-213.300 FAC				
A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)				
3. Existing large area source					
dry-to-dry only, $140 \le x \le 2,10$ transfer only, $200 \le x \le 1,800$ gaboth types, $140 \le x \le 1,800$ gal (constructed before $12/9/91$ )					
transfer only, $200 \le x \le 1,800$ g both types, $140 \le x \le 1,800$ gal	both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$ )				

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check <b>☑</b> only one box			
Do	es the responsible official of the dry cleaning facility:	for each question)			
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes □No □N/A			
2.	Examine the containers for leakage?	⊠Yes □ No □ N/A			
3.	Close and secure machine doors except during loading/unloading?	⊠ Yes □ No			
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No □ N/A			
5.	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No □ N/A			
	PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (Refer to Part II-A.14. Classification: page 1 of 4, this form)				
	1. If the facility classification is a <b>Existing small</b> area source, no controls are requi	ired. Proceed to Part V.			
	2. If the facility classification is a <u>New small area source</u> , the machine should be econdenser. <b>Complete section A. below.</b>	quipped with a refrigerated			
	3. If the facility classification is a <b>Existing large area source</b> , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. <b>Complete both sections A and B below.</b> Carbon adsorber must have been installed prior to September 22, 1993				
	4. If the facility classification is a <u>New large area source</u> , the machine should be excondenser. Complete both sections A and B below.	quipped with a refrigerated			
<b>A.</b>	Has the responsible official of all <u>existing large</u> <u>area &amp; new sources</u> :	(check ☑ only one box for each question)			
1.	Equipped all machines with the appropriate vent controls?	Yes No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	- ⊠Yes □No □N/A			
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- ⊠Yes □No □N/A			
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- ⊠Yes □No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- ⊠Yes □No □N/A			
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes □No			

	PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)				
Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No				
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	□Yes □ No □N/A				
a) Is the temperature differential equal to, or greater than 20° F?	☐Yes ☐ No ☒ N/A				
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	☐Yes ☐ No ☒ N/A				
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A				
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend,					
contraction, or expansion; and downstream from no other inlet?	- □Yes □ No ⊠ N/A				
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	Yes No N/A				
6. Route airflow to the carbon adsorber (if used) at all times?	Yes No N/A				
or read units was the care on adsorber (in about at an inner.	<del>_</del>				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC					
	(check ☑ only one box for each question)				
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for each question)				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:	(check ☑ only one box for each question)  - ☑ Yes ☐ No				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  - ☑ Yes ☐ No				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  - ☑ Yes ☐ No - ☑ Yes ☐ No				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  - ☑ Yes ☐ No - ☑ Yes ☐ No				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  Yes □ No Yes □ No Yes □ No □ N/A □ Yes □ No □ N/A				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  Yes □ No Yes □ No Yes □ No □ N/A □ Yes □ No □ N/A □ Yes □ No □ N/A				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  Yes □ No  Yes □ No  Yes □ No □ N/A  Yes □ No □ N/A □ Yes □ No □ N/A □ Yes □ No □ N/A □ Yes □ No □ N/A				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check  only one box for each question)  -				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC  Does the responsible official:  1. Maintain receipts for perc purchased? ————————————————————————————————————	(check ☑ only one box for each question)  - ☑ Yes ☐ No - ☑ Yes ☐ No - ☑ Yes ☐ No ☐ N/A - ☑ Yes ☐ No ☐ N/A - ☐ Yes ☐ No ☑ N/A - ☐ Yes ☐ No ☑ N/A - ☐ Yes ☐ No ☐ N/A				

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection?		
3. Does the responsible official check the following areas for leaks?  a) Hose connections, fittings, couplings, and valves		<del>-</del>
a) Hose connections, fittings, couplings, and valves	2. Does the facility maintain a leak log?	
a) Visual examination (condensed solvent on exterior surfaces)	a) Hose connections, fittings,     couplings, and valves	Muck cookers         Yes         No         N/A           Stills         Yes         No         N/A           Exhaust dampers         Yes         No         N/A           Diverter valves         Yes         No         N/A
a) Visual examination (condensed solvent on exterior surfaces)	4. Which method(s) of detection (is/are) used by the responsible o	official?
1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm?	a) Visual examination (condensed solvent on exterior surfaces b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetrice) Halogen leak detector	c tubes) e) \bigsilon **(see below)
3) Inspected for leaks and obvious signs of wear on a weekly basis?	1) Capable of detecting perc vapor concentrations in a range of	f 0-500 ppm? 1) <u>Y</u> es No
4) Kept in a clean and secure area when not in use?		
5) Verified for accuracy by use of duplicate samples (calorimetric only)? 5) Yes No  Jeffrey Dizek 4/23/2009  Inspector's Name (Please Print) Date of Inspection  4/2010  Inspector's Signature Approximate Date of Next Inspection		
Jeffrey Dizek  Inspector's Name (Please Print)  Date of Inspection  4/2010  Inspector's Signature  Approximate Date of Next Inspection		
Inspector's Name (Please Print)  Date of Inspection  4/2010  Inspector's Signature  Approximate Date of Next Inspection	o, tollies to accuracy by the bear a	
4/2010  Inspector's Signature Approximate Date of Next Inspection	Jeffrey Dizek	4/23/2009
Inspector's Signature Approximate Date of Next Inspection	Inspector's Name (Please Print)	Date of Inspection
		4/2010
COMMENTS:	Inspector's Signature	Approximate Date of Next Inspection
	COMMENTS:	