

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

RE-INSPECTION (FUI) ARMS COMPLAINT NO:	Field Code Changed
IRS ID#: 1150086 DATE: 07/17/2006 ARRIVE: -10:40 am DEPART:	Field Code Changed
ACILITY NAME: MEL'S SUPER LAUNDRY & DRYCLEANING	Deleted:
ACILITY NAME: MELS SUPER LAUNDRY & DRYCLEANING	Field Code Changed
ACILITY LOCATION: 3838 S Osprey Ave	Field Code Changed
SARASOTA 34239	Field Code Changed
	Field Code Changed
ESPONSIBLE OFFICIAL: DONALD MILLER PHONE: (941)955-4304	Field Code Changed
ONTACT NAME: Donald Miller PHONE:	Field Code Changed
	Field Code Changed
EMITTANCE YEAR: 2005 ENTITLEMENT PERIOD: 9/28/2001 / 9/28/2006 (effective date) (end date)	Field Code Changed
(enecuve date) (end date)	Field Code Changed
	Deleted:
ART I: <u>INSPECTION COMPLIANCE STATUS</u> (check 🗹 only one box)	Field Code Changed
IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIAN	CE Field Code Changed
	Field Code Changed
	Field Code Changed
(check \blacksquare only one box in A)2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)3. Existing large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr	
both types, $140 \le x \le 1,800$ gal/yrboth types, $140 \le x \le 1,800$ gal/yr(constructed before $12/9/91$)(constructed on or after $12/9/91$)	

	GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check \square only one box
Does the re	sponsible official of the dry cleaning facility:	for each question)
1. Store per	c, and wastes containing perc, in tightly sealed & impervious containers?	Yes No N/A
2. Examine	the containers for leakage?	Yes No N/A
3. Close an	d secure machine doors except during loading/unloading?	🖾 Yes 🗌 No
	rtridge filters in their housing or in sealed containers for at least 24 hours lisposal?	Yes No N/A
	solvent-to-carbon ratios and steam pressure for carbon adsorber beds g to the manufacturer's specifications?	Yes No N/A

PART IV: <u>PROCESS VENT CONTROLS</u> – Rule 62-213.300 FAC

(Refer to Part II-A.1.-4. Classification: page <u>1</u> of <u>4</u>, this form)

1. If the facility classification is a Existing small area source, no controls are required. Proceed to Part V.

2. If the facility classification is a <u>New small area source</u>, the machine should be equipped with a refrigerated condenser. **Complete section A. below.**

3. If the facility classification is a **Existing large area source**, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. **Complete both sections A and B below.** *Carbon adsorber must have been installed prior to September 22, 1993*

4. If the facility classification is a <u>New large area source</u>, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below.

A.	Has the responsible official of all <u>existing large area & new sources</u> :	·	☑ only o each ques	one box for tion)
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	No	
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Yes	□No	□N/A
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Yes	□No	
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	□Yes	No	⊠N/A
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	No	

PART IV: <u>PROCESS VENT CONTROLS</u> – Rule 62-213.300 FAC (continued)	
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	⊠Yes □No
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	
a) Is the temperature differential equal to, or greater than 20° F?	\Box Yes \Box No \boxtimes N/A
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	Yes No N/A
a) Is the perc concentration equal to, or less than 100 ppm?	Yes No X/A
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	· □Yes □ No ⊠ N/A
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A
6. Route airflow to the carbon adsorber (if used) at all times?	\Box Yes \Box No \boxtimes N/A
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check 🗹 only one box for
Does the responsible official:	each question)
1. Maintain receipts for perc purchased?	- 🛛 Yes 🗌 No
2. Maintain rolling monthly total of yearly perc consumption?	
3. Maintain leak detection inspection and repair reports for the following:	
a) documentation of leaks repaired w/in 24 hrs? or;	- Xes No N/A
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Yes No N/A
4. Maintain calibration data? (for applicable direct reading instruments)	Yes No N/A
5. Maintain exhaust duct monitoring data on perc concentrations?	
6. Maintain a startup/shutdown/malfunction plan?	
7. Maintain deviation reports?	
a) Problem corrected?	- Yes No N/A

PART VI: LEAK DETECTION AND REPAIRS - Rule 62-213.300 FAC	_
	(check 🗹 only one box for
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak	each question)

8. Maintain a compliance plan, if applicable? ----- Xes No N/A

	Xes No	
2. Does the facility maintain a leak log?	Xes No	
 3. Does the responsible official check the following areas for least one couplings, and valves Xervice Solvent tanks and containers Xervice Solvent tanks and containers	g) Muck cookers XYes No N/A h) Stills Yes No N/A i) Exhaust dampers Yes No N/A j) Diverter valves Yes No N/A	
4. Which method(s) of detection (is/are) used by the responsible	le official?	
 a) Visual examination (condensed solvent on exterior surfate) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor)	b)⊠ c)⊠ etric tubes) d)	
 **If using direct-reading instrumentation, is the equipment 1) Capable of detecting perc vapor concentrations in a rang 2) Calibrated against a standard gas prior to and after each u 3) Inspected for leaks and obvious signs of wear on a week 4) Kept in a clean and secure area when not in use? 5) Verified for accuracy by use of duplicate samples (calori 	e of 0-500 ppm? 1) Yes No use (PID/FID only)? 2) Yes No ly basis? 3) Yes No 4) Yes No	
Susan Cameron, ESIII	07/17/2006	
Susan Cameron, ESIII Inspector's Name (Please Print)	07/17/2006 	Field Code Changed
·····		
·····	Date of Inspection	Field Code Changed