



PERCHLOROETHYLENE DRY CLEANERS



Environmental
Compliance

COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI) ARMS COMPLAINT NO:

AIRS ID#: 1010347 **DATE:** 11072007 **ARRIVE:** 1525 **DEPART:** 1554

FACILITY NAME: THE CLOTHES DOCTOR

FACILITY LOCATION: 13915 US 98 By Pass
 DADE CITY 33525

RESPONSIBLE OFFICIAL: MARIA ALEJANDRE-CHAY **PHONE:** (352)206-5972

CONTACT NAME: Maria Alejandre-Chay **PHONE:** 3522065972

REMITTANCE YEAR: 2006 **ENTITLEMENT PERIOD:** 2/16/2007 / 2/16/2012
(effective date) (end date)

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: FACILITY CLASSIFICATION - Rule 62-213.300 FAC
 (check only one box in A)

<p>A. 1. Existing small area source <input type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)</p>	<p>2. New small area source <input checked="" type="checkbox"/> dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)</p>
<p>3. Existing large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)</p>	<p>4. New large area source <input type="checkbox"/> dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)</p>

5. Ineligible for General Permit
 drop store/out of business/petroleum
 facility exceeds above limits

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 20 gallons.

PART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC

(check only one box for each question)

Does the responsible official of the dry cleaning facility:

1. Store perc, and wastes containing perc, in tightly sealed & impervious containers? Yes No N/A
2. Examine the containers for leakage? ----- Yes No N/A
3. Close and secure machine doors except during loading/unloading? ----- Yes No
4. Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? ----- Yes No N/A
5. Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? ----- Yes No N/A

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC

(Refer to Part II-A.1.-4. Classification: page 1 of 4, this form)

1. If the facility classification is a **Existing small area source**, no controls are required. **Proceed to Part V.**
2. If the facility classification is a **New small area source**, the machine should be equipped with a refrigerated condenser. **Complete section A. below.**
3. If the facility classification is a **Existing large area source**, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. **Complete both sections A and B below.** *Carbon adsorber must have been installed prior to September 22, 1993*
4. If the facility classification is a **New large area source**, the machine should be equipped with a refrigerated condenser. **Complete both sections A and B below.**

A. Has the responsible official of all existing large area & new sources:

(check only one box for each question)

1. Equipped all machines with the appropriate vent controls? ----- Yes No
2. Equipped dry-to-dry machines with a closed-loop vapor venting system? ----- Yes No N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? ----- Yes No N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis? ----- Yes No
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F? ----- Yes No N/A
6. Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged? ----- Yes No

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)

B. Does the responsible official of an existing large or new large area source also:

(check only one box for each question)

1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis? ----- Yes No
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly? ----- Yes No N/A
 - a) Is the temperature differential equal to, or greater than 20° F? ----- Yes No N/A
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber? ----- Yes No N/A
 - a) Is the perc concentration equal to, or less than 100 ppm? ----- Yes No N/A
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? ----- Yes No N/A
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils? ----- Yes No N/A
6. Route airflow to the carbon adsorber (if used) at all times? ----- Yes No N/A

PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC

Does the responsible official:

(check only one box for each question)

1. Maintain receipts for perc purchased? ----- Yes No
2. Maintain rolling monthly total of yearly perc consumption? ----- Yes No
3. Maintain leak detection inspection and repair reports for the following:
 - a) documentation of leaks repaired w/in 24 hrs? or; ----- Yes No N/A
 - b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? ----- Yes No N/A
4. Maintain calibration data? (*for applicable direct reading instruments*) ----- Yes No N/A
5. Maintain exhaust duct monitoring data on perc concentrations? ----- Yes No N/A
6. Maintain a startup/shutdown/malfunction plan? ----- Yes No
7. Maintain deviation reports? ----- Yes No N/A
 - a) Problem corrected? ----- Yes No N/A
8. Maintain a compliance plan, if applicable? ----- Yes No N/A

PART VI: LEAK DETECTION AND REPAIRS – Rule 62-213.300 FAC

(check only one box for each question)

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

detection and repair inspection? ----- Yes No

2. Does the facility maintain a leak log? ----- Yes No

3. Does the responsible official check the following areas for leaks?

a) Hose connections, fittings, couplings, and valves -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	g) Muck cookers -----	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
b) Door gaskets and seating -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	h) Stills -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
c) Filter gaskets and seating -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	i) Exhaust dampers -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
d) Pumps -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	j) Diverter valves -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
e) Solvent tanks and containers--	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	k) Cartridge filter housings	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
f) Water separators -----	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A				

4. Which method(s) of detection (is/are) used by the responsible official?


a) Visual examination (condensed solvent on exterior surfaces) -----	a) <input checked="" type="checkbox"/>
b) Physical detection (airflow felt through gaskets) -----	b) <input checked="" type="checkbox"/>
c) Odor (noticeable perc odor) -----	c) <input checked="" type="checkbox"/>
d) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) -----	d) <input type="checkbox"/> ** (see below)
e) Halogen leak detector -----	e) <input type="checkbox"/>

****If using direct-reading instrumentation, is the equipment:** ----- ** N/A

1) Capable of detecting perc vapor concentrations in a range of 0-500 ppm? -----	1) <input type="checkbox"/> Yes	<input type="checkbox"/> No
2) Calibrated against a standard gas prior to and after each use (PID/FID only)? -----	2) <input type="checkbox"/> Yes	<input type="checkbox"/> No
3) Inspected for leaks and obvious signs of wear on a weekly basis? -----	3) <input type="checkbox"/> Yes	<input type="checkbox"/> No
4) Kept in a clean and secure area when not in use? -----	4) <input type="checkbox"/> Yes	<input type="checkbox"/> No
5) Verified for accuracy by use of duplicate samples (calorimetric only)? -----	5) <input type="checkbox"/> Yes	<input type="checkbox"/> No

Joseph V. Panetta

11072007

Inspector's Name (Please Print) _____

 Inspector's Signature _____

Date of Inspection _____
 2008
 Approximate Date of Next Inspection _____

COMMENTS: Spoke with Ms. Maria Alejandre-Chay. During the inspection I found the facility owner was not keeping up with the 12 month rolling average. Left a field warning notice stating this and asked her to please bring book up to date and fax it to the office. This was accomplished and books are now up to date. Also let the owner know that the state was not sending out 2008 calendars and directed her to web page where she could download it. I also gave SBEAP contact and phone number

DRY CLEANER AIR QUALITY GENERAL PERMIT
ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: The Clothes Doctor of Dade City Inc DATE: 11/7/07
FACILITY LOCATION: 13915 US 98 By Pass
Dade city 33525

Annual Reporting Period: Oct 1 2007 TO Sept 30 2007

Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES NO

If NO, complete the following:

#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from N/A to _____
Action(s) taken to achieve compliance: N/A
Method used to demonstrate compliance: N/A

#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above:

Exact period of non-compliance: from N/A to _____
Action(s) taken to achieve compliance: N/A
Method used to demonstrate compliance: N/A

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: Maria Alejandra Chavez Maria Chavez 11.07.07
Name (Please Print) Signature Date

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.



Florida Department of Environmental Protection
Southwest District Office

FIELD WARNING NOTICE

Name / Owner / Operator: The Clothes Doctor of Dade City Inc
Address: 13915 US 98 Bypass
Location / Source: Dade City 33525
Permit Number: 1010347 Permit Exp. Date: 2/16/2012 Date and Time: 11/7/07

The purpose of this notice is to advise you of possible violations of law for which you may be responsible, and to seek your cooperation in resolving the matter. Florida Department of Environmental Protection (DEP) personnel conducted a field inspection on the date listed above at the location described above. Florida DEP personnel observed the following, which indicates that a violation of Florida Statutes and Rules may exist at the above described facility: (For example, Where was the activity observed? How was it discovered? Who provided information to the inspector?)

Observations: Not Keeping up with 12 month Rolling Average - Maria Alejandre-Chavez will call within 15 days when records are updated.

Rule or Statute Relevant to Observations

Permit Condition No.

Table with 2 columns: Rule or Statute Relevant to Observations, Permit Condition No. Rows include: Unconfined Particulate Matter, Operating Without a Permit, Violation of Permit Condition(s), Objectionable Odor, Excessive Visible Emissions, Open Burning, Constructing Without a Permit, and Other (checked).

The activities observed during the Department's field inspection and any other activities at your facility that may be contributing to violations of the above-described statutes or rules should be ceased. The operation of a facility in violation of state statutes or rules may result in liability for damages and restoration, and the administrative imposition of penalties up to \$10,000.00 pursuant to Section 403.121, Florida Statutes (F.S.), or the judicial imposition of civil penalties up to \$10,000.00 per violation per day pursuant to Sections 403.141 and 403.161, F.S.

You are requested to contact Joseph V. Paetzl at the address or telephone number below within fifteen (15) days of receipt of this Field Warning Notice. Please be advised that this Field Warning Notice is part of an agency investigation, preliminary to agency action in accordance with Section 120.57(5), F.S. We look forward to your cooperation in completing the investigation and resolution of this matter.

Received by: Maria Alejandre-Chavez Issued / Posted by: Joseph V. Paetzl
Print: Maria Alejandre-Chavez Print: Joseph V. Paetzl
Title: Secretary

THE CLOTHES DOCTOR OD DADE CITY , INC
13915 US 98 BYPS
DADE CITY, FL 33525
(352)567-8433
(352)567-7088

FAX TRANSMITTAL FORM

To: DEPT OF ENVIRONMENTAL PROTECION
Name: JOE PANETTA
CC: PERC LOG
Phone (813)632-7600 EXT 105
Fax: (813)632-7668

From: Maria Chavez
Date Sent: 11-21-07
Number of Pages: 15

Message:

JOE,

I AM SENDING YOU THE 2007 PERC CLANDER THAT YOU NEED WITH THE RUNNING TOTAL .. I WENT AHEAD AND FILLED IT OUT UNTIL DEC 2007 BECAUSE WE WILL NOT BE ORDERING PERC ANY TIME SOON. I AM ALSO SENDING YOU COPYYS OF THE INVOCES WHERE WE BOUGHT PERC IN 2006 AND 2007.

THANK YOU FOR UNDERSTANDING, AND WE WISH YOU AND YOUR
FAMILY A HAPPY AND SAFE THANKSGING.

MARIA CHAVEZ

QUESTIONS OR COMMENTS 352-206-5972

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DECEMBER 2007

Date	Temperature	Is Temp less than or equal to 45°F (72°F)?
12-4		Y/N
12-11		Y/N
12-18		Y/N
12-25		Y/N

Total from last month	40
Subtract PERC purchased	
DECEMBER 2006	20
DECEMBER 2007	0
+	20
+	
Subtotal	20
Purchase Date	Purchase Amount
	DECEMBER 2007
	12 Month Running Total
	20

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?				DATE				DATE PARTS		DATE PARTS		DATE
	12-4	12-11	12-18	12-25	ORDERED	RECEIVED	REPAIRED						
DOSES	N Y	N Y	N Y	N Y									
DOOR	N Y	N Y	N Y	N Y									
UMP	N Y	N Y	N Y	N Y									
OLVENT TANK	N Y	N Y	N Y	N Y									
WATER SEPARATOR	N Y	N Y	N Y	N Y									
WICK COOKER	N Y	N Y	N Y	N Y									
FILL	N Y	N Y	N Y	N Y									
HAUST DAMPER	N Y	N Y	N Y	N Y									
VERIER VALVE	N Y	N Y	N Y	N Y									
TER BASKET	N Y	N Y	N Y	N Y									
RIRROOF FILTER	N Y	N Y	N Y	N Y									

NOVEMBER 2007

CONDENSER TEMPERATURE LOGS

PERC PURCHASES RUNNING TOTAL

Date	Temperature	Is Temp less than or equal to 45°F (7.2°C)?
11-6	44	Y/N
11-13	42	Y/N
11-20	41	Y/N
11-27		Y/N

Total from last month	40	
Subtract PERC purchased NOVEMBER 2006	0	
SUBTOTAL	40	
Purchase Date	Purchase Amount	12 Month Running Total
	NOVEMBER 2007	
	+	0
	+	40

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?	DATE			DATE PARTS		DATE PARTS RECEIVED	DATE REPAIRED
		11-6	11-13	11-20	11-27	ORDERED		
HOSES	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
ODOR	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
PUMP	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
SOLENT TANK	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
WATER SEPARATOR	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
MILK COOKER	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
STILL	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
EXHAUST DAMPER	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
DIVERTER VALVE	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
FILTER GASKET	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		
CARTRIDGE FILTER	(N) Y	(N) Y	(N) Y	(N) Y	N Y	N Y		

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp less than or equal to 45°F (72°F)?
10-2	44	(V/N)
10-9	43	(V/N)
10-16	43	(V/N)
10-23	42	(V/N)
10-30	44	(V/N)

PERG PURCHASES RUNNING TOTAL

Total from last month	40
Subtract PERG purchased OCTOBER 2006	0
SUBTOTAL	40
Purchase Date	Purchase Amount
	OCTOBER 2007
	12 Month Running Total
	40

REMEMBER:
IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

OCTOBER 2007

INSPECTED	LEAKING?				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	10-2	10-9	10-16	10-23			
HOSES	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
DOOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
PUMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
SOL VENT TANK	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
WATER SEPARATOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
MUCK COOKER	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
STILL	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
EXHAUST DAMPER	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
OVERFILL VALVE	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
FILTER BASKET	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
CARTRIDGE FILTER	(N/Y)	(N/Y)	(N/Y)	(N/Y)			

ENSER TEMPERATURE LOG

	Temperature	Is Temp less than or equal to 45°F (7.2°C)?
9-4	42	<input checked="" type="radio"/> Y <input type="radio"/> N
9-11	41	<input checked="" type="radio"/> Y <input type="radio"/> N
9-18	41	<input checked="" type="radio"/> Y <input type="radio"/> N
9-25	41	<input checked="" type="radio"/> Y <input type="radio"/> N

PERG PURCHASES RUNNING TOTAL

Total from last month	40
Subtract PERG purchased SEPTEMBER 2006	0
SUBTOTAL	40
Purchase Date	Purchase Amount
	SEPTEMBER 2007
	+
	0
	+
	40

SEPTEMBER 2007

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUIT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?			DATE			DATE PARTS		DATE REPAIRED
	9-4	9-11	9-18	9-25	ORDERED	RECEIVED			
SSS	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
DR	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
MP	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
LEVEN TANK	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
WATER SEPARATOR	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
WATER COOKER	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
WATER COOKER	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
HAUST DAMPER	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
WATER VALVE	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					

JENSER TEMPERATURE LOG

	Temperature	Is Temp less than or equal to 45°F (72°C)?
7	42	<input checked="" type="checkbox"/>
14	43	<input checked="" type="checkbox"/>
21	44	<input checked="" type="checkbox"/>
28	41	<input checked="" type="checkbox"/>

PERC PURCHASES RUNNING TOTAL

Total from last month	40
Subtract PERC purchased AUGUST 2006	0
SUBTOTAL	40
Purchase Date	Purchase Amount
	AUGUST 2007
	0
	+
	40
	+

AUGUST 2007

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

	INSPECTED	LEAKING?	DATE		DATE PARTS		DATE PARTS		DATE REPAIRED
					ORDERED	RECEIVED			
SES			8-18	8-21					
DR			(N,Y)	(N,Y)					
MP			(N,Y)	(N,Y)					
LYENT TANK			(N,Y)	(N,Y)					
TER SEPARATOR			(N,Y)	(N,Y)					
CK COOKER			(N,Y)	(N,Y)					
CK COOKER			(N,Y)	(N,Y)					
HAUST DAMPER			(N,Y)	(N,Y)					
ERIE VALVE			(N,Y)	(N,Y)					

CONDENSER TEMPERATURE LOGS

Date	Temperature	Is Temp less than or equal to 45°F (72°F)?
7-3	42	<input checked="" type="radio"/> N
7-10	43	<input checked="" type="radio"/> N
7-17	41	<input checked="" type="radio"/> N
7-24	45	<input checked="" type="radio"/> N
7-31	40	<input checked="" type="radio"/> N

PERC PURCHASES RUNNING TOTAL

Total from last month	20	
Subtract PERC purchased JULY 2006	0	
SUBTOTAL	20	
Purchase Date	Purchase Amount	12 Month Running Total
7-16-07	20	40
	+	

JULY 2007

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TORY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	7-3	7-10	7-17	7-24	7-31			
HOSES	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
DOOR	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
PUMP	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
SOLVENT TANK	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
WATER SEPARATOR	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
MUCK COOKER	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
STILL	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
EXHAUST DAMPER	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
DIVERTER VALVE	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			
FILTER BASKET	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N	<input checked="" type="radio"/> N			

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

JUNE 2007

Date	Temperature	Is Temp less than or equal to 45°F (72°C)?
6-5	43	<input checked="" type="radio"/> Y <input type="radio"/> N
6-12	42	<input checked="" type="radio"/> Y <input type="radio"/> N
6-19	41	<input checked="" type="radio"/> Y <input type="radio"/> N
6-26	44	<input checked="" type="radio"/> Y <input type="radio"/> N

Total from last month	20	
Subtract PERC purchased JUNE 2006	0	
SUBTOTAL	20	
Purchase Date	Purchase Amount	12 Month Running Total
	JUNE 2007	20
	+	0
	+	20

REMINDER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?			DATE		DATE PARTS		DATE PARTS	
	6-5	6-12	6-19	6-26	ORDERED	REPAIRED	ORDERED	REPAIRED	
HOSES	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
DOOR	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
PUMP	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
SOLVENT TANK	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
WATER SEPARATOR	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
MUCK COOKER	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
STILL	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
EXHAUST DAMPER	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
DIVERTER VALVE	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					
FILTER GASKET	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N					

CONDENSER TEMPERATURE LOG

date	Temperature	Is Temp less than or equal to 45°F (72°F)?
3-1	41	<input checked="" type="checkbox"/> Y
3-8	43	<input checked="" type="checkbox"/> Y
3-15	45	<input checked="" type="checkbox"/> Y
3-22	42	<input checked="" type="checkbox"/> Y
3-29	42	<input checked="" type="checkbox"/> Y

PERC PURCHASES RUNNING TOTAL

Total from last month		20
Subtract PERC purchased		0
MAY 2006		
SUBTOTAL		20
Purchase Date	Purchase Amount	12 Month Running Total
	MAY 2007	20
	+	
	+	

MAY 2007

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	DATE				LEAKING?	DATE PARTS		DATE REPAIRED
	3-1	3-8	3-15	3-22		ORDERED	RECEIVED	
HOSES	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
DOOR	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
UMP	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
OLVENT TANK	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
LATER SEPARATOR	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
LUCK COOKER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
TILL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
XHAUST DAMPER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
INVERTER VALVE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
LITER GASKET	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
ARTRIDGE FILTER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			
LACTO PHOSPHORIC	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> Y			

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

APRIL 2007

Date	Temperature	Is Temp less than or equal to 45°F (7.2°C)?
3-03	113	<input checked="" type="radio"/> Y <input type="radio"/> N
3-10	44	<input checked="" type="radio"/> Y <input type="radio"/> N
3-17	42	<input checked="" type="radio"/> Y <input type="radio"/> N
2-24	42	<input checked="" type="radio"/> Y <input type="radio"/> N
		Y/N

Total from last month		20
Subtract PERC purchased		0
APRIL 2005		
SUBTOTAL		20
Purchase Date	Purchase Amount	12 Month Running Total
	APRIL 2007	0
		20

REMINDER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TORY MACHINES, DR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?		DATE				DATE PARTS		DATE PARTS		DATE
							ORDERED	RECEIVED	REPAIRED		
HOSES	<input checked="" type="radio"/> Y	<input type="radio"/> N	2-3	3-10	3-17	3-24					
ODOR	<input checked="" type="radio"/> Y	<input type="radio"/> N									
PUMP	<input checked="" type="radio"/> Y	<input type="radio"/> N									
SOLVENT TANK	<input checked="" type="radio"/> Y	<input type="radio"/> N									
WATER SEPARATOR	<input checked="" type="radio"/> Y	<input type="radio"/> N									
MILK CORDER	<input checked="" type="radio"/> Y	<input type="radio"/> N									
STILL	<input checked="" type="radio"/> Y	<input type="radio"/> N									
EXHAUST DAMPER	<input checked="" type="radio"/> Y	<input type="radio"/> N									
DIVERTER VALVE	<input checked="" type="radio"/> Y	<input type="radio"/> N									
FILTER GASKET	<input checked="" type="radio"/> Y	<input type="radio"/> N									
PAINTING FILTER	<input checked="" type="radio"/> Y	<input type="radio"/> N									

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

MARCH 2007

Date	Temperature	Is Temp less than or equal to 45°F (72°F)?
3-6	44	(Y)N
3-13	43	(Y)N
3-20	42	(Y)N
3-27	41	(Y)N
		Y/N

Total from last month	20
Subtract PERC purchased	0
MARCH 2006	
SUBTOTAL	20
Purchase Date	Purchase Amount
	MARCH 2007
	12 Month Running Total
	20
	+

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	DATE				DATE PARTS ORDERED		DATE PARTS RECEIVED		DATE REPAIRED
	3-6	3-13	3-20	3-27					
HOSES	(N)Y	(N)Y	(N)Y	(N)Y					
DOOR	(N)Y	(N)Y	(N)Y	(N)Y					
PUMP	(N)Y	(N)Y	(N)Y	(N)Y					
SOLVENT TANK	(N)Y	(N)Y	(N)Y	(N)Y					
WATER SEPARATOR	(N)Y	(N)Y	(N)Y	(N)Y					
MUCK COOKER	(N)Y	(N)Y	(N)Y	(N)Y					
STILL	(N)Y	(N)Y	(N)Y	(N)Y					
EXHAUST DAMPER	(N)Y	(N)Y	(N)Y	(N)Y					
DIVERTER VALVE	(N)Y	(N)Y	(N)Y	(N)Y					
FILTER GASKET	(N)Y	(N)Y	(N)Y	(N)Y					
CARTRIDGE FILTER	(N)Y	(N)Y	(N)Y	(N)Y					

INSER TEMPERATURE LOG

Temperature	Is Temp less than or equal to 45°F (72°F)?
42	<input checked="" type="checkbox"/> Y
41	<input checked="" type="checkbox"/> Y
44	<input checked="" type="checkbox"/> Y
43	<input checked="" type="checkbox"/> Y
	<input checked="" type="checkbox"/> Y

PERC PURCHASES RUNNING TOTAL

Total from last month	20	
Subtract PERC purchased FEBRUARY 2008	0	
SUBTOTAL	20	
Purchase Date	Purchase Amount	12 Month Running Total
	FEBRUARY 2007	
	0	20
	+	

FEBRUARY 2007

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TOW-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?		DATE		DATE PARTS		DATE PARTS		DATE	
	Y	N	2-6	2-13	2-20	2-27	ORDERED	RECEIVED	REPAIRED	
ES	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
R	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
P	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
VENT TANK	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
ER SEPARATOR	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
K COOKER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
L	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
JUST DAMPER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
RIER VALVE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
ER GASKET	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								
TRIDGE FILTER	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N								

CONDENSER TEMPERATURE LOGS

PERC PURCHASES RUNNING TOTAL

JANUARY 2007

Date	Temperature	Is Temp less than or equal to 45°F (72°C)?
1-2	43°	<input checked="" type="checkbox"/>
1-9	40°	<input checked="" type="checkbox"/>
1-16	42°	<input checked="" type="checkbox"/>
1-23	41°	<input checked="" type="checkbox"/>
1-30	39°	<input checked="" type="checkbox"/>

Total from last month		20
Subtract PERC purchased		0
JANUARY 2006		
SUBTOTAL		20
Purchase Date	Purchase Amount	12 Month Running Total
	JANUARY 2007	
	+	0
	+	20

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	1-2	1-9	1-16	1-23	1-30			
HOSES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
ODDR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
PUMP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
SOLVENT TANK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
WATER SEPARATOR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
MUCK EDDER	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
STILL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
EXHAUST DAMPER	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
DIVERIER VALVE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
FILTER GASKET	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
CARTRIDGE FILTER	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
WASTE CONTAINERS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LABELLED Y N	DATED Y N	

WATERWAY CLEANERS SUPPLY
2800 EAST 5TH AVENUE
DADE CITY, FL 33525
813-847-6332
800-858-8627

INVOICE NUMBER: 095000

ORDER DATE: 12/19/06

12/19/06

SHIP TO: CHARLES BOWEN OF BATH
13915 S. 05 SW PASS
DADE CITY FL 33525

SHIP TO: CHARLES BOWEN OF BATH
13915 S. 05 SW PASS
DADE CITY FL 33525

SHIP TO: 500 P.O. # TERMS: 30
SHIP FROM: Net 30 days 06

A SERVICE CHARGE OF 1.5% PER MONTH WILL BE MADE ON
TOTAL OUTSTANDING BALANCE OF PAST DUE ACCOUNTS.

QUANTITY	UNIT PRICE	DESCRIPTION	UNIT PRICE	AMOUNT
19.20	0.98 **	5AL TANK Perchloroethylene	14.95	189.5
		TRICALORABENCHOLINE 6.1 UN1807, SHIPP. PC		
		HAZARDOUS POLLUTANT		
		EMERGENCY # 800 424 9399		

BE HONORABLE ON GOODS RETURNED WITHIN 30 DAYS.
RETURN TO THE FROM REQUEST
CASH, CHECK, MASTERCARD AND VISA

Charlotte Barber
Signature Date

TANKS FOR CLEANERS SUPPLY
 1302 EAST 5TH AVENUE
 TAMPA, FL 33605
 813-247-6302
 813-966-7427

INVOICE NUMBER: 201242

ORDER DATE: 07/16/07

07/16/07

BILL TO: CLOTHES DOCTOR OF DADE
 13915 S. 98 BY-PASS
 DADE CITY FL 33525

SHIP TO: CLOTHES DOCTOR OF DADE
 13915 S. 98 BY-PASS
 DADE CITY FL 33525

SHIP VIA: AIR TRUCK F.O. #: TERMS: Net 30 days 06

A SERVICE CHARGE OF 1.5% PER MONTH WILL BE MADE ON
 ANY OUTSTANDING BALANCE OF PAID DUE ACCOUNTS.

#	QUANTITY	UNIT PRICE	EXTENSION	DESCRIPTION	UNIT PRICE	EXTENSION
1	19.30	0.00 **	0.00	GAL PERK Perchloroethylene TETRACHLOROETHYLENE 9.1 UN1897, PGIII, RC MARINE POLLUTANT EMERGENCY # 800-424-9300	14.95	288.55

ADDITIONAL NO CREDIT OR GOODS RETURNED WITHIN 30 DAYS.
 *****NEW ACQUISITION*****
 TRUCKS, BUSES, MASTERSHIPS AND VANS

Charlotte
Charlotte Barber
 Signature: _____ Date: _____

TOTAL	DISCOUNT	PROMOTIONAL SALES TAX	PERM TAX STATE TAX	SHIP TAX	DIXIUM	TOTAL		
288.55	0.00	0.00	20.00	1.14	98.50	0.00	2.90	302.19