

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

	JAL (INS1, INS2) SPECTION (FUI)	COMPLAINT/DIS	, ,		
AIRS ID#: 0112358 DATE: 03	5/21/2013	ARRIVE: <u>1330</u>	DEPART	: 1430	
FACILITY NAME: CERTIFIED METAL FINISHING					
FACILITY LOCATION: 1420 SW 28TH AVE					
POMPANO BEACH 33069-4817					
OWNER/AUTHORIZED REPRESENTATIVE: DAVID SEXTON Email: david@certifiedmetalfinishing.com CONTACT NAME: DAVID SEXTON Email: david@certifiedmetalfinishing.com PHONE: (954)979-0707 PHONE: (954)979-0707 Mobile: (954)979-1839 ENTITLEMENT PERIOD: 9/29/2011 / 9/29/2016 (effective date) (end date)					
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:					
1. Hard Chromium Plating a. Existing Large (0.015 mg/dscm) b. Existing Small (0.03 mg/dscm) d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)					
2. Decorative Chromium Plating/Anodizing					
a. <u>Chromic Acid Bath</u>	2) Surface te	s of $\leq 0.01/\text{mg/dscm}$ (4 nsion of ≤ 45 dynes/cm by be selected if a wetting	$1 (3.1 \times 10^{-3} \text{ lb-f/ft})$		
b. <u>Trivalent</u> <u>Chromium</u>		ing agentvetting agent $\leq 0.01 \text{mg/s}$			
c. <u>Chromium Anodizing</u>	Surface te	s of ≤ 0.01 mg/dscm (4.s nsion of 45 dynes/cm (3 by be selected if a wetting)	3.1x10 ⁻³ lb-f/ft)		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC					
(6.1. 4 4 1					
(<u>Select control</u> device)	DEVICE IN USE?				
<u>device</u>)	DEVICE IN USE:				
1. Composite Mesh Pad	□Yes □No				
2. Fiber Bed Mist Eliminator	☐Yes ☐No				
3. Packed Bed Scrubber	□Yes □No				
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No				
5. Foam Blanket Fume Suppressant	Yes No				
6. Fume Suppressant w/ Wetting Agent	∑Yes □No				
Has the facility conducted an initial performance test to establish monitoring parameters? Yes No N/A					
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)					
DANS STOODS VERDING MEDODANIA DECLINE MENTER D. L. CA. 413 400.	(A)				
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.3000	(3)				
Has the responsible official maintained the following records?					
1. Quarterly inspection records for add-on air pollution control devices and					
monitoring equipment. (applicable only to a facility using a packed bed scrubber,	, fiber-bed				
mist eliminator, or composite mesh pad)					
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a					
scrubber, fiber-bed mist eliminator, or composite mesh pad)	☐Yes ☐No ⊠N/A				
3. Maintenance records for the source, add-on pollution control devices, and	<u> </u>				
monitoring equipment (equipment identified, date performed, description)	Yes No				
4. Records of date of occurrence, duration, cause, and corrective action of each	. Mxr				
malfunction of process, add-on pollution control device, and monitoring equipmen 5. Results of all performance tests					
6. Records of monitoring data. (not applicable to trivalent chromium baths using a					
agent)					
agent,					
Composite Mesh Pad					
Measure the pressure drop across the CMP daily	Yes No				
Packed Bed Scrubber					
Measure the pressure drop across the PBS and the inlet velocity daily	☐Yes ☐No				
Fiber-Bed Mist Eliminator Measure the pressure drop across the FRME and the unstream device daily	☐Yes ☐No				
Measure the pressure drop across the FBME and the upstream device daily <u>Packed Bed Scrubber/Composite Mesh Pad</u>	☐ Yes ☐ NO				
Measure the pressure drop across the CMP daily	□Yes □No				
Foam Blanket Fume Suppressant					
Measure the foam blanket thickness at the appropriate interval	□Yes □No				
Fume Suppressant w/ Wetting Agent					
Measure the surface tension at the appropriate interval	☐Yes ☐No				
7. Purchase records of wetting agent components	⊠Yes □No □N/A				
8. Records of the date and time that fume suppressants are added to the bath	∑Yes □No □N/A				
9. Records of rectifier capacity, if used to determine facility size	☐Yes ☐No ⊠N/A				
10. Records of the total process operating time					
11. Records identifying specific periods of excess emissions					
12. Startup, Shutdown & Malfunction Plan	- ⊠Yes □No				

Elizabeth F. Susky	03/21/2013	
Inspector's Name (Please Print)	Date of Inspection	
	03/21/2014	
Inspector's Signature	Approximate Date of Next Inspection	

COMMENTS: In a compliance inspection conducted on 03/21/2013, AQD staff (E.Susky) observed operations at Certified Metal Finishers. The facility has a chromic acid bath and they facility measures the surface tension. The facility keeps accurate records and submitted it during the inspection. The surface tension is below 45 dynes. Mr. Larry Kaufman accompanied staff on the inspection. Houskeeping was good.