

$\frac{\textbf{NON-METALLIC MINERAL PROCESSING}}{\underline{\textbf{PLANTS}}}$



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2)					
AIRS ID#: 7775029 DATE: 12/17/2008 ARRIVE: 10:30am DEPART: 11:30am FACILITY NAME: RELOC NMMP PLANT-Marianna/Jackson County					
FACILITY LOCATION: 2316 Highway 71 N Note: new address Marianna 32448-					
OWNER/AUTHORIZED REPRESENTATIVE: BRIAN SCHREIBER PHONE: (386)752-7585 CONTACT NAME: Vic Keisker PHONE: (850)785-6139 ENTITLEMENT PERIOD: 3/15/2008 / 3/15/2013 (effective date) (end date)					
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					
PART II: DETERMINATION OF FACILITY TYPE/APPLICABILITY (check ☑ only one box) ☑ FOR FACILITES SUBJECT TO: (40 CFR Part 60, Subpart OOO, §60.670(a)(1)) (If you have checked ☑ this category, answer all questions INCLUDING those with **.) Subject Facilities: (applicable fixed or portable facilities include each crusher, grinding mill, screening operation, bucket elevator, belt conveyor, bagging operation, storage bin, enclosed truck or railcar loading station, crushers & grinding mills at hot mix asphalt facilities that reduce the size of non-mettalic minerals embedded in recycled asphalt pavement & subsequent affected facilities up to, but not including the first storage silo or bin.)					
FOR FACILITIES NOT SUBJECT TO: (40 CFR Part 60, Subpart OOO, §60.670(a)(2), (b), (c), and (d)) (If you have checked ☑ this category, answer all questions EXCEPT those with **.)					
Non-Subject Facilities: (includes all facilities in underground mines; stand-alone screening operations at plants w/o crushers or grinding mills; facilities not subject to subparts F (Portland Cement Plants) or I (Hot Mix Asphalt Facilities) of this part; fixed sand & gravel plants, & crushed stone plants w/capacities of 23 megagrams/hr (25 tons/hr) or less; portable sand & gravel plants, & crushed stone plants w/capacities of 136 megagrams/hr (150 tons/hr) or less; common clay plants, and pumice plants w/capacities of 9 megagrams/hr (10 tons/hr) or less.)					

PART III: <u>EMISSION STANDARDS</u> – Chapter 62-210.300(4)(c)5., F.A.C. (check ☑ appropriate box(es))	
Stack Emissions - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C. **1. Were visible stack emissions tests conducted during this site visit according to EPA Method 9 (40 CFR 60,	
Appendix A)?	Yes No
**2. Do stack emissions from any crusher, grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point:	
**a) exceed 7 % percent opacity?]Yes ⊠ No
**b) exceed the particulate matter standard of <u>0.05</u> grams per dry standard cubic meter (g/dscm)?]Yes ⊠ No
**3. Do stack emissions from any baghouse that controls emissions from only an individual, enclosed storage	
bin exceed 7% percent opacity?]Yes 🛛 No
<u>Visible Emissions</u> - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C.	
**1. Were visible emissions tests conducted during this site visit according to EPA Method 9 (40 CFR 60,	
Appendix A)?	∫Yes ∐ No
**2. Do visible emissions from any:	
**a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation,	
storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10%	
percent opacity?	
**b) crusher without a capture system, exceed 15 % opacity?]Yes 🛛 No
3. Pursuant to subparagraph 62-296.320(4)(b)1., F.A.C., are visible emissions from any crusher, grinding,	
screening operation, bucket elevator, transfer points on belt conveyors, bagging operation, storage bin,	
enclosed truck or railcar loading station, or any other emission point NOT subject to 40 CFR Part 60,	
Subpart OOO, equal to or greater than 20% percent opacity?]Yes ⊠ No
Emission Points Enclosed in Buildings - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-20	04.800, F.A.C.
**4. Is any crusher, grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging	
operation, storage bin, enclosed truck or railcar loading station, or any other affected emission point enclosed	
in a building? (If answer to question #4 is YES, then proceed to #4.a))]Yes 🛛 No
**a) If enclosed in a building are the stack emissions discharged from a wet scrubbing control device? (If	
answer to this question is <u>NO</u> , then proceed to the next question #4.b)1) & 2). If <u>YES</u> skip to #4.c).)]Yes □ No
**b) If the stack emissions from enclosed emission points are not discharged from a wet scrubbing control dev	ice is:
1) the particulate matter in excess of 0.05 grams per dry standard cubic meter (g/dscm)?]Yes ☐ No
2) the opacity greater than <u>7</u> % percent?]Yes [] No
**c) Do the stack emissions from the baghouse(s) inside of the building(s) exceed 7% percent opacity?]Yes 🗌 No
**5. Do visible emissions from any:	
**a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation,	
storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10%	
percent opacity?	Yes No
**b) crusher without a capture system, exceed 15 % opacity?	Yes No
Wet Screening/Wet Mining Operations:	<u>—</u>
**6. Are there any visible emissions discharges at the wet screening operations and subsequent screening	
operations, bucket elevators and belt conveyors that process saturated material in the production line up to	
the next crusher, grinding mill, or storage bin?]Yes □ No
**7. Are there any visible emissions discharges at the screening operations, bucket elevators, and belt conveyors	
in the production line downstream of wet mining operations, where such screening operations, bucket	
elevators, and belt conveyors process saturated materials up to the first crusher, grinding mill, or storage bin	
in the production line?	
_[1.0

PART IV: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300, F.A.C.				
(check ☑ appropriate box(es)				
Compliance Demonstration – (Rule 62-210.300(4)(c)5.h., F.A.C.) 1. Is each affected emission point tested according to the visible emissions and stack emissions standards as part of the annual compliance demonstration? (Rule 62-210.300(4)(c)5.e., F.A.C.) Compliance New Facilities – (Rule 62-210.300(4)(c)5.h., F.A.C.) 2. Did this facility demonstrate, according to the visible emissions and stack emissions standards of Pule 62-210.300(4)(c)5.e. F.A.C.;				
Rule 62-210.300(4)(c)5.e., F.A.C.,: a) initial compliance prior to beginning commercial operation?				
Compliance Existing Facilities – (Rule 62-210.300(4)(c)5.h., F.A.C.) 3. Did this facility demonstrate, according to the visible emissions and stack emissions standards of Rule 62-210.300(4)(c)5.e., F.A.C.,: a) compliance within 60 days prior to submitting an air general permit notification form? Yes □ No				
b) renewal compliance within 60 days prior to the anniversary of the initial air general permit notification form submittal date?				
incorporated by reference at Rule 62-204.800, F.A.C. 4. Were all referenced visible emissions tests conducted using EPA Method 9?				
Reporting and Recordkeeping – (Rule 62-210.300(4)(c)5.e., F.A.C.)[Chapter 62-297, F.A.C. and 40 CFR Part 60.670 – 60.676, Subpart OOO, adopted and incorporated by reference at Rule 62-204.800, F.A.C.]				
Facility and/or Equipment Replacement **7. Did the owner or operator submit to the Administrator, the following information about the replacement of existing facility and/or equipment:				
**a) for a Crusher, Grinding Mill, Bucket Elevator, Bagging Operation, or enclosed truck, or Railcar Loading Station, **1) the rated capacity in megagrams or tons per hour of the existing facility being replaced and the rated capacity in tons per hour of the replacement equipment?				
**b) for a Screening Operation, **1) the total surface area of the top screen of the existing screening operation being replaced and the total surface area of the top screen of the replacement screening operation?				
**c) for a Conveyor Belt, **1) the width of the existing belt being replaced and the width of the replacement conveyor belt? **d) for a Storage Bin, **1) the rated capacity in megagrams or tons of the existing storage bin being replaced and the rated				
capacity in megagrams or tons of replacement storage bins?				
**8. During the initial performance test, did the owner or operator record the measurements of both the change in pressure of the gas stream across the scrubber and the scrubbing liquid flow rate?				
test?				

PART IV: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300, F.A.C. (Continued) (check ☑ appropriate box(es)				
**10. Did the owner or operator of the facility submit written reports of the results of all performance tests conducted to demonstrate compliance with the particulate matter standards (40 CFR Part 60.672), opacity (using EPA Method 9 to demonstrate compliance with 40 CFR Part 60.672(b), (c), and (f)), and emission observations of transfer points enclosed in buildings (using EPA Method 22 to demonstrate compliance with 40 CFR Part 60.672(e))?	ith ⊠Yes □ No			
Process Changes				
**11. Does this facility have a screening operation, bucket elevator, and/or a belt conveyor system? (If your answer to this question is YES, then answer either a)1) or a)2) below.) **a)Did this screening operation, bucket elevator, and/or belt conveyor system: **1) originally process saturated material and switch to unsaturated material? (Note: The unsaturated	⊠Yes □ No			
material handling processes would now be subject to the 10% opacity limit in 40 CFR 60.672(b) and the emission test requirements of 40 CFR 60.11 and Subpart 000.)	□Yes ⊠ No			
material handling processes would now be subject to the <u>no visible emission limit</u> in 40 CFR 60.6 (If answer to 1) or 2) above is <u>YES</u> then proceed to question b) below.)	572(h).) ☐Yes ⊠ No			
**b) Did the owner or operator submit a report of the process change within thirty (30) days following the change? Notification Requirements	□Yes □ No			
**12. Was notification of the actual date of startup for each affected or combination of affected facilities submitted to the Administrator and postmarked within 15 days after such date?	⊠Yes □ No			
**a) Did the notification include a description of each affected facility, equipment manufacturer, and serial number of the equipment, if available? **b) For portable aggregate processing plants, did the notification of actual date of initial start up also	⊠Yes □ No			
include both the home office and the current address or location of the portable plant?	⊠Yes □ No			
PART V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY – Rule 62-210.300, F.A.C. (check ☑ appropriate box(es))				
1. Is this facility a: 1) relocatable [☐]; 2) stationary [☐]; or does it have: 3) both, stationary and relocatable [☐] concrete batching and/or nonmetallic mineral processing plants? (Please check [☐] only one box above.) (NOTE: If you have checked the box for relocatable go to questions 1.a) & 1.b). If you have checked the box for stationary go to question 1.c). If you have checked box #3, both, stationary and relocatable then answer all relocatable and stationary questions 1.a), 1.b), & 1.c) below, respectively.)				
 a) If this is a <u>relocatable facility</u> was the Department notified by phone prior to this relocation, and was a Facility Relocation Notification form submitted within 1 business day following the relocation? b) If this is a <u>relocatable facility</u>, is it located at a mine and/or quarry, and processing only material from one of the processing only material from the processing of the processing only material from the processing only material from the processing only material from the processing only material from	⊠Yes □ No			
	☐Yes ⊠ No			
	□Yes ⊠ No			
the classifier screens and the conveyor drop points?	□Yes □ No			
This relocatable facility was tested at the Anderson Columbia facility in Marianna where it is being housed prior to to the Anderson Columbia Mine in Jackson County. It was in operation at this time solely for the purpose of having test performed. It is expected to be transported to the Anderson Columbia Mine within the next few months. When	g its annual VE			

relocation notice will be submitted to the Department.

	T V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY – Rule 62-210.300, F.A.C. (Concheck ☑ appropriate box(es))	tinued)
(eneck & appropriate box(es))	
**2	2. Does this facility incorporate the use of a wet scrubber to control emissions? (40 CFR Part 60, Subpart O	
	adopted by reference Chapter 62-204.800, F.A.C.) (If your answer to this question is YES, then proceed	
	questions 2.a) and 2.b), below.)	∐Yes ⊠ No
*	**a) Does the wet scrubber have continuous monitoring systems (CMS) for:	
		□Yes □ No
	**2) the measurement of the scrubbing liquid flow rate to the wet scrubber?	□Yes □ No
ৰ	(*b) Has each CMS been certified by the manufacturer and calibrated annually in accordance with the	□x □ x.
	manufacturer's instructions and to the tolerances below?	☐Yes ☐ No
	**1) ±250 pascals ±1 inch water guage pressure for measuring pressure losses of the gas stream? **2) ±5 percent of design scrubbing liquid flow rate?	
2	3. Is this is a stationary nonmetallic mineral processing plant, with a stationary concrete batching plant using	
	individual concrete batching plant air general permit at the same location? (If your answer to this question)	
	is <u>YES</u> , then proceed to questions 3.a), thru 3.d),) below. If <u>NO</u> , proceed to question #4.)	<i>n</i> ☐Yes ⊠ No
	a) Is there more than one nonmetallic mineral processing plant in operation at this location?	Yes No
	b) If there is more than one nonmetallic mineral processing plant at this location, do they all operate under	
	a single nonmetallic mineral processing plant air general permit?	☐Yes ☐ No
	c) Are there any additional nonexempt units located at this facility?	☐Yes ☐ No
	d) Are there any Title V sources located at this facility?	☐Yes ☐ No
4	Is this is a stationary nonmetallic mineral processing plant, with one or more relocatable concrete	
	batching plants using individual air general permits at the same location? (If your answer to this	
	question is <u>YES</u> , then proceed to questions 4.a), thru 4.b) below. If <u>NO</u> , then proceed to question 5.)	□Yes ⊠ No
	a) Are there any additional nonexempt units located at this facility?	□Yes ⊠ No
	b) Are there any Title V sources located at this facility?	□Yes ⊠ No
5	6. Does the owner or operator of this facility operate multiple relocatable nonmetallic mineral processing	
	plants using individual nonmetallic mineral processing plant air general permits at this location?	Yes No
	a) Are there any additional nonexempt units located at this facility?	□Yes ⊠ No
	b) Is the total combined annual facility-wide fuel oil usage of all plants less than 240,000 gallons per	
	calendar year?	
	c) Is the quantity of material processed less than ten million tons per calendar year?	Yes No
_	d) Is the fuel oil sulfur content 0.5% by weight or less? 5. Does the owner/operator of the concrete batching plant maintain a log book or books to account for:	☐Yes ☐ No
C	a) fuel consumption on a monthly basis?	□Yes □ No
	b) material processed on a monthly basis?	☐Yes ☐ No
	c) the sulfur content of the fuel being burned (Fuel supplier certifications)?	☐Yes ☐ No
7	7. Is this relocatable nonmetallic mineral processing plant used to perform a routine function of a facility (no	
,	a Title V source) subject to regular air permitting, such as crushing recycled asphalt (rap) at an asphalt	, i
	plant?	□Yes ⊠ No
	a) If \underline{YES} , does the regularly permitted facility air construction or air operation permit(s) provide for the	
	operation of the nonmetallic mineral processing plant as an emission unit?	□Yes □ No
8	3. Is this relocatable nonmetallic mineral processing plant used to perform a <u>non-routine</u> <u>activity</u> , such as	_ _
	destruction of a building, at a regularly permitted facility (not a Title V source)?	□Yes ⊠ No
	a) If <u>YES</u> , does it operate under the authority of its air general permit?	□Yes □ No

PART VI: REASONABLE PRECAUTIONS/EMISSION CONTROL MEASURES & TECHNOLOGY – Rule 62-210.300(4)(c)5.d.(i) and (ii), F.A.C. (check ☑ appropriate box(es))						
b) management of roads, parking areas, stock piles, at 1) paving and maintenance of roads, parking areas 2) application of water or environmentally safe du emissions?	located at the feeder(s), the entrance and exit of the drop points?					
d) If you answered <u>YES</u> to any of the above, did th notification form and appropriate fee (Rule 62-4	replacement?different than that noted on the most e owner submit a new and complete .050, F.A.C.) to the appropriate DEP or	□Yes ⊠No □Yes ⊠No □Yes ⊠No □Yes □No				
Gerald Sheehan	12/17/2008	-				
Inspector's Name (Please Print) Sheehan Inspector's Signature	Date of Inspection Approximate Date of Next Inspection	-				

COMMENTS: I observed a Visible Emission test performed by Mr. Donnie Leeper of Astech Environmental Services, Inc. During this test the facility was operating at 200 TPH. I did not observe any emissions from this facility during the test. This relocatable facility was tested at the Anderson Columbia facility in Marianna where it is being housed prior to being relocated to the Anderson Columbia Mine in Jackson County. It was in operation at this time solely for the purpose of having its annual VE test performed. It is expected to be transported to the Anderson Columbia Mine within the next few months. When it is relocated, a relocation notice will be submitted to the Department. On this date I also went to the Anderson mine in Jackson County (the future location of this crusher) with Mr. Mark Sumner, Waste Water Inspector from this office, to view the mining operations. Blasting of rock had occurred recently and material was being removed from the mine and being stock piled,.