Facility Name :	Classic Touch Cleaners
Facility Address :	180 W. S.R. 434, Winter Springs, FL 32708
Date/Time :	June 11, 2008/1:36pm
Persons present :	Wanda Parker-Garvin - FDEP; Dolores Toranzo
Responsible Official :	Dolores Toranzo
Phone/Email :	407-327-4448

Hazardous Waste Requirements

<pre>{</pre>			
Inspection Question	Rule Reference	Answer	
General Records:			
 Type of facility? (CESQG, SQG, LQG*) 		🖂 CESQG 🗌 SQG	
Generator ID #:			
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]	🗌 Yes 🛛 No	
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]	🗌 Yes 🛛 No	
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]	🗌 Yes 🛛 No	
Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]	🗌 Yes 🛛 No	
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]	🗌 Yes 🛛 🕅 No	
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]	🗌 Yes 🛛 🖾 No	
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]		
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	🗌 Yes 🛛 No	
Storage of hazardous waste:			
 The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance 	Maximum quantity limits are:		
calculate the total weight of all perc waste in the storage area as follows:	CESQG = 2,200 lbs SQG = 13,200 lbs		
 For 15-gal containers: # of containersx 120 lbs/container = lbs store 	d		
 For 30-gal containers: # of containers x 240 lbs/container = lbs store 			
Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	🗌 Yes 🛛 No	

inspector initial_____

Le de la Statilitation de la completa			
Is the facility in compliance with quantity and time limits for h			
SQG: is waste kept onsite < 180 days?	SQG [40 CFR 262.34(d)]	🗌 Yes 🗌 No 🖾N/A	
LQG*: is waste kept onsite ≤ 90 days?	LQG [40 CFR 262.34(a)]	☐ Yes ☐ No ⊠N/A	
Is there satellite accumulation?	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A	
 If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	□ Yes □ No ⊠N/A	
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(3)]	🛛 Yes 🗌 No	
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	🛛 Yes 🗌 No	
 Are containers compatible with contents? 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	🛛 Yes 🗌 No	
Adequate aisle space and clearly marked exits?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	🛛 Yes 🗌 No	
Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.]	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	🛛 Yes 🗌 No	
Are hazardous waste containers stored on a crack- free surface that will contain leaks or spills?		🖂 Yes 🗌 No	
Is there adequate secondary containment?		🛛 Yes 🗌 No	
Is entrance by unauthorized people restricted?		Yes No	
Does the storage area have appropriate signage?			
Record keeping			
	SQG [40 CFR 262 subpart B]		
Are manifests properly completed?	LQG [40 CFR 262 subpart B]	🛛 Yes 🗌 No	
Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	🛛 Yes 🗌 No	
Exception reports?	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	☐ Yes ☐ No ⊠N/A	
LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	☐ Yes ☐ No ⊠N/A	
Are logs, shipping records, manifests kept at the facility for at least three years?	CESQG[62-730.030(4) F.A.C.] SQG [40 CFR 262.44] LQG [40 CFR 262.40]	🛛 Yes 🗌 No	
Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)] LQG [40 CFR 262.12(c)]	🖂 Yes 🗌 No	
Employee Training			
Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)] LQG [40 CFR 265.16(a)&(b)]	🛛 Yes 🗌 No	
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?	376.303, F.S.	9502387	
Are dikes or other containment structures installed	376.3078(9)(a), F.S.	🖂 Yes 🗌 No	
around each machine or item of equipment in which			
dry cleaning solvents are used and around any area in			
which solvents or waste-containing solvents are			
stored?			
Were all spills of more than 1 quart of dry cleaning	403.161(1)(d), F.S.	Yes No	
solvent outside of a containment structure, on or after		⊠N/A	
July 1, 1995, reported by the owner or operator to the			
state through the State Warning Point?			
If a spill occurred, did the owner or operator	403.161(11)(d), F.S.	Yes No	
immediately upon the discovery of such a spill, initiate		∑N/A	
and complete actions to abate the source of the spill?			

AST/UST Questions:

Inspection Question	Answer
Does the facility store petroleum products in a UST or AST?	☐ Yes ☐ No ⊠N/A

Separator Water Treatment System Questions:

Inspection Question	Answer
Is a separator water treatment system employed?	🗌 Yes 🗌 No 🖾N/A
Is the treatment system directly plumbed to the dry	☐ Yes ☐ No ⊠N/A
cleaning unit? If so, is it within secondary containment?	
Does the system include a filter to reduce the	☐ Yes ☐ No ⊠N/A
concentrations of chlorinated solvent(s) in the wastewater	
prior to evaporation or discharge?	
Are records available to demonstrate that the filters have	🗌 Yes 🗌 No 🖾N/A
been changed in accordance with the manufacturer's	
recommendations?	
Are wastewaters that contain soaps, detergents, chlorine,	🗌 Yes 🗌 No 🖾N/A
rust, etc. excluded from the treatments system in order to	
ensure that the filter is effective to treat the chlorinated	
solvents?	

Industrial Wastewater Standards

Inspection Question:	Rule Reference	Answer	
Does the facility discharge separator water, mop water from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic?	62.660 F.A.C.	🛛 Yes 🗌 No	
Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic?	62.600 F.A.C.	🛛 Yes 🗌 No	
Does the vacuum vent upward so that condensed solvent- containing water is returned to the vacuum tank rather than discharged onto ground?	403.087 F.S.	🛛 Yes 🗌 No	
Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off?	403.087 F.S.	🛛 Yes 🗌 No	
If the facility discharges to surface waters, is it in compliance with NPDES?	62.620 F.A.C.	☐ Yes ☐ No ⊠N/A	
If the facility discharges to the ground, is it in compliance with a state permit?	62.620 F.A.C.	☐ Yes ☐ No ⊠N/A	
If the facility discharges to sewer, is it in compliance with local sewer permit?	62.625 F.A.C.	Yes No N/A	
Is the facility on sewer other than POTW?	64 E-G	☐ Yes ☐ No ⊠N/A	

inspector initial

Dry Cleaning Equipment

Туре	Manufacturer	Serial Number	Capacity	Age

Other

Wanda Parker Garvin