

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY (CI)			
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:			
AIRS ID#: 0250939 DA	TE: <u>5/11/2010</u>	ARRIVE: <u>12:00PM</u> DEPART: <u>12:10PM</u>			
FACILITY NAME: LAOMAN'S DRY CLEANERS					
FACILITY LOCATION	1611 ALTON ROA	AD			
	MIAMI BEACH	33139-2420			
OWNER/AUTHORIZE	D REPRESENTATIVE:	LISETTE MONTES PHONE: (305)534-4389			
CONTACT NAME:		PHONE:			
ENTITLEMENT PERIOD: 12/13/2008 / 12/13/2013 (effective date) (end date)					
	(checuve date) (cha da	uanty			
PART I: INSPECTION	COMPLIANCE STATUS	US (check ☑ only one box)			
☐ IN COMPLIANO	CE MINOR Non-Co	COMPLIANCE SIGNIFICANT Non-COMPLIANCE			
	LASSIFICATION - Rule by one box in A)	e 62-213.300 FAC			
(cneck 🛂 onl	y one box in A)	_			
A. 1. Existing smal		2. New small area source dry-to-dry only, x < 140 gal/yr			
transfer only,	dry-to-dry only, x < 140 gal/yr dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr transfer only, x < 200 gal/yr				
both types, x (constructed b	< 140 gal/yr before 12/9/91)	both types, $x < 140$ gal/yr (constructed on or after $12/9/91$)			
3. Existing larg	e area source	4. New large area source			
	ly, $140 \le x \le 2,100 \text{ gal/yr}$	dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$			
transfer only,	$200 \le x \le 1,800 \text{ gal/yr}$ 10 < x < 1,800 gal/yr	transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types $140 < x < 1,800 \text{ gal/yr}$			
transfer only, both types, 14	$200 \le x \le 1,800 \text{ gal/yr}$ $40 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91)$	transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after $12/9/91$)			
transfer only, both types, 14 (constructed b 5. Ineligible for	$40 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91$) General Permit	both types, $140 \le x \le 1,800 \text{ gal/yr}$			
transfer only, both types, 14 (constructed b 5. Ineligible for drop store/out	$40 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91$)	both types, $140 \le x \le 1,800 \text{ gal/yr}$			

	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check only one box			
Does the responsible official of the dry cleaning facility: for each question)					
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A			
2.	Examine the containers for leakage?	☐Yes ☐ No ☐ N/A			
3.	Close and secure machine doors except during loading/unloading?	Yes No			
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	□Yes □ No □ N/A			
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No □ N/A			
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)				
	1. If the facility classification is a Existing small area source, no controls are requ	nired. Proceed to Part V.			
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.				
	 If the facility classification is a Existing large area source, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993 If the facility classification is a New large area source, the machine should be equipped with a refrigerated 				
	condenser. Complete both sections A and B below.	Author with a rollingerated			
Α.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)			
1.	Equipped all machines with the appropriate vent controls?	- No No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A			
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	Yes No N/A			
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes No N/A			
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	- ∐Yes □No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- □Yes □ No □N/A			
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No □ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	□Yes □ No □ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC Does the responsible official:	(check ☑ only one box for each question)			
	each question)			
Does the responsible official:	each question) - Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) - Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption?	each question) - Yes No Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following:	each question) - Yes No Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	each question) Yes No Yes No Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
 Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection?	Yes No
2. Does the facility maintain a leak log?	
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	okers
4. Which method(s) of detection (is/are) used by the responsible official? a) Visual examination (condensed solvent on exterior surfaces) b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) e) Halogen leak detector	b)
 Capable of detecting perc vapor concentrations in a range of 0-500 pp Calibrated against a standard gas prior to and after each use (PID/FID Inspected for leaks and obvious signs of wear on a weekly basis? Kept in a clean and secure area when not in use? Verified for accuracy by use of duplicate samples (calorimetric only)? 	only)? 2) Yes No 3) Yes No 4) Yes No
MARUFUL MALIK	5/11/2010
Inspector's Name (Please Print) D	Pate of Inspection
Inspector's Signature A	approximate Date of Next Inspection
COMMENTS: On May 11, 2010 I visited this facility to conduct the annua	l compliance inspection. This facility is out of business

COMMENTS: On May 11, 2010 I visited this facility to conduct the annual compliance inspection. This facility is out of business. A sign Saying "Nail Republic Coming Soon" was displaying in front of the facility.