










**FDEP Multimedia Program - DRY CLEANERS SECTOR
Inspection Checklist (Part II)**

Facility Name :	TOP NOTCH CLEANERS
Facility Address :	1425 W GRANADA BLVD ORMOND BEACH, FL 32174
Date/Time :	SEPTEMBER 26, 2008/11:15AM
Persons present :	DANIELLE D. OWENS - FDEP, VINCENT PECORARO - OWNER
Responsible Official :	VINCENT PECORARO
Phone/Email :	(386)615-9111

Hazardous Waste Requirements

{  indicates potential SNCs }

Inspection Question	Rule Reference	Answer
General Records:		
• Type of facility? (CESQG, SQG, LQG*)		<input checked="" type="checkbox"/> CESQG <input type="checkbox"/> SQG
• Generator ID #:		
Preparedness & Prevention		
 Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
 Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
 Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
 Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
 Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
 Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Contingency Planning:		
 Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]	R/O
• Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes?	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Storage of hazardous waste:		
• The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance calculate the total weight of all perc waste in the storage area as follows:	Maximum quantity limits are: CESQG = 2,200 lbs SQG = 13,200 lbs	
• For 15-gal containers: # of containers _____ x 120 lbs/container = lbs stored		
• For 30-gal containers: # of containers _____ x 240 lbs/container = lbs stored		
 Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**FDEP Multimedia Program - DRY CLEANERS SECTOR
Inspection Checklist (Part II)**

Is the facility in compliance with quantity and time limits for HW storage?		
<input checked="" type="checkbox"/> SQG: is waste kept onsite \leq 180 days?	SQG [40 CFR 262.34(d)]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> LQG*: is waste kept onsite \leq 90 days?	LQG [40 CFR 262.34(a)]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<ul style="list-style-type: none"> Is there satellite accumulation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<ul style="list-style-type: none"> If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(3)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Are containers compatible with contents? 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Adequate aisle space and clearly marked exits? 	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.] 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Are hazardous waste containers stored on a crack-free surface that will contain leaks or spills? 		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Is there adequate secondary containment? 		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Is entrance by unauthorized people restricted? 		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Does the storage area have appropriate signage? 		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Record keeping		
<ul style="list-style-type: none"> Are manifests properly completed? 	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Exception reports? 	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Are logs, shipping records, manifests kept at the facility for at least three years?	CESQG [62-730.030(4) F.A.C.] SQG [40 CFR 262.44] LQG [40 CFR 262.40]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)] LQG [40 CFR 262.12(c)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Employee Training		
<input checked="" type="checkbox"/> Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)] LQG [40 CFR 265.16(a)&(b)]	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?		
	376.303, F.S.	N/A
Are dikes or other containment structures installed around each machine or item of equipment in which dry cleaning solvents are used and around any area in which solvents or waste-containing solvents are stored?	376.3078(9)(a), F.S.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were all spills of more than 1 quart of dry cleaning solvent outside of a containment structure, on or after July 1, 1995, reported by the owner or operator to the state through the State Warning Point?	403.161(1)(d), F.S.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?	403.161(11)(d), F.S.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

**FDEP Multimedia Program - DRY CLEANERS SECTOR
Inspection Checklist (Part II)**

AST/UST Questions:

Inspection Question	Answer
Does the facility store petroleum products in a UST or AST?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Separator Water Treatment System Questions:

Inspection Question	Answer
Is a separator water treatment system employed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Is the treatment system directly plumbed to the dry cleaning unit? If so, is it within secondary containment?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Does the system include a filter to reduce the concentrations of chlorinated solvent(s) in the wastewater prior to evaporation or discharge?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Are records available to demonstrate that the filters have been changed in accordance with the manufacturer's recommendations?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Are wastewaters that contain soaps, detergents, chlorine, rust, etc. excluded from the treatments system in order to ensure that the filter is effective to treat the chlorinated solvents?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Industrial Wastewater Standards

Inspection Question:	Rule Reference	Answer
Does the facility discharge separator water, mop water from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to reduce chlorinated solvent concentrations, or container, and never to septic?	62.660 F.A.C.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are solvent-based pre-spotters excluded from use on garments that are being laundered in a system that discharges to septic?	62.600 F.A.C.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Does the vacuum vent upward so that condensed solvent-containing water is returned to the vacuum tank rather than discharged onto ground?	403.087 F.S.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Is the boiler configured so that no contact water (separator water or vacuum return water) is introduced and can be discharged to the ground during the boiler bleed-off?	403.087 F.S.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If the facility discharges to surface waters, is it in compliance with NPDES?	62.620 F.A.C.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If the facility discharges to the ground, is it in compliance with a state permit?	62.620 F.A.C.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If the facility discharges to sewer, is it in compliance with local sewer permit?	62.625 F.A.C.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Is the facility on sewer other than POTW?	64 E-G	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

**FDEP Multimedia Program - DRY CLEANERS SECTOR
Inspection Checklist (Part II)**

Dry Cleaning Equipment

Type	Manufacturer	Serial Number	Capacity	Age

Other

FACILITY PURCHASED BY VINCENT PECORARO IN MARCH 2008 AND THE NAME WAS CHANGED FROM SUNRISE CLEANERS TO TOP NOTCH CLEANERS. THE PERC MACHINE IS NOT IN OPERATION. THE BOILER HAS BEEN REMOVED AND THE NEW OWNER HAS NO PLANS OF RETURNING THE PERC MACHINE TO SERVICE. ONCE THE PERC MACHINE IS REMOVED THE CLEANERS WILL OPERATE AS A DROP OFF STORE ONLY. OWNER WAS ADVISED ON THE NEED TO TRANSFER PERMIT AND WAS GIVEN A PERMIT APPLICATION TO SUBMIT TO TALLAHASSEE.