and the second
FLORIDA

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVER ARMS COMPLAINT NO:	Y (CI)		
AIRS ID#: 0250944 DA FACILITY NAME: AI		ARRIVE: <u>9:58 AM</u>	DEPART: <u>11:05</u>	AM	
FACILITY LOCATION	N: 13931 NW 20 Court OPA-LOCKA 33054-				
RESPONSIBLE OFFIC	CIAL: VERL SHAW	PHONE: PHONE:	(305)681-1426		
REMITTANCE YEAR	: ENTITLI	EMENT PERIOD: 6/21/2004 (effective date)	/ 6/21/2009 (end date)		
PART I: INSPECTION COMPLIANCE STATUS (check I only one box) □ IN COMPLIANCE □ MINOR Non-COMPLIANCE □ SIGNIFICANT Non-COMPLIANCE					
 (check ☑ appropria 1. Were there any of 2. Was a visible emi 62-297, F.A.C.)? 3. In order to demondays prior to the A (Rule 62-296.401) 4. In order to demonder the formation of the second second	bjectionable odor(s) detected? issions test conducted during this astrate individual source compliant AGP Notification form submission (5)(i), F.A.C.)	site visit according to EPA Meth- nce, was an annual visible emission, and within 60 days prior to ea nce were the remaining applicable cation form submission? (Rule 6 below the requirements of 100 pa y average basis and tested accord nod 3 (Ref.: Chapter 62-297, F.A. ual to or below the requirements o 7% O_2 and tested according to	od 9 (Ref.: Chapter ons test conducted 60 ch anniversary date? e standards testing 2-210.300(4), F.A.C.) rts per million by ling to EPA Method 	 Yes ⋈ No Yes ⋂ No 	

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))

1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	cording of such
measurements, maintenance, reports and records?	
1) All measurements (including CEMS)	
2) Monitoring device	∐Yes ∐ No
3) Performance Testing Measurements	Yes No
4) CEMS Performance Evaluation	Yes No
5) All CEMS or monitoring device calibration checks	Yes 🗌 No
6) Adjustments	Yes 🗌 No
7) Preventive maintenance performed on systems/devices	Yes 🗌 No
8) Corrective maintenance performed on systems/devices	🗌 Yes 🗌 No
2. Was this crematory unit constructed: (check only one 🗹 box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed <u>BEFORE</u> August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	🛛 Yes 🗌 No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	🛛 Yes 🗌 No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F?	🛛 Yes 🗌 No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	🛛 Yes 🗌 No
4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence tir	
@ 1800° F?	Yes 🗌 No
b) the actual operating temperature of the secondary chamber combustion zone no less than $1600^{\circ}F$	
throughout the combustion process in the primary chamber?	⊠Yes □ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	Yes 🗌 No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	⊠Yes 🗌 No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	y
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	
their use and for at least two years after their use?	🛛 Yes 🗌 No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	
this location?	🗌 Yes 🖾 No
6. Have all crematory operators been trained and certified by a Department-approved training program?	Yes 🗌 No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	🛛 Yes 🗌 No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURES</u> – Rule 62-296.401, F.A.C.

A. <u>New or Modified Process Equipment</u>	
1. Since the last inspection has there been	
a) installation of any new process equipment?Yes	No
b) alterations to existing process equipment without replacement?	No
c) replacement of existing equipment substantially different than that noted on the most recent notification form?	No
d) If you answered <u>YES</u> to any of the above, did the owner submit a new and complete	
notification form and appropriate fee (Rule 62-4.050, F.A.C.) to the appropriate DEP or	
local program office? [Yes	No
2. If a crematory unit has been modified to the extent that a Department air construction permit	
was required, have all operators been retrained to operate the modified unit?	No
3. In the case of new or modified equipment, where a Department air construction permit was	
required, has the owner submitted copies of all operator training certificates?	No
a) submitted within the 15 day required window following the training?	No

FRANK DELGADO

Inspector's Name (Please Print)

5/10/07

5/2008

Date of Inspection

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: DALE WINGLER AND MAL HINSZ FROM SOUTHERN ENVIRONMENTAL SERVICES PERFORMED (5) 1-HOUR VISIBLE EMISSIONS TESTS ON THE FIVE (5) HUMAN CREMATORIES ON SITE. THE SECONDARY CHAMBER TEMPERATURE ON ALL CREMATORIES IS GREATER THAN 1600 DEGREES F. I DID NOT OBSERVE ANY VISIBLE EMISSIONS WHILE I WAS ON SITE, ONLY HEAT WAVES.THE TESTS STARTED AT 10:28 AM. ALL RECORDS AND CERTIFICATES WERE ON SITE AND UP-TO-DATE.