

HALOGENATED SOLVENT DEGREASERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, II	NS2) 🔀 COMPLAINT/DISCOVERY (CI) 🗌	
RE-INSPECTION ((FUI) ARMS COMPLAINT NO:	
AIRS ID#: 0990540 DATE: <u>9/30/2011</u>	ARRIVE: 1:40 PM DEPART: 2:15 PM	
FACILITY NAME: SOLITRON DEVICES		
FACILITY LOCATION: 3301 ELECT	TRONICS WAY	
WEST PALM	M BEACH 33407	
OWNER/AUTHORIZED REPRESENTAT: Email:	IVE: SHEVACH SARAF PHONE: (561)848-4311 Mobile:	
CONTACT NAME: ARTHUR LAPLANT Email:		
ENTITLEMENT PERIOD: 6/15/2008 / (effective date)	6/15/2013 (end date)	
PART I: INSPECTION COMPLIANCE ST	TATUS (check \square only one box)	
IN COMPLIANCE MINOR	Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE	
IN COMPLIANCE MINOR	Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE	
PART II: <u>NOTIFICATION</u> – Rule 62-210.3 (check 🗹 appropriate box(es))		
PART II: <u>NOTIFICATION</u> – Rule 62-210.3	300 FAC	
PART II: NOTIFICATION – Rule 62-210.3 (check ☑ appropriate box(es)) 1. Halogenated solvent used at facility perchloroethylene	 300 FAC a. Indication on notification form that facility has the following machine type(s). 	
PART II: NOTIFICATION – Rule 62-210.3 (check ☑ appropriate box(es)) 1. Halogenated solvent used at facilit perchloroethylene methylene chloride trichloroethylene	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$	
PART II: NOTIFICATION – Rule 62-210.3 (check I appropriate box(es)) 1. Halogenated solvent used at facility perchloroethylene methylene chloride trichloroethylene 1,1,1-trichloroethane	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$	· 🗌
PART II: NOTIFICATION – Rule 62-210.3 (check ☑ appropriate box(es)) 1. Halogenated solvent used at facilit perchloroethylene methylene chloride trichloroethylene	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$	· 🗌
PART II: NOTIFICATION – Rule 62-210.3 (check I appropriate box(es)) 1. Halogenated solvent used at facility perchloroethylene methylene chloride trichloroethylene 1,1,1-trichloroethane carbon tetrachloride	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 m^2$ Batch Vapor, $x > 1.21 m^2$ New In-line Existing In-line	· 🗌
PART II: NOTIFICATION – Rule 62-210.3 (check ☑ appropriate box(es)) 1. Halogenated solvent used at facility perchloroethylene	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$ Batch Vapor, $x > 1.21 \text{ m}^2$ New In-line Existing In-line Batch Cold	· 🗌
PART II: NOTIFICATION – Rule 62-210.3 (check I appropriate box(es)) 1. Halogenated solvent used at facility perchloroethylene methylene chloride trichloroethylene 1,1,1-trichloroethane carbon tetrachloride	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$ Batch Vapor, $x > 1.21 \text{ m}^2$ Batch Vapor, $x > 1.21 \text{ m}^2$ Batch Capor, $x > 1.21 \text{ m}^2$ Batch Cold Batch Cold Batch Cold	· 🗌
PART II: NOTIFICATION – Rule 62-210.3 (check ☑ appropriate box(es)) 1. Halogenated solvent used at facilit perchloroethylene methylene chloride trichloroethylene 1,1,1-trichloroethane carbon tetrachloride chloroform PART III: CLASSIFICATION – Rule 62-21	300 FAC . Indication on notification form that facility has the following machine type(s). Batch Vapor, $x \le 1.21 \text{ m}^2$ Batch Vapor, $x > 1.21 \text{ m}^2$ Batch Vapor, $x > 1.21 \text{ m}^2$ Batch Capor, $x > 1.21 \text{ m}^2$ Batch Cold Batch Cold Batch Cold	

PART IV: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC			
A. <u>Batch Vapor and In-Line Machines</u>			
1. Does the facility maintain an idling and downtime mode cover that is readily opened and closed, that completely covers, has no cracks, holes, or defects; OR maintain a room designed with reduced draft according to Part II, Section (5)(c)6.b of the permit notification?	∑V as		
with reduced draft according to Part II, Section (3)(c)6.6 of the permit nonneation?	⊠Yes	∐No	
2. Does the facility maintain a freeboard ratio of 0.75 or greater?	⊠Yes	No	
3. Does the facility utilize a parts basket or parts whose size is less than 50% of the solvent-air interface area; OR introduce parts or parts basket at 0.9 m/min (3 ft/min)			
or less?	⊠Yes	No	
4. Does the facility conduct all spraying operations within the vapor zone or an area not directly exposed to ambient air?	Yes	No	
5. Does the facility install and maintain an automated parts handling system capable of moving the parts/parts basket at 3.4 m/min. (11ft/min) or less?	Yes	No	
6. Does the facility install and maintain a carbon adsorber on all machines using a lip exhaust? The exhaust concentration should not exceed 100 ppm halogenated solvent, the carbon adsorber should not be by-passed, the lip exhaust shall be located above the closed machine cover	□Yes	□No	N/A
7. Does the facility have each machine equipped with:a. a device to shut off sump heat if the solvent level drops to the heater coils?b. a device to shut off sump heat if the vapor level rises above the height of the	⊠Yes	No	
 c. a primary condenser? 	⊠Yes ⊠Yse	□N □N	
8. Does the facility store all waste solvent, still bottoms, and sump bottoms in closed containers?	⊠Yes	No	
 B. <u>Batch Cold Cleaning Machines</u> 1. Does the facility collect and store all waste solvent in closed containers? 2. Does the facility use a flexible hose or flushing device only within the 	Yes	No	
freeboard area?	Yes	No	
3. Does the facility drain cleaned parts for 15 seconds or longer or until dripping ceases, whichever is longer?	Yes	No	
4. Does the facility maintain the solvent level inside the machine at or below the fill line?	Yes	No	
5. Does the facility immediately clean up spills during solvent transfer? Store wipe rags in a covered container?	Yes	No	
6. Does the facility operate the agitator to produce a rolling motion? (<i>applicable only when air or pump agitated solvent bath used</i>)	Yes	No	□N/A
 only when air or pump agitated solvent bath used) 7. Does the facility ensure that the machine is not exposed to drafts greater than 40 m/min (132 ft/min) when the cover is open? 	□Yes □Yes	□No	□N/A
 only when air or pump agitated solvent bath used). 7. Does the facility ensure that the machine is not exposed to drafts greater than 40 m/min (132 ft/min) when the cover is open? 8. Does the facility ensure that sponges, fabrics, wood and paper products are not placed in the machine? 			□N/A
 only when air or pump agitated solvent bath used). 7. Does the facility ensure that the machine is not exposed to drafts greater than 40 m/min (132 ft/min) when the cover is open? 8. Does the facility ensure that sponges, fabrics, wood and paper products are not placed in the machine? <u>Remote Reservoir Type Only</u> 9. Does the facility employ a tightly fitting cover over the solvent sump? The cover must be closed at all times except during parts cleaning 	Yes	No	□N/A
 only when air or pump agitated solvent bath used). 7. Does the facility ensure that the machine is not exposed to drafts greater than 40 m/min (132 ft/min) when the cover is open?	□Yes □Yes	□No □No	_

PA	ART V: PRO	CESS VENT CONTROLS -	- Rule 62-213.300 FAC (no.	t applicable to batch cold cleaning machines)		
	Facility chos	<u>e to meet requirements usin</u>	<u>g</u> :			
		alternative solvent emission limit (<i>proceed to Part VI</i>)				
	0	1	N	, ,	\square	
	Datah Vana	Machinas $y < 1.21 \text{ m}^2$				
А.	<u>Datcii vapoi</u>	<u>Machines</u> , $x \le 1.21 \text{ m}^2$				
	(Select contro					
	combination)		<u>DEVICE IN USE</u>			
	1. 🗌 g	working mode cover	1.0 freeboard ratio -	superheated vapor		
	2. 🗌 g	reduced room draft	1.0 freeboard ratio -	superheated vapor		
	3. ⊠g 4. ⊡g	reduced room draft X freeboard refrig. device	1.0 freeboard ratio - 🔀 superheated vapor 🗌	dwell		
	4. ∐g 5. ⊠g	freeboard refrig. device	working mode cover			
	6. 🔲 g	freeboard refrig. device	reduced room draft			
	7. 🗌 g	freeboard refrig. device	1.0 freeboard ratio -			
	8. ∐g 9. ∏g	freeboard refrig. device	dwell			
	10. 🗌 g	carbon adsorber	1.0 freeboard ratio -	superheated vapor		
-	D / L T	2				
в.	Batch Vapor	<u>Machines</u> , $x > 1.21 \text{ m}^2$				
	(Select control					
	combination	<u>)</u>	<u>DEVICE IN USE</u>			
	1. 🗌 g	freeboard refrig. device	superheated vapor	1.0 freeboard ratio		
	2. 🔲 g	freeboard refrig. device	superheated vapor	working mode cover		
	3g	freeboard refrig. device	superheated vapor	reduced room draft		
	4. ∐g 5. ∏g	freeboard refrig. device	superheated vapor	carbon adsorber		
	6. 🗌 g	freeboard refrig. device	reduced room draft -	1.0 freeboard ratio		
	7. 🗌 g	1.0 freeboard ratio	reduced room draft -	superheated vapor		
C.	Existing In-l	Line <u>Machines</u>				
	(Select control combination)		<u>DEVICE IN USE</u>			
		_				
1	1g	freeboard refrig. device	1.0 freeboard ratio -			
i i	2. ∐g 3. ∏g	superheated vapor	1.0 freeboard ratio -			
	4. □g	carbon adsorber	dwell			
n	No I I	Mashinas				
D.	<u>New</u> <u>In-Line</u>	<u>Machines</u>				
	(Select contro					
	combination)		<u>DEVICE IN USE</u>			
		freeboard refrig. device	superheated vapor -			
		freeboard refrig. device	carbon adsorber			
		superheated vapor	carbon adsorber			

PART VI: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC

Has the responsible official maintained the following:

1. Owner's manuals, design specifications, and other instructional materials for cleaning machine and control equipment?	⊠Yes	No	
 Date of installation for cleaning machine and all control devices? If the exact date is unknown, they must have a letter stating installation occurred before or after 11/29/93. Halogenated solvent content for each solvent used? (<i>exempt if <5% by weight</i>) 	⊠Yes ⊠Yes	□No □No	
4. Estimates of annual solvent consumption for each machine?	\boxtimes Yes		
5. Dates of solvent additions and amounts added to each machine? (<i>applicable only to those using an alternative emission limit</i>)	Yes	No	N/A
6. Idling emissions limit tests, including values obtained during the initial performance test? (<i>applicable only to those using an idling emissions limit</i>)	Yes	No	N/A
7. All control device and parameter monitoring? (<i>applicable only to batch vapor and in-line machines</i>)	⊠Yes	No	□N/A
8. Information on remedial actions in the event of exceedances or other repairs and subsequent monitoring of affected parameters?	⊠Yes	No	□N/A
9. Monthly emissions calculations (applicable only to those using an alternative or idling emission limit)	Yes	No	N/A
10. 3-month rolling average emissions calculations? (<i>applicable only to those using an alternative emission limit</i>)	Yes	No	N/A
11. Cleaning capacity calculations? (applicable only to those using an alternative emission limit without a solvent-air interface)	Yes	No	N/A

Jeffrey Dizek

Inspector's Name (Please Print)

9/30/2011

Date of Inspection

9/2012

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: