A AND
FLORIDA

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY ARMS COMPLAINT NO:	Y (CI)			
AIRS ID#: 0250957 DA FACILITY NAME: FL FACILITY LOCATION RESPONSIBLE OFFIC	ORIDA FUNERAL HOME & N: 1495 NW 17 AVENUI MIAMI 33125	E	DEPART: <u>2:25 PM</u> (305)325-1171			
CONTACT NAME: REMITTANCE YEAR:		PHONE: LEMENT PERIOD: 12/14/2002 (effective date)	/ 12/13/2007 (end date)			
PART I: INSPECTION COMPLIANCE STATUS (check I only one box) □ IN COMPLIANCE □ SIGNIFICANT Non-COMPLIANCE						
 (check ☑ appropria 1. Were there any of 2. Was a visible emi 62-297, F.A.C.)? 3. In order to demondays prior to the A (Rule 62-296.401 4. In order to demond completed withintiana) Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorovolume, dry basis 10 (Ref.: Chapterende) Completed withintianal Carbon Monorov	te box(es)) ojectionable odor(s) detected? ssions test conducted during thi astrate individual source complia AGP Notification form submiss (5)(i), F.A.C.)	EMENTS – Rule 62-296.401, F.A. is site visit according to EPA Mether ance, was an annual visible emission ion, and within 60 days prior to eac ance were the remaining applicable fication form submission? (Rule 62 r below the requirements of 100 par rly average basis and tested accord thod 3 (Ref.: Chapter 62-297, F.A.) equal to or below the requirements I to 7% O_2 and tested according to F rrce operating at the manufacturers mission of a test report for an ident or to the date of the last formal com tement as soon as practical, but no lo	⊠ Y od 9 (Ref.: Chapter □Y ons test conducted 60 □Y ons test conducted 60 □Y ch anniversary date? □Y c □Y cstandards testing □ Q-210.300(4), F.A.C.) □Y ts per million by □y ing to EPA Method □Y C.)? □Y of 0.080 grains per □Y EPA Method 5 □Y recommended □Y ical crematory unit? □Y pliance test? □Y onger than 45 days after □Y	es No es No es No es No es No es No es No		

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))

1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	cording of such
measurements, maintenance, reports and records?	
1) All measurements (including CEMS)	⊠Yes ∐ No
2) Monitoring device	Xes 🗌 No
3) Performance Testing Measurements	Yes 🗌 No
4) CEMS Performance Evaluation	Yes 🗌 No
5) All CEMS or monitoring device calibration checks	Yes 🗌 No
6) Adjustments	Yes 🗌 No
7) Preventive maintenance performed on systems/devices	Yes 🗌 No
8) Corrective maintenance performed on systems/devices	🗌 Yes 🗌 No
2. Was this crematory unit constructed: (check only one 🗹 box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed <u>BEFORE</u> August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	🛛 Yes 🗌 No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	🛛 Yes 🗌 No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F?	🗌 Yes 🖾 No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	🖾 Yes 🗌 No
4. If constructed ON or AFTED August 20, 1080 is the	
 4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence times the second seco	20
 a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence in @ 1800° F? 	Yes No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber?	🗌 Yes 🗌 No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	Yes No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	Yes No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	y F
their use and for at least two years after their use?	Yes No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incluerated at this location?	Yes No
6. Have all crematory operators been trained and certified by a Department-approved training program?	$\Box \operatorname{res} \Box \operatorname{No}$ $\Box \operatorname{Yes} \Box \operatorname{No}$
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	🗌 Yes 🗌 No

PART IV: <u>SPEC</u>	IAL CONDITIONS	<u>S AND PROCI</u>	<u>EDURES</u> – Rule	62-296.401, F.A.C.
----------------------	----------------	--------------------	----------------------	--------------------

 The second		
1. Since the last inspection has there been		
a) installation of any new process equipment?	Yes	No
b) alterations to existing process equipment without replacement?	Yes	No
c) replacement of existing equipment substantially different than that noted on the most recent notification form?	Yes	No
d) If you answered <u>YES</u> to any of the above, did the owner submit a new and complete		
notification form and appropriate fee (Rule 62-4.050, F.A.C.) to the appropriate DEP or		
local program office?	Yes	No
2. If a crematory unit has been modified to the extent that a Department air construction permit		
was required, have all operators been retrained to operate the modified unit?	Yes	No
3. In the case of new or modified equipment, where a Department air construction permit was		
required, has the owner submitted copies of all operator training certificates?	Yes	No
a) submitted within the 15 day required window following the training?	Yes	No

TERRENCE ANDERSON

Inspector's Name (Please Print)

Date of Inspection

2/08

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: FNOV ISSUED EXCESS VISIBLE EMISSION FAILURE TO MAINTAIN THE OPERATING TEMPERATURE OF THE SECONDARY CHAMBER COMBUSTION ZONE ABOVE 1400 DEGREES F. DURING CREMATION PROCESS.

A. New or Modified Process Equipment

2/21/07