

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE</b> :	ANNUAL (INS1, INS2)	COM	PLAINT/DISCOVE	CRY (CI)				
	RE-INSPECTION (FUI)	ARM	S COMPLAINT NO	):				
<b>AIRS ID#:</b> 0571211 <b>DA</b>	TE: <u>3/20/2006</u>	ARRIV	E: <u>9:00 AM</u>	DEPART: 11:30 AM	<u>1</u>			
FACILITY NAME: PE	FACILITY NAME: PERSONAL TOUCH CLEANERS							
FACILITY LOCATION: 10075 W Hillsborough Ave								
	TAMPA 33615							
RESPONSIBLE OFFIC	IAL: HO HAN		PHON	E: (813)920-5693				
CONTACT NAME:			PHONE:					
REMITTANCE YEAR: 2005 ENTIT		TITLEMENT P	<b>LEMENT PERIOD:</b> 1/11/2004 / 1/11/2009 (effective date) (end date)					
	COMPLIANCE STATUS	<del></del>	y one box)					
☑ IN COMPLIANO	CE MINOR Non-C	OMPLIANCE	☐ SIGNIFICA	NT Non-COMPLIANCE				
	LASSIFICATION - Rule y one box in A)	62-213.300 FA	C					
transfer only, both types, x (constructed b	ly, x < 140 gal/yr x < 200 gal/yr < 140 gal/yr pefore 12/9/91)	dr tra bo (co	w small area source y-to-dry only, $x < 14$ nsfer only, $x < 200$ th types, $x < 140$ ga onstructed on or after	40 gal/yr gal/yr l/yr r 12/9/91)				
transfer only, both types, 14	e area source ly, $140 \le x \le 2,100 \text{ gal/yr}$ $200 \le x \le 1,800 \text{ gal/yr}$ $40 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91)$	dr tra bo	w large area source y-to-dry only, $140 \le 0$ unsfer only, $200 \le x \le 0$ th types, $140 \le x \le 0$ onstructed on or after	$x \le 2.100 \text{ gal/yr}$ $\le 1,800 \text{ gal/yr}$ 1,800  gal/yr				
drop store/out	General Permit to f business/petroleum ds above limits							
<b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 60 gallons.								

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC		only or		
Does the responsible official of the dry cleaning facility:			ich questi	ion)	
	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes	□No	□N/A	
2.	Examine the containers for leakage?	⊠Yes	☐ No	□ N/A	
3.	Close and secure machine doors except during loading/unloading?	X Yes	☐ No		
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes	☐ No	□ N/A	
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	∐Yes	□ No	⊠ N/A	
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)				
	1. If the facility classification is a <b>Existing small area</b> source, no controls are requi	red. Pro	ceed to I	Part V.	
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>				
	3. If the facility classification is a <b>Existing large area source</b> , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. <b>Complete both sections A and B below.</b> Carbon adsorber must have been installed prior to September 22, 1993				
	4. If the facility classification is a <u>New large area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete both sections A and B below.</b>				
<b>A.</b>	Has the responsible official of all <u>existing large</u> <u>area &amp; new sources</u> :		only each ques	one box for stion)	
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	□No		
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Yes	□No	□N/A	
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A	
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Yes	□No		
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes	□No	□N/A	
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	□No		

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)						
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)				
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	⊠Yes □No				
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- ∐Yes □ No ⊠N/A				
	a) Is the temperature differential equal to, or greater than $20^{\rm o}{\rm F?}$	☐Yes ☐ No ☒ N/A				
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No ⊠ N/A				
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A				
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes □ No □ N/A				
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?					
6.	Route airflow to the carbon adsorber (if used) at all times?					
PA	PART V: RECORDKEEPING REQUIREMENTS - Rule 62-213.300(3) FAC					
Do	es the responsible official:	(check ✓ only one box for each question)				
1.	Maintain receipts for perc purchased?	- 🛚 Yes 🔲 No				
2.	Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No				
3.	Maintain leak detection inspection and repair reports for the following:					
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No No				
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Yes No N/A				
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☒ N/A				
5.	Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No ☐ N/A				
6.	Maintain a startup/shutdown/malfunction plan?	Yes No				
7.	Maintain deviation reports?	Yes No No N/A				
	a) Problem corrected?	- Yes No No N/A				
8.	Maintain a compliance plan, if applicable?	Yes No N/A				

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?   Yes  No				
2. Does the facility maintain a leak log? ☐ Yes ☐ No				
a) Hose connections, fittings,     couplings, and valves				
4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces)				
3) Inspected for leaks and obvious signs of wear on a weekly basis? 3) Yes No 4) Kept in a clean and secure area when not in use?				
5) Verified for accuracy by use of duplicate samples (calorimetric only)? 5) Yes				
Mohammad Nozari 3/20/2006				
Inspector's Name (Please Print)  Date of Inspection				
Inspector's Signature Approximate Date of Next Inspection				
COMMENTS: annual inspection				