

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1 RE-INSPECTION		
AIRS ID#: 0990565 DATE: <u>9/28/2006</u>	ARRIVE: <u>12:50 PM</u> DEPART: <u>1:40 PM</u>	
FACILITY NAME: PALM BEACH PLATING		
FACILITY LOCATION: 900 28th Street		
WEST PALM BEACH 33407		
RESPONSIBLE OFFICIAL: Fred Vizoso	PHONE: (561)863-5760	
CONTACT NAME: Same	PHONE: (
REMITTANCE YEAR: 2005	ENTITLEMENT PERIOD: 1/5/1999 / 1/5/2004 (effective date) (end date)	
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE		
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:		
Hard Chromium Plating a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	b. Existing Small (0.03 mg/dscm) d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)	
2. <u>Decorative Chromium Plating/Anodizing</u>		
a. <u>Chromic Acid Bath</u>	 Emissions of ≤ 0.01/mg/dscm (4.4x10⁻⁶ gr/dscf) Surface tension of ≤ 45 dynes/cm (3.1x10⁻³ lb-f/ft) (May only be selected if a wetting agent is used.) 	
b. <u>Trivalent Chromium Bath</u>	1) With wetting agent	
c. <u>Chromium Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10⁻⁶ gr/dscf)	

PART III: <u>CONTROL TECHNOLOGY</u> – Rule 62-213.300 FAC	
(Calant agents)	
(Select control	DEVICE IN LICE?
device)	DEVICE IN USE?
1. Composite Mesh Pad	∏Yes ∏No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No
5. Foam Blanket Fume Suppressant	☐Yes ☐No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	Yes No N/A
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300	(3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubber	, fiber-bed
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	☐Yes ☐No ⊠N/A
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description)	Yes No
4. Records of date of occurrence, duration, cause, and corrective action of each	
malfunction of process, add-on pollution control device, and monitoring equipmen	
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	
agent)	∐Yes ∐No ⊠N/A
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	Yes No
Packed Bed Scrubber Measure the pressure drop across the PBS and the inlet velocity daily	□x7 □x7.
	□Yes □No
<u>Fiber-Bed Mist Eliminator</u> Measure the pressure drop across the FBME and the upstream device daily	
Packed Bed Scrubber/Composite Mesh Pad	∐Yes ∐No
Measure the pressure drop across the CMP daily	□Yes □No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes □No
Fume Suppressant w/ Wetting Agent	103 (110
Measure the surface tension at the appropriate interval	⊠Yes □No
7. Purchase records of wetting agent components	
8. Records of the date and time that fume suppressants are added to the bath	∑Yes □No □N/A
9. Records of rectifier capacity, if used to determine facility size	☐Yes ☐No ⊠N/A
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	

Jeffrey Dizek	9/28/2006
Inspector's Name (Please Print)	Date of Inspection
	9/2007
Inspector's Signature	Approximate Date of Next Inspection
IMENTS: New Owner- Left Notification Form.	