

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

<u>INSPECTION</u> <u>TYPE</u> : ANN	NUAL (INS1, INS2)	C	OMPLAINT/DISCO	VERY (CI)	
RE-I	INSPECTION (FUI)	A	RMS COMPLAINT	NO:	
AIRS ID#: 1030459 DATE: 9	<u>9/15/2006</u>	ARI	RIVE: <u>10:00AM</u>	DEPA	RT: <u>10:45AM</u>
FACILITY NAME: HI TECH	H CLEANERS				
FACILITY LOCATION:	5523 Roosevelt Blv	vd			
	CLEARWATER 3	33706			
RESPONSIBLE OFFICIAL:	TAEK MA		PHONE: (727)536-1288		
CONTACT NAME: TAEK MA			PHONE: (
REMITTANCE YEAR: 2005	5 ENT	TITLEMEN	T PERIOD: 7/18/20 (effective		7/18/2009 nd date)
PART I: <u>INSPECTION</u> COM		<u> </u>			
☑ IN COMPLIANCE	MINOR Non-C	COMPLIAN	CE SIGNIFIC	CANT Non-CO	MPLIANCE
PART II: <u>FACILITY CLASS</u> (check ☑ only one		62-213.300	FAC		
A. 1. Existing small area dry-to-dry only, x < transfer only, x < 2 both types, x < 140 (constructed before	< 140 gal/yr 00 gal/yr gal/yr	2.	New small area sou dry-to-dry only, x < transfer only, x < 20 both types, x < 140 (constructed on or a	140 gal/yr 00 gal/yr gal/yr	
3. Existing large area dry-to-dry only, 14 transfer only, 200 ≤ both types, 140 ≤ x (constructed before	$0 \le x \le 2,100 \text{ gal/yr}$ $\le x \le 1,800 \text{ gal/yr}$ $\le 1,800 \text{ gal/yr}$	4.	New large area sou dry-to-dry only, 140 transfer only, $200 \le$ both types, $140 \le x$ (constructed on or a	$0 \le x \le 2,100 \text{ g}$ $x \le 1,800 \text{ gal/yr}$ $x \le 1,800 \text{ gal/yr}$	_
5. Ineligible for Gene drop store/out of bu facility exceeds abo	ısiness/petroleum				
B . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 205 gallons.					

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check ☑ only one box						
Do	es the responsible official of the dry cleaning facility:	for each question)						
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes □No □N/A						
2.	Examine the containers for leakage?	⊠Yes □ No □ N/A						
3.	Close and secure machine doors except during loading/unloading?	⊠ Yes □ No						
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No □ N/A						
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐Yes ☐ No ☒ N/A						
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)							
	1. If the facility classification is a Existing small area source, no controls are requi	ired. Proceed to Part V.						
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.							
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993							
	4. If the facility classification is a <u>New large area source</u> , the machine should be econdenser. Complete both sections A and B below.	quipped with a refrigerated						
A.	Has the responsible official of all <u>existing large area & new sources</u> :	(check ☑ only one box for each question)						
1.	Equipped all machines with the appropriate vent controls?	⊠Yes □No						
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A						
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	Yes No N/A						
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	Yes No						
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- ⊠Yes □No □N/A						
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes □No						

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)							
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)					
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	⊠Yes □No					
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- ∐Yes ∐ No ⊠N/A					
	a) Is the temperature differential equal to, or greater than $20^{\rm o}{\rm F?}$	☐Yes ☐ No ☒ N/A					
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A					
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A					
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes □ No □ N/A					
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?						
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☒ N/A					
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC (check ☑ only one box for							
Do	es the responsible official:	each question)					
1.	Maintain receipts for perc purchased?	Yes No					
2.	Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No					
3.	Maintain leak detection inspection and repair reports for the following:						
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A					
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	☐ Yes ☐ No N/A					
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☐ N/A					
5.	Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No ☐ N/A					
6.	Maintain a startup/shutdown/malfunction plan?	Yes No					
7.	Maintain deviation reports?	Yes No No N/A					
	a) Problem corrected?	Yes No N/A					
8.	Maintain a compliance plan, if applicable?	Yes No N/A					

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?						
2. Does the facility maintain a leak log? Yes No						
c) Filter gaskets and seating Yes No N/A i) Exhaust dampers Yes No N O N/A j) Diverter valves Yes No No N/A j	N/A N/A					
4. Which method(s) of detection (is/are) used by the responsible official?						
a) Visual examination (condensed solvent on exterior surfaces) ————————————————————————————————————						
Shea Jackson September 15, 2006						
Inspector's Name (Please Print) Date of Inspection						
July 1, 2007						
Inspector's Signature Approximate Date of Next Inspection	_					

COMMENTS:

I performed an annual compliance inspection of this facility , and met with the responsible official, Mr. Taek Ma.

- I reviewed the perchloroethylene purchase and waste manifest receipts, 6/20/2006, which were kept with the calendar. The most recent purchase was 14.95 gallons on 8/18/2006. I reviewed the 2005 and 2006 calendar records, with Mr. Tack Ma. He is making weekly temperature and dryer observation entries for the required weekly observations. The records were up to date. The cool down temperature checks noted in the calendar ranged from 21°F 40°F.
- I observed the dryer, and equipment for the dry cleaner operation
- The facility had replaced the old Fulton 20 HP boiler with a new Fulton 15 HP boiler. (See photo).
- The perchloroethylene consecutive total for this month (September) was 205 gallons.
- I observed around the dryer, associated equipment, and the boiler room.
- There were no Perchloroethylene odors detected around the dryer during its operation.
- I obtained signature on annual certification. I gave Mr. Ma a copy of the facility summary report. I informed him of the new EPA- rule requirement to obtain a halogen leak detector by July 28, 2008. The facility is in compliance at this time. Mr. Ma stated they had received some information from the state regarding the rule update.