

## Florida Department of Environmental Protection

Northwest District Office 2353 Jenks Avenue Panama City, Florida 32405-4389 Rick Scott Governor

Jennifer Carroll Lt. Governor

Herschel T. Vinyard Jr. Secretary

March 21, 2012

BY ELECTRONIC MAIL bart@southerlandfamily.com

Mr. Bart Way Southerland Family Funeral Homes 100 East 19<sup>th</sup> Street Panama City, Florida 32405

Dear Mr. Way:

On February 22, 2012, a Department representative with the Air Resource Management Program inspected the Southerland Family Funeral Homes Machriste Crematory ID 0050073. A copy of the inspection report is enclosed. The inspection and a review of Department records indicate the facility was in compliance at the time of the inspection for those items specifically noted in the inspection report.

This letter applies only to activities covered by the Air Resource Management Program. If you have any questions, please contact C. Mark Sumner at 850/767-0046, or mark.c.sumner@dep.state.fl.us.

Sincerely,

Clifford D. Wilson III, P.E.

Panama City Branch Administrator

CDW/ms

Enclosure

c: Ms. Mary Beth Curle, FDEP Pensacola (<u>mary.beth.curle@dep.state.fl.us</u>) Ms. Carol Melton, FDEP Pensacola (<u>carol.melton@dep.state.fl.us</u>)



## **HUMAN CREMATORY**



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCOVERY ARMS COMPLAINT NO:	Y (CI)							
AIRS ID#: 0050073 DATE: 2/22/2012	ARRIVE: <u>12:34</u>	DEPART: 1	<u>2:57</u>						
FACILITY NAME: SOUTHERLAND FAMILY FUNERAL HOME-NO.SIDE									
<b>FACILITY LOCATION:</b> 100 E 19TH ST									
PANAMA CITY	32405								
OWNER/AUTHORIZED REPRESENTATIVE: STEVE SOUTHERLAND PHONE: (850)785-8532  Email: Mobile:  CONTACT NAME: BART WAY PHONE: (850)785-8532  Email: bart@southerlandfamily.com Mobile:  ENTITLEMENT PERIOD: 2/8/2010 / 2/8/2015 (effective date) (end date)									
Facility Section  PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE									
PART II: ONSITE INTRODUCTORY MEETIN  1. Name(s) of facility representative(s): Bart Way (  Brief Notes: Mr Sapp provided access to the fac	(At the time of inspection, met with Wa	ayne Sapp)	(check 🗹 ox for each o	only one question)					
Is the Authorized Representative still STEVE SO If no, who is?: <u>NA</u>	OUTHERLAND?		⊠ Yes	□No					
If different, did the facility provide an administra  3. Is the facility contact still BART WAY? If no, who is?: NA	tive update within 30 days?	N/A	☐ Yes ⊠ Yes	□No □No					
4. Will facility be conducting VE test(s) during toda If yes, was the compliance authority notified at le			☐ Yes ☐ Yes	⊠No □No					

## Emissions Unit Section 1 – Human Crematory-prim/2ndary chmbrs/opacity&temp/NGfired

PA	ART I: FILE REVIEW PRIOR TO INSPECTION	(check ☑	only one
		box for each	
1		00.1.20. 11	question,
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	⊠ Yes	□No
	b. If yes, were design calculations provided then to confirm a sufficient volume in the	<u> </u>	□1NU
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time		
	at 1800 degrees Fahrenheit?	⊠ Yes	□No
2.	Crematory unit installed after February 1, 2007?	Yes	⊠No
	Date of last inspection: 2/16/2011		Z31 \ 0
	Past Visible Emissions (VE) tests:		
··· 	a. Was a VE test performed within each of the past 4 calendar years?	⊠ Yes	□No
l	b. Has a VE test been performed yet within the current calendar year?	Yes	⊠No
l	c. If first year of operation, was a VE test performed within 30 days of commencing	L *	Z
	operation? N/A	☐ Yes	□No
	d. Date of last VE test: 8/5/2011		
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	⊠ Yes	□No
l	f. Did the facility demonstrate compliance during the last VE test?	⊠ Yes	□No
l	If no, what was the problem (if known)? NA		
D.A	ADTH. MOIDED EMICOLONIC TECTING		
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check <b>☑</b>	only one
		box for each	question)
1	Was a visible emissions test conducted by the facility for this unit during this site visit?	☐ Yes	⊠No
1.	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? N/A		⊠No □No
	b. Was the visible emissions test conducted according to EPA Method 9?		□No
	U. Was the visible ellissions test conducted according to 12/14 viction 7.	1 1 00	
	c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.		
	d. Did the visible emission test demonstrate compliance with the limit? 🖂 N/A	Yes	□No
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		
2.	Was a visible emissions test conducted by the inspector during this site visit?	☐ Yes	□No
	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver? N/A		□No
	b. Was the visible emissions test conducted according to EPA Method 9? N/A		□No
	c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.		
	d. Did the visible emission test demonstrate compliance with the limit?	A□ Yes	□No
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standar		
	-	☐ Yes	⊠No
	If yes, what reason? NA		
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check <b>☑</b>	only one
		box for each	
		OUX TOT CUCIT	•
1.	Were there any objectionable odors detected?	☐ Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were:		
	Downwind odor level detected-0 Wind direction - South Upwind odor level detected-0 (1-1	10)	
١ ـ			
	Continuous Monitoring Systems –		
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the	<b>₹</b> 7	
	secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	∐No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence	<b>□ 1 1 1 1 1 1 1 1 1 1</b>	□ <b>ъ</b> т
	time at $\Box$ 1,800 <sup>1</sup> $\boxtimes$ 1,600 <sup>2</sup> degrees was determined?	⊠ Yes	∐No
	(Application or initial notification: received on or after 8/30/89; received before 8/30/89)		II

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c. Are the following records kept on file, available for inspection, for at least the past two years?		
1) All temperature measurements	Yes	□No
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;	<del></del>	_
monitoring system all continuous performance evaluations	⊠ Yes	□No
3) All CEMS or monitoring device calibration checks (last performed on ( )	Yes	⊠No
4) Adjustments	Yes	□No
5) Preventive maintenance performed on systems/devices	Yes	□No
6) Corrective maintenance performed on systems/devices	⊠ Yes	□No
d. Are the temperature charts properly documented with operator name, operator indication of		
when cremation in the primary chamber was begun, date, time, and temperature markings	⊠ Yes	□No
e. Was the crematory unit installed after $2/1/07$ ? If no, skip e.(1) – (3)	Yes	□No ⊠No
(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical		∠J1 <b>N</b> U
control combustion based on continuous in-stack opacity measurement? N/A	Yes	ПNо
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	1 CS	
exceeds 15% opacity? N/A	☐ Yes	□No
(3) Has the opacity measurement system been cleaned and checked for proper operation in		10
accordance with the manufacturer's recommended maintenance schedule?	Yes	□No
		. 7
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one
	Lar Canasal	~
	box for each	question)
1. ICal a suplication to construct one PEEODE Assess 20, 1000 in the	box for each	question)
1. If the application to construct was <b>BEFORE</b> August 30, 1989 is the:	box for each	question)
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	_	
a. actual operating temperature of the secondary chamber combustion zone no less than <b>1400°F</b> throughout the combustion process in the primary chamber?	☐ Yes	question)
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	Yes Yes	□No
a. actual operating temperature of the secondary chamber combustion zone no less than <b>1400°F</b> throughout the combustion process in the primary chamber?	☐ Yes	
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	Yes Yes	□No
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes	□No
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes	□No
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	□No □No
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes	□No □No
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNoNo
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes (check ☑	NoNoNo only one
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes (check ☑	NoNoNo only one
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes (check ☑	NoNoNo only one question)
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————</li></ul>	☐ Yes on ☐ Yes	NoNoNo only one
<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	☐ Yes on ☐ Yes	NoNoNo only one question)
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	NoNoNo only one question)

PART VI: EQUIPMENT MAINTENANCE		(check ☑ box for each	only one question)		
1. Is the crematory unit maintained in accordance with the ma	anufacturer's specifications?	⊠ Yes	□No		
2. Is there a written plan onsite which addresses the operating shutdown and malfunction?		⊠ Yes	□No		
3. Does the crematory allow for a visible check on the flame If no, skip a. – b.	characteristics?	☐ Yes	⊠No		
a. Was the flame characteristic visually checked at least of b. Was the flame adjusted when necessary?	nce during each operating shift? N/A	Yes Yes	□No □No		
PART VII: EU INSPECTION COMPLIANCE STATUS	(check ☑ only one box)				
IN COMPLIANCE		IANCE			
Facility Section (continued)					
SPECIAL CONDITIONS AND PROCEDURES		(check 🗹 box for each	only one question)		
Administrative Changes:					
<ol> <li>Were there any changes in the name, address, or phone nur associated with a change in ownership or with a physical re operations comprising the facility; or any other similar mir</li> <li>If yes, did the facility provide written notification within 3</li> </ol>	elocation of the facility or any emissions unit nor administrative change at the facility?	ts or Yes	⊠No □No		
New or Modified Process Equipment or Change in Ownership:					
3. Since the last registration form submittal has there been			⊠No		
a. Installation of any new process equipment?					
c. Replacement of existing equipment with equipment that is substantially different? [			⊠No		
d. A change in ownership? YesNo If the any answer to 3a. – d. is Yes, was a new registration form and the appropriate fee					
submitted 30 days prior to the change?	N/A	Yes	□No		
C. Mark Sumner	2/22/2012				
Inspector's Name (Please Print)	Date of Inspection				
M1					
Mark Sen	February 2013				
Inspector's Signature Approximate Date of Next Inspe		ection			

**COMMENTS:** The last visual emissions test was performed on 8/5/2011. The result was 0% opacity. The Department was notified on 7/14/2011, and the report was received and reviewed by the Department on 8/29/2011.

The crematory is maintained and serviced as needed by B&L cremation systems.

The temperature charts are maintained for all cremations, they have the date, time, and initials of the operator along with tracking the temperature in the crematory. A random review of the charts did not reveal any cremations with a temperature below 1700 degrees F

This facility uses Max Pak corrugated boxes and Batesville Caskets for cremations. Manufacturer's certifications were provided for each of the container types to certify that they contain no more than 0.5% chlorinated plastic by weight.

Bart Way, Andrew Currier, and Wayne Sapp are the current staff members certified to operate the crematory.