

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY (CI)
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:

AIRS ID#: 103 0462	Date: 1/31/2011	Time I	n:1:00PM	Time Out:1:30PM	
Facility Name:	Awesome Value Clea	ners LLC			
Facility Location:	926 Cleveland Street				
	Clearwater, FL, 3375	5			
Responsible Official:	Jose Roman		Phone No:	727-446-8465	
	New, Small Perchloro	ethylene	Dry Cleaner: One D	ry-to-dry machine (1	996
Emis. Unit Description:	Patriot System, Mode	l - Renzac	ci) with refrigerated	d condenser and 7 HF	propane
	fired boiler				
Permit Number:	1030462-005-AG		Exp. Date:	11/18/2014	
Facility Contact:	Chetan Shah		Phone:	727-446-8465	
Compliance Status:			SNC		
PART I: NOTIFICATIO	N (Check appropriate box)				
1. Existing facility notifie	d DARM by 9/1/96				
2. New facility notified D	ARM 30 days prior to s	tartup			\boxtimes
3. Facility failed to notify	DARM to use general	permit			
PART II: CLASSIFICAT	ΓΙΟΝ				
Facility indicated on notif No Notification Form A. <u>1. Existing small area</u> Dry-to-dry only, x <140 Transfer only, x <200 g Both types, x <140 gal/ (Constructed before 12 <u>3. Existing large area</u>	Drop-Off Stor source gal/yr gal/yr yr 2/9/91) source		Out of business <u>2. New small area</u> Dry-to-dry only, x Transfer only, x <2 Both types, x <140 (Constructed on on <u>4. New large area</u>	<140 gal/yr 200 gal/yr) gal/yr r after 12/9/91) <u>source</u>	nt Only
Dry-to-dry only, 140> x <2,100 gal/yr					
 This is a correct facility classification					

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility: (Check appropriate boxes)			
1. Storing perchloroethylene in tightly sealed and impervious containers?	⊠Y	\Box N	□ NA
2. Examining the containers for leakage?	$\boxtimes Y$	\Box N	□ NA
3. Closing and securing machine doors except during loading/unloading?4. Draining cartridge filters in their housing or in sealed containers for at	$\boxtimes \mathbf{Y}$	□N	
least 24 hours prior to disposal?	$\boxtimes \mathbf{Y}$	\square N	\Box NA
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	ΓY	□N	🖂 NA

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification (1) has been checked, no controls are required. Proceed to Part V.

If classification (2) has been checked, the machine should be equipped with a refrigerated condenser (complete A below) If classification (3) has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). A Carbon adsorber must have been installed prior to September 22, 1993. If classification (4) has been checked, machine should be equipped with a refrigerated condenser (complete A and B below.)

A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?	⊠Y	□N	□ NA
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Y	□ N	□ NA
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Y	□N	□ NA
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Y	□N	□ NA
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	⊠Y	□N	□ NA
6. Conducted all temperature monitoring after an appropriate cool down period and after verifying the coolant had been completely charged?	⊠Y	□ N	□ NA

B.	Has the responsible official of an existing large or new large area source also:	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	⊠Y □N
2.	Measured and recorded the washer exhaust tem ⁻ at the condenser inlet and outlet weekly?	□Y □N □NA
	Is the temperature differential equal to on $^{\circ}$ F?	□Y □N □NA
3.	Measured and recorded the concentration yeekly at the end of the	
	final drying cycle while the pe is venting the period the period with a carbon addition?	□Y □N □NA
	Is the period or less the ppm?	$\square Y \square N \square NA$
4.	Assured that the s g p on adsorber exhaust for measuring perc.	
т.	concentrations is at duct diamers downstream of any bend, contraction, or	
	expansion; is at least liameters upstream from any bend contraction, or expansion;	
	and downstream from not ner inlet?	□Y □N □NA
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser	
	coils?	□Y □N □NA
6.	Routed airflow to the carbon adsorber (if used) at all times?	□Y □N □NA

PART	PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (Check appropriate boxes)						
1.	Maintained receipts for perc purchased?	⊠Y	□N			
2.	Maintained rolling monthly averages of perc consumption?	⊠Y	□N			
3.	 Maintained leak detection inspection and repair reports for the following: a. Documentation of leaks repaired w/in 24 hrs? or; b. Documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 	□Y □Y	$ \square N \boxtimes NA \\ \square N \boxtimes NA $			
4.	Maintained calibration data? (direct reading instruments only)	ΠY	□N ⊠NA			
5.	Maintained exhaust duct monitoring data on perc concentrations?	ΠY	□N ⊠NA			
6.	Maintained startup/shutdown/malfunction plan?	⊠Y	□N			
7.	Maintained deviation reports? Problem corrected?	$ \Box Y \\ \Box Y $	$ \squareN \boxtimes NA \\ \squareN \boxtimes NA $			
8.	Maintained compliance plan, if applicable?	ΠY	□n ⊠na			

PART VI: LEAK DETECTION AND REPAIRS

1.	Does the responsible official conduct weekly le	ak det	ection a	and repair inspection?	$\boxtimes \mathbf{Y}$	□N	
2.	Which method of detection does the responsible official use?						
	Visual examination (condensed solvent of exterior surfaces)						
	Physical detection (airflow felt through ga	skets)			$\boxtimes \mathbf{Y}$	□N	
	Odor (noticeable perc odor)				$\boxtimes \mathbf{Y}$	□N	
	Use of direct-reading instrumentation (FII	D/PID/	calorim	etric tubes)	$\Box Y$	$\boxtimes N$	
	If using direct-reading instrumentation, is the	equip	ment:		ΠY	ΠN	
	a. Capable of detecting perc vapor concen	tration	s in a ra	inge of 0-500 ppm	ΠY	$\Box N$	
	b. Calibrated against a standard gas prior t	to and	after eac	ch use (PID/FID only).	ΠY	ΠN	
	c. Inspected for leaks and obvious signs of	f wear	on a we	ekly basis?	ΠY	ΠN	
	d. Kept in a clean and secure area when not in use.						
	e. Verified for accuracy by use of duplicate samples (calorimetric only)?						
3.	3. Has the facility maintained a leak log?						
4.	The following area should be checked for leaks	s by th	e opera	ator:	$\boxtimes \mathbf{Y}$	$\Box N$	
	Hose connections, fitting couplings, and valves	$\boxtimes \mathbf{Y}$	$\Box N$	Muck cookers	$\Box Y$	$\boxtimes N$	
	Door gaskets and seating	$\boxtimes \mathbf{Y}$	$\Box N$	Stills	$\boxtimes \mathbf{Y}$	□N	
	Filter gaskets and seating	$\boxtimes \mathbf{Y}$	$\Box N$	Exhaust dampers	$\boxtimes \mathbf{Y}$	□N	
	Pumps	$\boxtimes \mathbf{Y}$	□N	Diverter valves	$\Box Y$	$\boxtimes N$	
	Solvent tanks and containers	$\boxtimes \mathbf{Y}$	□N	Cartridge Filter housing	$\boxtimes \mathbf{Y}$	$\Box N$	
	Water separators	$\boxtimes \mathbf{Y}$	□N				

Shea Jackson	January 31, 2010	
Inspector's Name (Please Print)	Date of Inspection	
	Within one year of this inspection	
Inspector's Signature	Date of Next Inspection	

1

Г

System Inspection and Leak Detection

Are the following dry cleaning system components inspected weekly for perceptible leaks (sight, smell or touch) while the system is in operation (§63.322(k))? (Inspection with a halogenated hydrocarbon detector or PCE gas analyzer also fulfills the requirement for inspection of perceptible leaks.) $\boxtimes Y \quad \Box N \quad \Box NA$

Are the following dry cleaning system components inspected monthly for vapor leaks using a halogenated hydrocarbon detector or PCE gas analyzer while the system is in operation? (Any inspection conducted according to this paragraph shall satisfy the requirements to conduct an inspection for perceptible leaks under §63.322(k) or (l). \boxtimes Y \square N \square NA

- (1) Hose and pipe connections, fittings, couplings, and valves;
- (2) Door gaskets and seatings;
- (3) Filter gaskets and seatings;
- (4) Pumps;
- (5) Solvent tanks and containers;
- (6) Water separators;
- (7) Muck cookers;
- (8) Stills;
- (9) Exhaust dampers;
- (10) Diverter valves; and
- (11) All Filter housings

Is the halogenated hydrocarbon detector or PCE gas analyzer operated according to the manufacturer's instructions? $\boxtimes Y \quad \Box N \quad \Box NA$

Is the vapor leak inspection conducted by placing the probe inlet at the surface of each component interface where leakage could occur and moving it slowly along the interface periphery? $\square Y \square N \square NA$

Is the PCE gas analyzer a flame ionization detector, photo ionization detector, or infrared analyzer capable of detecting vapor concentrations of PCE of 25 parts per million by volume? $\Box Y \quad \Box N \quad \boxtimes NA$

Is the halogenated hydrocarbon detector capable of detecting vapor concentrations of PCE of 25 parts per million by volume and indicating a concentration of 25 parts per million by volume or greater by emitting an audible or visual signal that varies as the concentration changes? $\boxtimes Y \quad \Box N \quad \Box NA$

ADDITIONAL SITE INFORMATION

Facility Name:	Awesome Value Cleaners LLC
ARMS #:	103 0462

Inspection Comments:

- I performed an inspection of this facility with Mr. Jose Roman, the responsible official of the dry cleaning facility.
- Mr. Roman is the operator for the dry to dry and he maintains the calendar records, purchase orders, waste manifest, and performs the leak checks and temperature observations.
- I observed the dry cleaning equipment it was in the dry to dry cycle during operation at this time.
- The facility uses a TIF RX1A Halogen detector, it is SAE 1627 Certified.
- I observed Mr. Roman check the machine with the halogen leak detector. There were no perchloroethylene odors from the unit. The equipment appears to be maintained, no leakage observed during detector check of dry to dry machine. (see Photos)
- Mr. Roman stated the button trap handle had broken, so he had secured it with a tie down to keep from leaking. I asked him to check with detector, and he did demonstrating it was not leaking at this time. He stated he had the part on order and would be repaired the next time the maintenance contractor was on site.
- I reviewed the calendar and Perc usage records. The most recent perc purchase was for two 15 gallons on November 20, 2010. The Highest 12 month monthly consecutive total was for August 2010 at 89 gallons. The current rolling total for January is 74 gallons. The facility is not purchasing Perc as often because slow economy.
- The temperature recordings for the dryer for the weekly checks ranged from 41° F 44° F. I informed Mr. Roman that this was an older machine and that it was getting close to the 45°F, and that he should be careful to prevent it exceeding that temperature during the cool down process. Mr. Roman stated he has the maintenance contractor check the refrigerant monthly to make sure dry to dry will not exceed 45°F.
- *I gave Mr. Roman copies of the p2 brochure and dry cleaning pollution prevention pamphlet.*
- *The facility appears to be in compliance at this time*

ADDITIONAL SITE INFORMATION

Facility Name:	Awesome Value Cleaners LLC
ARMS #:	103 0462

Machine #1:							
Manufacturer	Patriot System	n	Capa	city	40	lbs	
Model#	Renazacc		Seria	1#		Mfg yr	1996
Machine #2:							
Manufacturer			Capa	city		lbs	
Model#			Seria	1#		Mfg yr	
Notification (u	inpermitted sou	rces only)•					
	lity assisted in fi	•	tification by the	e inspect	tor?	ΠY	⊠N
	ity insist on filli	0	•	-		ΞY	⊠N
Record keepin	•	2	~			—	
-	0	specs as to the	design accuracy	y of the t	temperature sensor?	$\boxtimes \mathbf{Y}$	□N
(Tempe	rature of 45 ⁰ F w	//accuracy +/- 2	2^{0} F, or 7.2EC w	/accurac	$ry of +/-1.1^{\circ}C)$		
Hazardous Wa	aste:	·			•		
1. Is all perc. contaminated wastewater either treated or disposed of properly?						$\boxtimes \mathbf{Y}$	□N
2. If wastewater is evaporated, is it an approved system, and using carbon filtration?						$\boxtimes \mathbf{Y}$	$\Box N$
3. Does the facility have secondary containment for the dry-dry machine?					$\boxtimes \mathbf{Y}$	□N	
4. Does the fact	ility have second	dary containme	nt for any perc.	waste co	ontainers?	$\boxtimes \mathbf{Y}$	□N
Boiler:							
Manufacturer	Thomas					Нр	30
Model #	PFDH 30		Serial #	53041		Mfg yr	1979
Fuel Type:	Natural gas?		Propane?		Fuel oil? □		
			antad in a same	roto buil	ding to the north sid	la of the shor	•

926 Cleveland Street, Clearwater



Project Id:	<u>75729</u>	Permit No: 1030462-005-AG	Arms Number: <u>0462</u>
-------------	--------------	---------------------------	--------------------------

Inspector: <u>Shea Jackson</u> **Inspection Date / Time:** <u>1/31/2011</u>


Source (EU): New, Small Perchloroethylene Dry Cleaner: One Dry-to-dry

machine (1996 Patriot System, Model - Renzacci) with refrigerated condenser and 7 HP propane

fired boiler

Description: [This is the record keeping calendar for the 2011 year. The check was performed on 1/24/2011.]

926 Cleveland Street, Clearwater



 Project Id:
 75729
 Permit No: 1030462-005-AG
 Arms Number: 0462

 Inspector:
 Shea Jackson
 Inspection Date / Time: 1/31/2011


 Source (EU):
 New, Small Perchloroethylene Dry Cleaner: One Dry-to-dry machine (1996

 Patriot System, Model - Renzacci) with refrigerated condenser and 7 HP

 propane fired boiler

Description: [This is the calendar record from 2010. The purchase orders and waste disposal invoices were in this record.]

926 Cleveland Street, Clearwater



Project Id: <u>75729</u> **Permit No:** 1030462-005-AG **Arms Number:** <u>0462</u>

Inspector: Shea Jackson Inspection Date / Time: <u>1/31/2011</u> / _____

Source (EU): <u>New, Small Perchloroethylene Dry Cleaner: One Dry-to-dry machine (1996</u> <u>Patriot System, Model - Renzacci) with refrigerated condenser and 7 HP</u> <u>propane fired boiler</u>

Description: [This is the rear to the dry to dry. The area was clean and no spills evident.]

926 Cleveland Street, Clearwater



 Project Id:
 <u>75729</u>
 Permit No: 1030462-005-AG
 Arms Number: <u>0462</u>

 Inspector:
 Shea Jackson
 Inspection Date / Time: <u>1/31/2011</u>

 Source (EU):
 New, Small Perchloroethylene Dry Cleaner: One Dry-to-dry machine (1996

 Patriot System, Model - Renzacci) with refrigerated condenser and 7 HP

 propane fired boiler

Description: [Mr. Roman was demonstrating use of the halogen leak detector. He was going around the button trap.]

926 Cleveland Street, Clearwater



Project Id: <u>75729</u> **Permit No:** 1030462-005-AG **Arms Number:** <u>0462</u>

Inspector:Shea JacksonInspection Date : 1/31/2011

Source (EU): <u>New, Small Perchloroethylene Dry Cleaner: One Dry-to-dry machine (1996</u> <u>Patriot System, Model - Renzacci) with refrigerated condenser and 7 HP</u> <u>propane fired boiler</u>

Description: [This is the waste containers for Perc disposal. The containers are located in secondary containment]