

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE</b> :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY	Y (CI)				
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:					
<b>AIRS ID#:</b> 0251013 <b>DA</b> 7	ΓΕ: <u>8/1/06</u>	<b>ARRIVE:</b> <u>9:30 AM</u>	DEPART: <u>10:20 AM</u>				
FACILITY NAME: DRY-CLEAN FL							
FACILITY LOCATION: 1290 NE 125th Street							
	NORTH MIAMI 33161						
RESPONSIBLE OFFICIAL: SADRU DHARSHI		<b>PHONE:</b> (305)893-3322					
CONTACT NAME:		PHONE:					
REMITTANCE YEAR:	2005 ENTITLE	MENT PERIOD: 8/13/2005 (effective date)	/ 8/13/2010 (end date)				
DADEL INCRECTION	COMPLIANCE CTATUS ( 1.	1 🗹					
IN COMPLIANC	PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
IN COMI LIANC	CE     WINVOK NOII-COWII I	DIANCE SIGNIFICANT	Non-COMI LIANCE				
DADEH EACH IEW CO	LAGGERGATION D. L. (A. A.	2 200 FA C					
	<b>LASSIFICATION</b> - <b>Rule 62-21</b> y one box in A)	3.300 FAC					
transfer only, both types, x <	ly, x < 140 gal/yr x < 200 gal/yr	2. New small area source dry-to-dry only, x < 140 g transfer only, x < 200 gal both types, x < 140 gal/yr (constructed on or after 1	/yr r				
transfer only, both types, 14	e area source $\Box$ ly, $140 \le x \le 2,100$ gal/yr $200 \le x \le 1,800$ gal/yr $0 \le x \le 1,800$ gal/yr before $12/9/91$ )	4. New large area source dry-to-dry only, $140 \le x \le 1$ transfer only, $200 \le x \le 1$ both types, $140 \le x \le 1,8$ (constructed on or after 1	,800 gal/yr 00 gal/yr				
	General Permit  a of business/petroleum ds above limits						
<b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 0 gallons.							

	ART III: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC bes the responsible official of the dry cleaning facility:	(check ☑ only one box for each question)					
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A					
	Examine the containers for leakage?	Yes No N/A					
	Close and secure machine doors except during loading/unloading?	Yes No					
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	☐Yes ☐ No ☐ N/A					
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐Yes ☐ No ☐ N/A					
	PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (Refer to Part II-A.14. Classification: page 1 of 4, this form)						
	1. If the facility classification is a <b>Existing small area</b> source, no controls are requi	ired. Proceed to Part V.					
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>						
	<ol> <li>If the facility classification is a <u>Existing large area source</u>, the machine should be refrigerated condenser or a carbon adsorber. Complete both sections A and B below must have been installed prior to September 22, 1993</li> <li>If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below.</li> </ol>	ow. Carbon adsorber					
<b>A.</b>	Has the responsible official of all <u>existing large</u> <u>area</u> & <u>new sources</u> :	(check ☑ only one box for each question)					
1.	Equipped all machines with the appropriate vent controls?	Yes No					
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	- Yes No N/A					
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- Yes No N/A					
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No					
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes No N/A					
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes □No					

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	Yes No No			
	a) Is the temperature differential equal to, or greater than $20^{\rm o}$ F?	Yes No N/A			
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	Yes No N/A			
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A			
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	- Yes No N/A			
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	Yes No N/A			
6.	Route airflow to the carbon adsorber (if used) at all times?	Yes No N/A			
PA	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for			
	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC best he responsible official:	(check ☑ only one box for each question)			
Do		each question)			
<b>D</b> o	pes the responsible official:	each question) Yes No			
1. 2.	Des the responsible official:  Maintain receipts for perc purchased?	each question) Yes No			
1. 2.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?	each question)  Yes No Yes No			
1. 2.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:	each question)  Yes No Yes No			
1. 2. 3.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	each question)			
1. 2. 3.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	each question)			
1. 2. 3. 4. 5.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintain calibration data? (for applicable direct reading instruments)	each question)			
1. 2. 3. 4. 5. 6.	Maintain receipts for perc purchased?	each question)			
1. 2. 3. 4. 5. 6.	Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;	each question)			
1. 2. 3. 4. 5. 6. 7.	Maintain receipts for perc purchased?	each question)			

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?				
2. Does the facility maintain a leak log? Yes No				
c) Filter gaskets and seating Yes No N/A i) Exh d) Pumps Yes No N/A j) Div	uck cookers  lls			
4. Which method(s) of detection (is/are) used by the responsible offici	ial?			
a) Visual examination (condensed solvent on exterior surfaces)				
**If using direct-reading instrumentation, is the equipment:				
<ol> <li>Capable of detecting perc vapor concentrations in a range of 0-5</li> <li>Calibrated against a standard gas prior to and after each use (PII 3) Inspected for leaks and obvious signs of wear on a weekly basis</li> <li>Kept in a clean and secure area when not in use?</li> <li>Verified for accuracy by use of duplicate samples (calorimetric</li> </ol>	500 ppm? 1) Yes No D/FID only)? 2) Yes No s? 3) Yes No 4) Yes No			
TERRENCE ANDERSON	8/1/06			
Inspector's Name (Please Print)	Date of Inspection			
	N/A			
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: FACILITY USED ONLY AS A DROP STORE NEW OWNERS PREVIOUS OWNERS CANNOT BE CONTACTED DRY CLEANING MACHINES STILL ON SITE, REPAIRS NEEDE NOTIFICATION FORM LEFT TO BE COMPLETED BY NEW OW NEW OWNER KATHLEEN TAYLOR				