



Florida Department of Environmental Protection
Southwest District Office

FIELD INSPECTION NOTICE

Name / Owner / Operator: Steele's FAMILY CREMATORY
Address: 207 Burns Ln SE
Location / Source: Winter Hae: 33884
Permit Number: 1050333 Permit Exp. Date: 3/25/2011 Date and Time: 4/20/09

The purpose of this notice is to advise you of findings from a Florida Department of Environmental Protection (DEP) personnel conducted field inspection on the date listed above at the location described above.

Observations: Charts are marked with start time. Discussed how chart reads to indicate when cremation begins. Also on 4-4-09 and 2-6-09 chart dipped below 1600. Discussed documentation Mal Function and Notifying Department. Owner Bill Steele states he does not burn plastics or cremation caskets. Mr. Steele will provide letter stating this and keep on file or provide MSDS for new items.

Table with 2 columns: Description and Permit Condition. Rows include: No Noticeable Unconfined Particulate Matter, No Violation of Permit Condition(s) Observed, No Objectionable Odor Observed, No Excessive Visible Emissions Observed On Site, No Construction Or Modifications Of Permitted Emission Units Observed, New Operating Rate, No Open Burning Observed, Other.

The activities observed during the Department's field inspection for the above location indicate that, at this time, your facility appears to be in compliance with Florida Administrative Code and your current permit conditions.

You are requested to contact Joseph V. Penick at the address or telephone number below within fifteen (15) days of receipt of this Field Inspection Notice if you have any questions about the above findings.

Received by: Susan P. Steehe Issued / Posted by: Joseph V. Penick
Print: SUSAN P STEEHE Print: JOSEPH V. PENICK
Title: FUNERAL DIRECTOR

STEELE'S FAMILY FUNERAL SERVICES

Locally owned, full service funeral home

April 20, 2009

Department of Environmental Protection
Division of Air Resource Management
Southwest District
13051 North Telecom Parkway
Temple Terrace, Florida 33637-0926


Dear Mr. Panetta
Environmental Specialist III

In regards to the crematory: Steele's Family Funeral Services
207 Burns Lane SE
Winter Haven, Florida 33884
863-324-1475

As stated to you by: William T. Steele, Owner/Operator
of Steele's Family Funeral Services-no plastic bags, gloves,
etc. or disposed of in the crematory.

On file you will find the MSDS on cremation containers and
ties used with containers for cremation.

Sincerely,



Susan P. Steele

Southern Environmental Sciences, Inc.

1204 North Wheeler Street □ Plant City, Florida 33563 □ (813) 752-5014, Fax (813) 752-2475

VISIBLE EMISSIONS EVALUATION

COMPANY Steele's Family Funeral Services	
UNIT Human Crematory Incinerator	
ADDRESS 207 Burns Lane SE	
Winter Haven, FL 33884	
PERMIT NO. 1050333-003AG	COMPLIANCE? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
AIRS NO. 1050333	EU NO. 001
PROCESS RATE 1 Adult size Body	PERMITTED RATE Adult Size Body
PROCESS EQUIPMENT B+L Model N20 Crematory Incin.	
CONTROL EQUIPMENT Afterburner	
OPERATING MODE Propane/LPG	AMBIENT TEMP. (°F) START N65 STOP N65
HEIGHT ABOVE GROUND LEVEL START N25' STOP same	HEIGHT RELATIVE TO OBSERVER START N20' STOP same
DISTANCE FROM OBSERVER START N400' STOP same	DIRECTION FROM OBSERVER START N340° STOP same
EMISSION COLOR none	PLUME TYPE N/A CONTIN. <input type="checkbox"/> INTERMITTENT <input type="checkbox"/>
WATER DROPLETS PRESENT? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	IS WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input checked="" type="checkbox"/> NA
POINT IN PLUME AT WHICH OPACITY WAS DETERMINED START Stack Exit STOP same	
DESCRIBE BACKGROUND START sky STOP same	
BACKGROUND COLOR START blue-grey STOP same	SKY CONDITIONS START clear STOP same
WIND SPEED (MPH) START 0-5 STOP 3-8	WIND DIRECTION START SSW STOP same
AVERAGE OPACITY FOR HIGHEST PERIOD 0%	RANGE OF OPACITY READINGS MIN. 0% MAX. 0%

OBSERVATION DATE		START TIME				STOP TIME			
2/13/09		0900				1000			
SEC MIN	0	15	30	45	SEC MIN	0	15	30	45
	0	0	0	0	0	30	0	0	0
1	0	0	0	0	31	0	0	0	0
2	0	0	0	0	32	0	0	0	0
3	0	0	0	0	33	0	0	0	0
4	0	0	0	0	34	0	0	0	0
5	0	0	0	0	35	0	0	0	0
6	0	0	0	0	36	0	0	0	0
7	0	0	0	0	37	0	0	0	0
8	0	0	0	0	38	0	0	0	0
9	0	0	0	0	39	0	0	0	0
10	0	0	0	0	40	0	0	0	0
11	0	0	0	0	41	0	0	0	0
12	0	0	0	0	42	0	0	0	0
13	0	0	0	0	43	0	0	0	0
14	0	0	0	0	44	0	0	0	0
15	0	0	0	0	45	0	0	0	0
16	0	0	0	0	46	0	0	0	0
17	0	0	0	0	47	0	0	0	0
18	0	0	0	0	48	0	0	0	0
19	0	0	0	0	49	0	0	0	0
20	0	0	0	0	50	0	0	0	0
21	0	0	0	0	51	0	0	0	0
22	0	0	0	0	52	0	0	0	0
23	0	0	0	0	53	0	0	0	0
24	0	0	0	0	54	0	0	0	0
25	0	0	0	0	55	0	0	0	0
26	0	0	0	0	56	0	0	0	0
27	0	0	0	0	57	0	0	0	0
28	0	0	0	0	58	0	0	0	0
29	0	0	0	0	59	0	0	0	0

SOURCE LAYOUT SKETCH

