

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCOVERY (CI) ARMS COMPLAINT NO:				
AIRS ID#: 1050335 DATE: <u>03032008</u>	ARRIVE: <u>1335</u> DEPART: <u>1443</u>				
FACILITY NAME: CROWN CLEANERS					
FACILITY LOCATION: 360 Havendale Blvd					
AUBURNDALE 33823					
OWNER/AUTHORIZED REPRESENTATIVE: JESSIG	CA CHOI PHONE: (863)967-8500				
CONTACT NAME: Jessica and John Choi	PHONE: 8639678500				
ENTITLEMENT PERIOD: 4/15/2006 / 4/15/2011 (effective date) (end date)					
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					
☐ IN COMPLIANCE ☐ MINOR Non-COMPL	IANCE SIGNIFICANT NOIPCOIN ENTINE				
PART II: FACILITY CLASSIFICATION - Rule 62-213 (check ☑ only one box in A) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	3.300 FAC 2. New small area source				
both types, $x < 140$ gal/yr (constructed before 12/9/91)	both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91)				
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed before $12/9/91$)	4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)				
5. Ineligible for General Permit drop store/out of business/petroleum facility exceeds above limits					
B . The total quantity of perchloroethylene (perc) purch cleaning facility was 120 gallons.	hased within the preceding 12 months by this dry				

PART III: GENERAL CONTROL REQUIREMENTS - Rule 62-213.300 FAC (check ☑ only one box						
Does the responsible official of the dry cleaning facility:		for each question)				
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No	⊠N/A			
2.	Examine the containers for leakage?	☐Yes ☐ No	⊠ N/A			
3.	Close and secure machine doors except during loading/unloading?	☐ Yes ☐ No				
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes □ No	□ N/A			
5.	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No	⊠ N/A			
PA (Re	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source , no controls are requ	ired. Proceed to	Part V.			
	2. If the facility classification is a New small area source, the machine should be equipped with a refrigerated condenser. Complete section A. below.					
	 If the facility classification is a Existing large area source, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993 If the facility classification is a New large area source, the machine should be equipped with a refrigerated 					
	condenser. Complete both sections A and B below.		ngang and nyuhungan ang mendapan derivan			
A.	Has the responsible official of all existing large area & new sources:	(check ☑ only each que				
1.	Equipped all machines with the appropriate vent controls?	Yes No				
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	- Yes No	⊠N/A			
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- ⊠Yes □No	□N/A			
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- ⊠Yes □No				
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes No	⊠N/A			
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes □No				

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- ∐Yes □ No ⊠N/A			
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No ⊠ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No ⊠ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☒ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No ☑ N/A			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- ∐Yes ∐ No ⊠ N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☒ N/A			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC (check ✓ only one box for				
Does the responsible official:	each question)			
1. Maintain receipts for perc purchased?	Yes □ No			
2. Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No			
3. Maintain leak detection inspection and repair reports for the following:				
a) documentation of leaks repaired w/in 24 hrs? or;	☐ Yes ☐ No ☐ N/A			
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	☐ Yes ☐ No N/A			
4. Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No N/A			
5. Maintain exhaust duct monitoring data on perc concentrations?	☐ Yes ☐ No ☐ N/A			
6. Maintain a startup/shutdown/malfunction plan?	Yes No			
7. Maintain deviation reports?	☐ Yes ☐ No N/A			
a) Problem corrected?	☐ Yes ☐ No N/A			
8. Maintain a compliance plan, if applicable?	☐ Yes ☐ No N/A			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	X Yes No				
2. Does the facility maintain a leak log?	🛚 Yes 🗌 No				
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	s				
4. Which method(s) of detection (is/are) used by the responsible officia	1?				
a) Visual examination (condensed solvent on exterior surfaces) b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetric tube e) Halogen leak detector	b)				
Joseph V. Panetta	03032008				
Inspector's Name (Please Print)	Date of Inspection				
Inspector's Signature	Approximate Date of Next Inspection				
COMMENTS: This inspection was attended by Joe Panetta and Mara Nasca, Air Program Administrator SWD. Met with Jessica and John Choi, owners. During the inspection it was found that: - No Perc Detector was available-Not required until July 2008 - Records not available for inspection A field warning notice was left noting the above. Facility owner has 15 days to contact the Department.					
SOCR Received.					
All paperwork was received. Perc Detector not required until July 2008. Facility seems to be in compliance.					

As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchlorosthylene solvent, based upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities.

RESPONSIBLE OFFICIAL: _

Method used to demonstrate compliance:

Name (Please Print)

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

FLORIDA

Florida Department of Environmental Protection

Southwest District Office

	FIELD WARNING NOTICE	
8 Nan	ne/Owner/Operator: Clarks	
	ress: 360 Haven dele	
	ation/Source: Aubusthale 33283	
Perr	nit Number: 105 6 335 Permit Exp. Date: 4-15-2011 Date and Time: 3-3-0	8
resc the	purpose of this notice is to advise you of possible violations of law for which you may be responsible, and to seek yolving the matter. Florida Department of Environmental Protection (DEP) personnel conducted a field inspection on the docation described above. Florida DEP personnel observed the following, which indicates that a violation of Florida Statut at the above described facility: (For example, Where was the activity observed? How was it discovered? Who provided information of the conduction of the cond	ate listed above at tes and Rules may ion to the inspector?
Obs	ervations: 1) Records Not Avoilable for INS Pection (2) HAZANDOWS Waste Needs Secondary Confinement and Lake	
	2) HAZARdous Waste Needs Secondary Confirmit and Lake	<u>B</u>
	,	
	Rule or Statute Relevant to Observations	Permit Condition No.
	Unconfined Particulate Matter. Rule 62-296.320(4)(c)1, Florida Administrative Code (F.A.C.), provides that no person shall cause, let, permit, suffer or allow the emission of unconfined particulate matter from any activity, without taking reasonable precautions to prevent such emissions.	
	Operating Without a Permit. Rule 62-210.300, F.A.C., provides that, unless exempted from permitting or unless specifically authorized, the owner or operator of any facility or emissions unit which emits or can reasonably be expected to emit any air pollutant shall obtain an appropriate permit from the Department.	
	Violation of Permit Condition(s). Rule 62-4.160(1), F.A.C., The terms, conditions, requirements, limitations and restrictions set forth in this permit, are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, F.S.	
	Objectionable Odor. Rule 62-296.320(2), F.A.C., provides that no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor.	
	Excessive Visible Emissions. Rule 62-296.320(4)(b)1., F.A.C., provides that no person shall cause, let, permit, suffer or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than 20 percent opacity.	
	Open Burning. With few exceptions, Rule 62-296.320(3), F.A.C., prohibits open burning in connection with industrial, commercial, or municipal operations.	
	Constructing Without a Permit. Rule 62-4.210, F.A.C., provides that no person shall construct any installation or facility which will reasonably be expected to be a source of air or water pollution without first applying for and receiving a construction permit from the Department.	
	Other.	
the a dam the j You Field acco	activities observed during the Department's field inspection and any other activities at your facility that may be contributed above-described statutes or rules should be ceased. The operation of a facility in violation of state statutes or rules may reages and restoration, and the administrative imposition of penalties up to \$10,000.00 pursuant to Section 403.121, Florida udicial imposition of civil penalties up to \$0,000.00 per violation per day pursuant to Sections 403.141 and 403.161, F.S. are requested to contact at the address or telephone number below within fifteen (15) day day warning Notice. Please be advised that this Field Warning Notice is part of an agency investigation, preliminary to ordance with Section 120.57(5), F.S. We look forward to your cooperation in completing the investigation and resolution of the served by: Issued / Posted by:	esult in liability for Statutes (F.S.), or s of receipt of this agency artior in
Prin	John CHA JETTIA CHI JOSCH I/ Panette	
	~ 1.10	

Áir Program Compliance Section ● 13051 N. Telecom Parkway ● Temple Terrace, Florida 33637 Phone (813) 632-7600 ● Fax (813) 632-7668