

Chown Cleaners

CONDENSER TEMPERATURE LOG 1050335

2006

PERC PURCHASES RUNNING TOTAL

JANUARY 2006

Date	Temperature	Is temp less than or equal to 15°F?
1/2	40	N/N
1/9	42	N/N
1/23	40	N/N
1/30	43	N/N

Total from last month		
Subtract PERC purchased		
SUBTOTAL		
Purchase Date	Purchase Amount	1/2 Month Running Total
1/19	+ 30	30
	+	

REPAIRS

PERCENTAGE RUNNING TOTAL EXCEEDING 10% SHALL BE THE RESPONSIBILITY OF THE PURCHASER. RESULTS IN A CHANGE OF STATUS. YOU MUST NOTIFY THE INSTANT IN WRITING IMMEDIATELY AND CONTACT THE INSTANT FOR REPAIRS. INSTANT WILL BE RESPONSIBLE FOR REPAIRS.

EQUIPMENT	DATE				LABELLED	Y	N	DATE PARTS ORDERED	REPAIRS
	1/2	1/9	1/23	1/30					
HOSES	N/Y	N/Y	N/Y	N/Y	N	Y			
DOORS	N/Y	N/Y	N/Y	N/Y	N	Y			
PUMP	N/Y	N/Y	N/Y	N/Y	N	Y			
SOLVENT TANKS	N/Y	N/Y	N/Y	N/Y	N	Y			
WATER SEPARATOR	N/Y	N/Y	N/Y	N/Y	N	Y			
STILL/MUCK COOKER	N/Y	N/Y	N/Y	N/Y	N	Y			
HALOGEN LEAK DETECTOR	N/Y	N/Y	N/Y	N/Y	N	Y			
DIVERTER VALVE/EXHAUST DAMP	N/Y	N/Y	N/Y	N/Y	N	Y			
BASKET/DOOR UNIT/ROTATION TRAP	N/Y	N/Y	N/Y	N/Y	N	Y			
CARTRIDGE FILTER/SPIN DISC	N/Y	N/Y	N/Y	N/Y	N	Y			
WASTE CONTAINERS	N/Y	N/Y	N/Y	N/Y	N	Y			

CONDENSER TEMPERATURE LOG

Date	Condenser Temp	Is Temp Less Than or Equal to 45°F
2/6	44	N/A
2/13	40	N/A
2/20	41	N/A
2/27	43	N/A

PERC PURCHASES RUNNING TOTAL

Total from last month	30
Subtract PERC purchased	- 0
SUBTOTAL	30
Purchase Date	Purchase Amount
	REQUIRE 2008
	Running Total
	+ 0
	+ 30

REMARKS:
 IF 2-MONTH RUNNING TOTAL EXCEEDS 60 GALLONS FOR DRY-TB DRY PACKAGES OR 200 GALLONS FOR TANKS ONLY PACKAGES, THE RESULTS IN A CHANGE IN STATUS. YOU MUST NOTIFY THE DISTRICT IN WRITING IMMEDIATELY AND IMMEDIATELY REPAIR LEAKS AND CONTAINERS PROPERLY.



EQUIPMENT	DATE				LABELED Y N	DATED Y N	COVERED Y N
	2/6	2/13	2/20	2/27			
HOSES	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
DOORS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
PUMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
SOLVENT TANKS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
WATER SEPARATOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
STILL/WALK COOKER	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
HALOGEN LEAK DETECTOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
DIVERTER VALVE/EXHAUST DAMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
GASSET/DOOR UNIT/RAILGUN TAP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
CARTRIDGE FILTER/SPIN DISC	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		
WASTE CONTAINERS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	N Y		

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

APRIL 2008

Date	Temperature	Is Temp less than or equal to 45°F?
4/3	40	Y/N
4/10	41	Y/N
4/17	44	Y/N
4/24	43	Y/N

Total from last month	45	
Subtract PERC purchased	- 0	
SUBTOTAL	45	
Purchase Date	Payment Amount	12 Month Running Total
4/29	+ 30	75
	+	

IF 12-MONTH RUNNING TOTAL EXCEEDS 60 GALLONS PER DAY, YOU MUST PURCHASE PERC PURCHASES FOR THE NEXT 30 DAYS. YOU MUST NOTIFY THE SERVICE OR LOCAL OPERATOR AND CONTACT THE SERVICE FOR MAINTENANCE WORK.

DESCRIPTION	REMARKS	DATE		DATE PARTS ORDERED		DATE PARTS RECEIVED		DATE	
		Y	M	Y	M	Y	M	Y	M
HOSERS		4/3	4/10	4/17	4/24				
DOORS		Y	Y	Y	Y				
PUMP		Y	Y	Y	Y				
SOLVENT TANKS		Y	Y	Y	Y				
WATER SEPARATOR		Y	Y	Y	Y				
STILL/MUCK COOKER		Y	Y	Y	Y				
HALOGEN LEAK DETECTOR		Y	Y	Y	Y				
OVERFILL VALVE/EXHAUST GAMP		Y	Y	Y	Y				
GASKET/DOOR LINT/FILTON TRAP		Y	Y	Y	Y				
CARTRIDGE FILTER/SPIN DISC		Y	Y	Y	Y				
WASTE CONTAINERS		Y	Y	Y	Y				

CONDENSER TEMPERATURE LOG

Date	Temperature	Is temp. less than or equal to 45°F (10°C)?
5/1	44	Y/N
5/8	43	Y/N
5/15	43	Y/N
5/22	42	Y/N
5/30	44	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		75
Subtotal PERC purchased		0
SUBTOTAL		75
Purchase Date	Function Name	12 Month Running Total
	MAY 2008	0
		+
		75



REMEMBER!
 IF 12-MONTH RUNNING TOTAL EXCEEDS 100 GALLONS FOR DRY-BULB PURCHASES OR 200 GALLONS FOR TRANSFER DRY PURCHASES, AND RESULTS IN A CHANGE IN STATUS, YOU MUST NOTIFY THE CUSTOMER OR LOCAL PROGRAM AND COMPLETE AND RECORD LEAK INVESTIGATION REPORT.

EQUIPMENT	DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	5/1	5/8	5/15	5/22	5/30			
HOSES	Y/N	Y/N	Y/N	Y/N	Y/N			
ODORS	Y/N	Y/N	Y/N	Y/N	Y/N			
PUMP	Y/N	Y/N	Y/N	Y/N	Y/N			
SOVENT TANKS	Y/N	Y/N	Y/N	Y/N	Y/N			
WATER SEPARATOR	Y/N	Y/N	Y/N	Y/N	Y/N			
STILL/MUCK COOKER	Y/N	Y/N	Y/N	Y/N	Y/N			
HALOGEN LEAK DETECTOR	Y/N	Y/N	Y/N	Y/N	Y/N			
OVERFILL VALVE/EXHAUST DAMP	Y/N	Y/N	Y/N	Y/N	Y/N			
GASKET/OVERLINT/BUTTON TRAP	Y/N	Y/N	Y/N	Y/N	Y/N			
CARTRIDGE FILTER/SPIN DISS	Y/N	Y/N	Y/N	Y/N	Y/N			
WASTE CONTAINERS	Y/N	Y/N	Y/N	Y/N	Y/N			
						LABREQ Y N	DATED Y N	COVERED Y N

CONDENSER TEMPERATURE LOGS

PERC PURCHASES RUNNING TOTAL



Date	Temperature	Is Temp less than or equal to 45°F?
6/5	44	Y/N
6/12	45	Y/N
6/19	44	Y/N
6/26	42	Y/N

Total from last month	75
Subtract PERC purchased	0
SUBTOTAL	75
Purchase Amount	0
Running Total	75

REMARKS

0-12 MONTH RUNNING TOTAL OF PERC AND BILLINGS FOR DRY-ICE, DIRT, WOODCHIPS, OR TON BALLS FOR TRACTORS, LOG SKIDDERES, AND RESULTS IN A NUMBER OF STATES YOU MUST WEAR AN OXYGENATOR LOCAL PROGRAMS AND CONTACT THE REGIONAL LEAD AGENTS FOR MORE INFO.

INSPECTED	LEAKS				DATE	DATE PARTS RECEIVED	DATE PARTS RETURNED									
	Y	N	Y	N												
HOSSES	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
ODORS	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
PUMP	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
SOLVENT TANKS	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
WATER SEPARATOR	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
STILL/MUCK COOKER	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
HALOGEN LEAK DETECTOR	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
OVERTER VALVE/EXHAUST DAMP	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
GASSET/DOOR LINT/BOTTOM TRAP	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N
WASTE CONTAINERS	Y	Y	Y	Y	6/5	6/12	6/19	6/26	Y	N	Y	N	Y	N	Y	N

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp. less than or equal to 41°F (5.0°C)?
7/14	40	Y/N
7/11	43	Y/N
7/19	42	Y/N
7/26	44	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		75
Subtotal PERC purchased		0
SUBTOTAL		75
Purchase Date	Purchase Amount	12 Month Running Total
	JULY 2008	0
		+

REMARKS:
 IF 12 MONTH RUNNING TOTAL IS
 BEING MAINTAINED FOR ONE TO
 TWO MONTHS OR TWO SALES
 FOR REPAIRS ONLY MACHINES AND
 REPAIRS IS A CHANGE IN STATUS.
 YOU MUST NOTIFY THE DISTRICT OR
 LOCAL PROGRAM MANAGER AND
 PROVIDE A WRITTEN REPORT.



EQUIPMENT	DATE				DATE PARTS ORDERED		DATE PARTS RECEIVED		DATE REPAIRED				
	7/14	7/11	7/19	7/26	ORDERED	RECEIVED	REPAIRED						
Hoses	Y	Y	Y	Y									
COORS	Y	Y	Y	Y									
PUMP	Y	Y	Y	Y									
SOLVENT TANKS	Y	Y	Y	Y									
WATER SEPARATOR	Y	Y	Y	Y									
STILL/MILK COOKER	Y	Y	Y	Y									
HALOGEN LEAK DETECTOR	Y	Y	Y	Y									
OVERFILL VALVE/EXHAUST DAMP	Y	Y	Y	Y									
GASKET/OVERLINT/GRITTRAP	Y	Y	Y	Y									
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y									
WASTE CONTAINERS	Y	Y	Y	Y									
					LABELLED	Y	N	DATED	Y	N	COVERED	Y	N

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

AUGUST 2008

Date	Temperature	Is Temp. less than or equal to 45°F (10.0°C)?
8/3	45	Y/N
8/8	44	Y/N
8/15	43	Y/N
8/22	44	Y/N
8/29	42	Y/N

Total from last month		75
Subtotal PERC purchased		0
SUBTOTAL		75
Purchase Date	Purchase Amount	12 Month Running Total
8/1/08	30	105

REMEMBER!
 IF 12-MONTH RUNNING TOTAL EXCEEDS 100 GALLONS FOR DRY-THE-DRY MESSAGES, OR 200 GALLONS FOR TRANSPARENT DRY MESSAGES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE INSURANCE OR LOCAL POLICE/JANITOR AND RECORD THAT INCIDENTS OCCURRED.

EQUIPMENT	LEAKING?				DATE PARTS		DATE PARTS RECEIVED	DATE REQUIRED
	8/3	8/8	8/15	8/22	8/29	ORDERED		
HOSSES	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
ODORS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
PUMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
SOLVENT TANKS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
WATER SEPARATOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
STILL/MUCK COOKER	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
HALOGEN LEAK DETECTOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
DIVERTER VALVE/EXHAUST DAMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
GASSET/DOOR LINT/REBITION TRAP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
CARTRIDGE FILTER/SPIN DISC	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
WASTE CONTAINERS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)			
						LABELED Y N	DATED Y N	COVERED Y N

CONDENSER TEMPERATURE LOG

PERC PURCHASES REMAINING TOTAL

SEPTEMBER 2008

Date	Temperature	Is there a leak (check or signal to PC)
9/14	43	Y/N
9/12	44	Y/N
9/19	40	Y/N
9/28	44	Y/N

Total from last month	105	
Subtract PERC purchased	0	
SUBTOTAL	105	
Purchase Date	Purchase Amount	12 Month Running Total
	0	105

REMARKS:
 IF 12 MONTH RUNNING TOTAL EXCEEDS 100 GALLONS FOR ONE MONTH PURCHASES OF 200 GALLONS FOR PURCHASE ONLY PURCHASES AND RESULTS IN A CHANGE OF STATUS YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM MANAGER AND RECORD LEAK INVESTIGATION RESULTS

DESCRIPTION	DATE				DATE PARTS		DATE PARTS		DATE REPAIRED
	9/14	9/12	9/19	9/28	ORDERED	RECEIVED	REPAIRED		
HOSSES	(N) Y	(N) Y	(N) Y	(N) Y					
DOORS	(N) Y	(N) Y	(N) Y	(N) Y					
PUMP	(N) Y	(N) Y	(N) Y	(N) Y					
SOLVENT TANKS	(N) Y	(N) Y	(N) Y	(N) Y					
WATER SEPARATOR	(N) Y	(N) Y	(N) Y	(N) Y					
STILL/MUCK CROCKER	(N) Y	(N) Y	(N) Y	(N) Y					
HALOGEN LEAK DETECTOR	(N) Y	(N) Y	(N) Y	(N) Y					
OPERATOR VALVE/EXHAUST DAMP	(N) Y	(N) Y	(N) Y	(N) Y					
GASKET/DOOR LINT/BUTTON TRAP	(N) Y	(N) Y	(N) Y	(N) Y					
CARTRIDGE FILTER/SPIN DISC	(N) Y	(N) Y	(N) Y	(N) Y					
WASTE CONTAINERS	(N) Y	(N) Y	(N) Y	(N) Y					
					LABELED Y N	DATED Y N	COVERED Y N		

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp less than or equal to 45 F. (12 C)?
11/3	44	Y/N
11/10	42	Y/N
11/19	43	Y/N
11/25	44	Y/N
11/31	41	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		105
Subtract PERC purchased		0
SUBTOTAL		105
Purchase Date	Purchase Amount	12 Month Running Total
11/9	+ 30	135
	+	

REMEMBER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS TWO MILLIONS FOR PER-TO-BUY MACHINES, OR ONE MILLION FOR TRANSFERRED IN-Y MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE CONTRACTOR LOCAL MANAGER AND SUBJECT AND RECORD YOUR INVESTMENT REPORT!



RECEIVED	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	Y	N	Y	N			
HOSSES	11/3	11/10	11/19	11/25	11/31		
DOORS	Y	Y	Y	Y	Y		
PUMP	Y	Y	Y	Y	Y		
SOLVENT TANKS	Y	Y	Y	Y	Y		
WATER SEPARATOR	Y	Y	Y	Y	Y		
STILL/MILK COOKER	Y	Y	Y	Y	Y		
HALOGEN LEAK DETECTOR	Y	Y	Y	Y	Y		
ON/ENTER VALVE/EXHAUST DAMP	Y	Y	Y	Y	Y		
BASKET/DOOR LINT/BLIND TAP	Y	Y	Y	Y	Y		
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y	Y		
WASTE CONTAINERS	Y	Y	Y	Y	Y		

