

Caroun Cleaners

CONDENSER TEMPERATURE LOG

1050 335

2007

PERC PURCHASES RUNNING TOTAL

Date	Temperature	Is there less than or equal to 45°F
1/2	41	Y/N
1/9	40	Y/N
1/19	42	Y/N
1/25	45	Y/N
1/30	45	Y/N

Total from last month	1/35
Subtotal PERC purchased	-30
SUBTOTAL	105
Purchase Date	Purchase Amount
	JANUARY 2008
	0
	+
	105

REMARKS

IF 12 MONTH RUNNING TOTAL EXCEEDS 100 SALES PER DAY - THE BUY AGREEMENTS OR 200 SALES PER MONTH PER AGREEMENTS AND AGREEMENTS IN AVERAGE OF 200000 PER MONTH AVOID THE AGREEMENTS LOCAL PURCHASES AND CONTACT THE REGIONAL LEAD REPRESENTATIVE

JANUARY 2007

EQUIPMENT	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED					
	Y	M	D	Y								
HOSSES	Y	1	2	Y	1	9	Y	1	2	Y	1	30
COOKS	Y	1	9	Y	1	9	Y	1	9	Y	1	9
PUMP	Y	1	9	Y	1	9	Y	1	9	Y	1	9
SOLVENT TANKS	Y	1	9	Y	1	9	Y	1	9	Y	1	9
WATER SEPARATOR	Y	1	9	Y	1	9	Y	1	9	Y	1	9
STILL/MUCK COOKER	Y	1	9	Y	1	9	Y	1	9	Y	1	9
HALOGEN LEAK DETECTOR	Y	1	9	Y	1	9	Y	1	9	Y	1	9
OVERTER VALVE/EXHAUST DAMP	Y	1	9	Y	1	9	Y	1	9	Y	1	9
BASEET/COOR UNIT/BUTTON TRAP	Y	1	9	Y	1	9	Y	1	9	Y	1	9
CARTRIDGE FILTER/SPIN DISC	Y	1	9	Y	1	9	Y	1	9	Y	1	9
WASTE CONTAINERS	Y	1	9	Y	1	9	Y	1	9	Y	1	9

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL



Date	Temperature	Is Unit less than or equal to 43°F (5°C)?
2/9	44	N/A
2/13	43	N/A
2/20	42	N/A
2/28	43	N/A

Total from last month	105
Subtract PERC purchased	- 0
SUBTOTAL	105
Purchase Date	Purchase Amount
	105
	0
	+

REMARKS:
 IF PURCHASER QUOTES TOTAL EX-GRANDS AND FAILS TO INDICATE PERCENTAGE OF PERC PURCHASES, OR THE SELLER FOR PURCHASE ONLY PURCHASES AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CORRECT THE PURCHASE LEAK INFORMATION IMMEDIATELY.

EQUIPMENT	DATE				LABELED Y N	DATED Y N	COVERED Y N
	2/9	2/13	2/20	2/28			
HOSES	N/A	N/A	N/A	N/A	N		
DOORS	N/A	N/A	N/A	N/A	N		
PUMP	N/A	N/A	N/A	N/A	N		
SOLVENT TANKS	N/A	N/A	N/A	N/A	N		
WATER SEPARATOR	N/A	N/A	N/A	N/A	N		
STILL/MUCK COOKER	N/A	N/A	N/A	N/A	N		
HALOGEN LEAK DETECTOR	N/A	N/A	N/A	N/A	N		
DIVERTER VALVE/EXHAUST DAMP	N/A	N/A	N/A	N/A	N		
BASKET/UNDER LIFT/BUTTON TRAP	N/A	N/A	N/A	N/A	N		
CARTRIDGE FILTER/SPIN DISC	N/A	N/A	N/A	N/A	N		
WASTE CONTAINERS	N/A	N/A	N/A	N/A	N		

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp. less than or equal to 45°F (102.3°F)?
3/6	41	<input checked="" type="checkbox"/> Y/N
3/14	43	<input checked="" type="checkbox"/> Y/N
3/20	44	<input checked="" type="checkbox"/> Y/N
3/28	43	<input checked="" type="checkbox"/> Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		105
Subtotal PERC purchased		-15
SUBTOTAL		90
Purchase Date	Purchase Amount	12 Month Running Total
3/1	+15	105
3/15	+30	135

MARCH 2007

REMARKS:
 IF 12 MONTH RUNNING TOTAL EXCEEDS 100 GALLONS PER DRT OR DRT MAINTENANCE OR 200 GALLONS PER TRANSFER ONLY MAINTENANCE, AND RESULTS IN A CHANGE IN STATUS, YOU MUST NOTIFY THE INSPECTOR IN LOCAL PERSONAL AND CONTACT AND RECORD THE INSPECTOR'S RESULT.

MAINTENANCE	DATE				DATE PARTS		DATE PARTS		DATE				
	3/6	3/14	3/20	3/28	ORDERED	RECEIVED	RECEIVED	REPAIRED					
Hoses	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
ODORS	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
PUMP	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
SOLVENT TANKS	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
WATER SEPARATOR	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
STILL/MUCK COOKER	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
HALOGEN LEAK DETECTOR	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
DIVERTER VALVE/EXHAUST DAMP	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
GASKET/DOOR LINT/FILTER/HPAP	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
CARTRIDGE FILTER/SPIN DISC	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
WASTE CONTAINERS	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N	<input checked="" type="checkbox"/> Y/N									
					LABELLED	Y	N	DATED	Y	N	COVERED	Y	N

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL



Date	Temperature	Is Temp. less than or equal to 48°F?
4/2	43	Y/N
4/9	45	Y/N
4/16	44	Y/N
4/19	42	Y/N
4/30	43	Y/N

Total from last month	135	
Subtotal PERC purchased	-30	
SUBTOTAL	105	
Purchase Date	Purchase Amount	12 Month Running Total
	494.2008	105
	+	+

REMARKS:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 100 GALLONS FOR ANY 30-DAY PERIOD, OR 200 GALLONS FOR PERC ONLY PURCHASES, AND RESULTS IN A CHANGE IN STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND OBTAIN AN APPROVED LEAK REPAIR PLAN FIRST.

EQUIPMENT	DATE					DATE PARTS		DATE			
	4/2	4/9	4/16	4/19	4/30	ORDERED	RECEIVED	REQUIRED	COVERED		
HOSES	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
DOORS	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
PUMP	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
SOLVENT TANKS	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
WATER SEPARATOR	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
STILL/MUCK COOKER	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
HALOGEN LEAK DETECTOR	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
DIVERTER VALVE/EXHAUST DAMP	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
BASET/DOOR LIFT/BUTTON TRAP	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
CARTRIDGE FILTER/SPIN DISC	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
WASTE CONTAINERS	(N)Y	(N)Y	(N)Y	(N)Y	(N)Y						
						LABELLED	Y N	DATED	Y N	COVERED	Y N

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

MAY 2008

Date	Temperature	Is there less than or equal to 5%?
5/1	45	Y/N
5/9	43	Y/N
5/16	44	Y/N
5/21	43	Y/N
5/29	44	Y/N

Total from last month	105	
Subtract PERC purchased	-0	
SUBTOTAL	105	
Purchase Date	Purchase Amount	12 Month Running Total
5/10	+15	120
	+	

REMEMBER
 IF 12 MONTH RUNNING TOTAL EXCEEDS TWO GALLONS FOR DRY-TB DRY MACHINES OR ONE GALLON FOR PERC MACHINES ONLY MACHINES AND RESULT IN A CHANGE OF STATUS. YOU MUST NOTIFY THE DISTRICT OF LOCAL PROTECTION AND CONTROL AND RECORD LEAK INSPECTIONS IMMEDIATELY.

INSPECTED	DATE					DATE PARTS		DATE	
	5/1	5/9	5/16	5/21	5/29	ORDERED	RECEIVED	REPAIRED	COVERED
HOSSES	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
DOORS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
GRIND	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
SOLVENT TANKS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
WATER SEPARATOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
STILL/MUCK COOKER	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
HALOGEN LEAK DETECTOR	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
INVERTER VALVE/EXHAUST DAMP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
BASKET/DOOR LINT/AIRFLOW TRAP	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
CARTRIDGE FILTER/SPIN DISC	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)				
WASTE CONTAINERS	(N/Y)	(N/Y)	(N/Y)	(N/Y)	(N/Y)	LABELLED Y N	DATED Y N	COVERED Y N	

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

RIIF 2007

Date	Temperature	Is Temp less than or equal to 55 F?
6/11	42	Y/N
6/14	44	Y/N
6/25	43	Y/N
6/28	42	Y/N

Total from last month	120
Subtract PERC purchased	- 0
SUBTOTAL	120
Purchase from PERC	120
Running Total	150

REMARKS
 IF 12 MONTH RUNNING TOTAL EXCEEDS 150 CALLERS FOR BUY-TO-BUY PURCHASES OR 200 CALLERS FOR PURCHASE BUY-TO-BUY PURCHASES. THIS PURCHASE BUY-TO-BUY PURCHASES WILL BE IN A PURCHASE OF STATUS. THE PURCHASE BUY-TO-BUY PURCHASES WILL BE IN A PURCHASE OF STATUS. THE PURCHASE BUY-TO-BUY PURCHASES WILL BE IN A PURCHASE OF STATUS.

EQUIPMENT	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE COVERED
	6/11	6/14	6/25	6/28			
HOSSES	Y	Y	Y	Y			
DOORS	Y	Y	Y	Y			
PIPING	Y	Y	Y	Y			
SOLVENT TANKS	Y	Y	Y	Y			
WATER SEPARATOR	Y	Y	Y	Y			
STILL/MUCK COOKER	Y	Y	Y	Y			
HALOGEN LEAK DETECTOR	Y	Y	Y	Y			
DIVERGENT VALVE/EXHAUST DAMP	Y	Y	Y	Y			
BASKET/DOOR LINT/AUTOM TRAP	Y	Y	Y	Y			
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y			
WASTE CONTAINERS	Y	Y	Y	Y			

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Sample Less than or equal to 45°F
7/6	44	Y/N
7/12	41	Y/N
7/19	44	Y/N
7/26	44	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		150
Subtract PERC purchased		0
SUBTOTAL		150
Purchased this month (Y/N)	Purchased amount this month	12 Month Running Total
	0	150

REMEMBER
 IF YOU ARE PURCHASING TOTAL EX-
 CENS (40 GALLONS FOR ONE TB-
 ONE GALLON FOR ONE GALLON)
 FOR PURCHASE ONE Y/N PURCHASES ARE
 RESULTS IN A CHANGE OF STATUS.
 YOU MUST RETURN THE DISTRICT IN
 LOCAL PROGRAM AND COMPLETE THE
 ANNUAL EVALUATION REPORT.

JULY 2007

PURCHASES	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE COVERED
	7/6	7/12	7/19	7/26			
HUSES	Y	Y	Y	Y	N		
DOORS	Y	Y	Y	Y	N		
Oilcap	Y	Y	Y	Y	N		
SOVENT TANKS	Y	Y	Y	Y	N		
WATER SEPARATOR	Y	Y	Y	Y	N		
STILL/MUCK COOKER	Y	Y	Y	Y	N		
HALOGEN LEAK DETECTOR	Y	Y	Y	Y	N		
ONEPIECE VALVE/EXHAUST DAMP	Y	Y	Y	Y	N		
GASSET/OOR/LIN/BLITON TRAP	Y	Y	Y	Y	N		
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y	N		
WASTE CONTAINERS	Y	Y	Y	Y	N		
					LABELD Y N	DATED Y N	COVERED Y N

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp. less than or equal to 45°F?
8/3	43	Y/N
8/9	45	Y/N
8/16	44	Y/N
8/24	43	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month	150
Subtotal PERC purchased	- 30
SUBTOTAL	120
Purchase Date	Purchase Amount
	AMOUNT 2008
	+ 0
	120
	+

REMEMBER
 IF 12 MONTH RUNNING TOTAL EXCEEDS 100 GALLONS FOR ANY-THIRD MONTHS, OR 200 GALLONS FOR THIRTEEN (13) MONTHS, AND RECORD IS IN A STATUS OF STATUS, THE PARTY MUST FILE THE ORIGINAL OR LEGAL PHOTOGRAPH AND CORRECT AND RECORD WITH THE DISTRICT OFFICE.



INSPECTED	DATE				LABELED	Y	N	DATED	Y	N	COVERED	Y	N
	8/3	8/9	8/16	8/24									
HOSES	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
ODORS	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
3142	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
SOLVENT TANKS	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
WATER SEPARATOR	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
STILL/MUCK COOKER	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
HALOGEN LEAK DETECTOR	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
INVERTER VALVE/EXHAUST DAMP	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
GASKET/ODOR LINT/BAITON TRAP	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
CARTRIDGE FILTER/SPIN DISC	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							
WASTE CONTAINERS	(N) Y	(N) Y	(N) Y	(N) Y	N	Y							

CONDENSER TEMPERATURE LOGS

PERC PURCHASES RUNNING TOTAL



Date	Temperature	Is Temp lower than air temp by 45 F?
9/7	43	Y/N
9/14	45	Y/N
9/20	43	Y/N
9/28	43	Y/N

Total from last month	120
Subtotal PERC purchased	- 0
SUBTOTAL	120
Purchase Date	Purchase Amount
	SEPTEMBER 2008
	+ 0
	120
	+

REMARKS:
 IS 12-MONTH RUNNING TOTAL OF PERCENT DOLLARS FOR DRY TO-BUY PURCHASES OR 2008 BILLS FOR TRANSPORT ONLY PURCHASES AND RESIDENTIAL PURCHASES OF STAVAS. YOU MUST NOTIFY THE INSPECTOR OR LOCAL ENGINEER AND COMPLETE AND RETURN YOUR PURCHASES REPORT.


INSPECTED	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRS COVERED
	Y	N	Y	N			
Hoses	Y	Y	Y	Y			
DOORS	Y	Y	Y	Y			
PUMPS	Y	Y	Y	Y			
SOLVENT TANKS	Y	Y	Y	Y			
WATER SEPARATOR	Y	Y	Y	Y			
STILL/MUCK COOKER	Y	Y	Y	Y			
HALOGEN LEAK DETECTOR	Y	Y	Y	Y			
INVERTER VALVE/EXHAUST DAMP	Y	Y	Y	Y			
GASKET/DOOR LINT/BOTTOM TRAP	Y	Y	Y	Y			
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y			
WASTE CONTAINERS	Y	Y	Y	Y			

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp. less than or equal to 45°F
10/5	42	Y/N
10/12	43	Y/N
10/18	41	Y/N
10/25	43	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month	120
Subtract PERC purchased	0
SUBTOTAL	120
Purchase Date	Purchase Amount
10/11	+ 30
	+ 150



REMEMBER:
 IF 12 MONTH RUNNING TOTAL EXCEEDS 150 BALLONS FOR DRY-ICE-DRY MACHINES OR 200 BALLONS FOR TREATERS ONLY. MAINTENANCE AND REPAIRS OR A CHANGE OF SEATER YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM MANAGER AND WE CAN TAKE APPROPRIATE ACTION.

EQUIPMENT	DATE				DATE PARTS		DATE PARTS		DATE REPAIRED
	10/5	10/12	10/18	10/25	ORDERED	RECEIVED	ORDERED	RECEIVED	
HOSES	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
DOORS	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
PUMP	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
SOLVENT TANKS	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
WATER SEPARATOR	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
STILL/MUCK COOKER	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
HALOGEN LEAK DETECTOR	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
DIVERTER VALVE/EXHAUST DAMP	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
BASKET/ROTOR LIFT/ROTATION TRAP	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
CARTRIDGE FILTER/SPIN DISC	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			
WASTE CONTAINERS	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N			

CONDENSER TEMPERATURE LOGS

Date	Temperature	Is Tank Level Above or Below 45°F?
11/2	43	Y/N
11/8	44	Y/N
11/22	44	Y/N
11/29	44	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month	150
Subtotal PERC purchased	- 30
SUBTOTAL	120
Purchase from November 2008	+ 0
Running Total	120



REMEMBER!
 IF YOU WANT TO PURCHASE TOTAL 50-
 GALLONS PER MONTH FOR 90-
 DAY PURCHASES OR 200 GALLONS
 PER MONTH PER 1 PURCHASE, AND
 PURCHASES IN A PACKAGE OR STAINLESS
 STEEL, YOU MUST NOTIFY THE DISTRIBUTOR
 LOCAL PURCHASES AND PURCHASES AND
 NOTIFY THAT PURCHASES MUST BE

EQUIPMENT	DATE				DATE PAID	DATE PAID	DATE RECEIVED	DATE RECEIVED
	11/2	11/8	11/22	11/29				
HOSES	Y	Y	Y	Y	N	Y		
DOORS	Y	Y	Y	Y	N	Y		
PUMP	Y	Y	Y	Y	N	Y		
SOLVENT TANKS	Y	Y	Y	Y	N	Y		
WATER SEPARATOR	Y	Y	Y	Y	N	Y		
STILL/MUCK COOKER	Y	Y	Y	Y	N	Y		
HALOGEN LEAK DETECTOR	Y	Y	Y	Y	N	Y		
DIAPHRAGM VALVE/EXHAUST DAMP	Y	Y	Y	Y	N	Y		
GASSET/DOOR LINT/BALTIM TAPP	Y	Y	Y	Y	N	Y		
CARTRIDGE FILTER/SPIN DISC	Y	Y	Y	Y	N	Y		
WASTE CONTAINERS	Y	Y	Y	Y	N	Y		

CONDENSER TEMPERATURE LOG

Date	Temperature	Is Temp. less than or equal to 45°F
12/19	44	Y/N
12/13	45	Y/N
12/20	43	Y/N
12/28	42	Y/N

PERC PURCHASES RUNNING TOTAL

Total from last month		120
Subtract PERC purchased		0
DECEMBER 2007		
SUBTOTAL		120
Purchase from DECEMBER 2008	Purchase from DECEMBER 2008	12 Month Running Total
12/20	+ 15	135
	+	

DECEMBER 2007

REMEMBER!
 A 2-MONTH RUNNING TOTAL IS DESIRED FOR ALL BUILDINGS FOR BOTH THE DRY MACHINES OR ZOO BUILDINGS FOR PURCHASER ONLY MAINTENANCE AND REPAIRS IN A CHANGE OF STATUS. YOU MUST NOTIFY THE SERVICE OR LOCAL REPRESENTATIVE COMPANY AND PROVIDE A CLEAR DESCRIPTION OF THE

INVENTED	DATE				DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	12/19	12/13	12/20	12/28			
HOSES	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
DRYERS	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
SHAPE	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
SOLENT TANKS	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
WATER SEPARATOR	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
STILL/MUCK COOKER	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
HAALOGEN LEAK DETECTOR	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
DIVERTER VALVE/EXHAUST DAMP	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
GASKET/ROTOR LINT/BOTTEN TRAP	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
CARBON FILTER/SPIN DISC	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
WASTE CONTAINERS	(N) Y	(N) Y	(N) Y	(N) Y	N Y		
					LABELED Y N	DATED Y N	COVERED Y N
					Im stock	Zm stock	12/28/07