

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVER	`
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:	
AIRS ID#: 0330266 DAT	ГЕ: <u>11/03/06</u>	ARRIVE: <u>10:10 AM</u>	DEPART: <u>10:45 AM</u>
FACILITY NAME: RIN	IKER MATERIALS - PENS	SACOLA	
FACILITY LOCATION	: 4500 McCoy Rd		
	PENSACOLA 3250	03	
RESPONSIBLE OFFICI	IAL: JEFFREY PORTER (jrporter@rinker.com) PHONE	: (561)820-8415
CONTACT NAME: Co	urtland Wyrick	PHONE	: (850)689-5177
REMITTANCE YEAR:	ENTI	ITLEMENT PERIOD: 7/29/2004 (effective date	
	COMPLIANCE STATUS		
☐ IN COMPLIANC	CE MINOR Non-CO	OMPLIANCE SIGNIFICAN	T Non-COMPLIANCE
PART II: TESTING/REG (check appropriate		<u>REMENTS</u> – Rule 62-296.414, F.A	A.C.
		this site visit according to EPA Met	
1. Were visible emiss 62-297, F.A.C.)? 2. Are emissions from	m silos, weigh hoppers (batc	chers), and other enclosed storage an	d conveying equipment ☐Yes ☐ No
1. Were visible emiss 62-297, F.A.C.)? 2. Are emissions from controlled to the experience of the exp	n silos, weigh hoppers (batc xtent necessary to limit visib	chers), and other enclosed storage an oble emissions to 5 percent opacity?	
 Were visible emiss 62-297, F.A.C.)? Are emissions from controlled to the existing of the emission of the emission	m silos, weigh hoppers (batc extent necessary to limit visible dissions tests of the silo dust of the normal silo	chers), and other enclosed storage and oble emissions to 5 percent opacity?collector exhaust points was the load o loading rate, or at least at the mini	d conveying equipment Yes No Yes No Yes No Given the silo conducted the silo conducted the silo considered the silo consi
 Were visible emiss 62-297, F.A.C.)? Are emissions from controlled to the exist at a rate that is repunless such rate is Are emissions from at a rate emissions from the emission f	m silos, weigh hoppers (batc extent necessary to limit visible dissions tests of the silo dust of the normal silon unachievable in practice?	chers), and other enclosed storage an oble emissions to 5 percent opacity?collector exhaust points was the load to loading rate, or at least at the minimum.	Yes No d conveying equipment Yes No ding of the silo conducted imum 25 tons per hour rate, Yes No ding of the silo conducted imum Yes No ist collector? (If answer
 Were visible emiss 62-297, F.A.C.)? Are emissions from controlled to the exist a rate that is reprunless such rate is Are emissions from to this question is skip 4.a) and 4.b) a 	m silos, weigh hoppers (batch extent necessary to limit visible dissions tests of the silo dust of resentative of the normal silo unachievable in practice?	chers), and other enclosed storage an oble emissions to 5 percent opacity?collector exhaust points was the load to loading rate, or at least at the minimum operation controlled by the silo duquestions 4.a) and 4.b) below. If answ 5.)	Yes No d conveying equipment Yes No ding of the silo conducted mum 25 tons per hour rate, Yes No ist collector? (If answer wer is "No" then Yes No
 Were visible emiss 62-297, F.A.C.)? Are emissions from controlled to the existing of the emission of the emission	m silos, weigh hoppers (batch extent necessary to limit visible dissions tests of the silo dust of resentative of the normal silo unachievable in practice?	chers), and other enclosed storage and the emissions to 5 percent opacity?collector exhaust points was the load to loading rate, or at least at the minimum operation controlled by the silo duquestions 4.a) and 4.b) below. If answering the visible emissions test?coatching rate representative of the notest controlled by the silo duquestions 4.a.	Tyes No di conveying equipment Yes No ding of the silo conducted from 25 tons per hour rate, Yes No dist collector? (If answer wer is "No" then Yes No Yes No Yes No No Ormal batching rate and
 Were visible emiss 62-297, F.A.C.)? Are emissions from controlled to the existing of the emission of the emission	m silos, weigh hoppers (batcaxtent necessary to limit visible issions tests of the silo dust of the resentative of the normal silo unachievable in practice?	chers), and other enclosed storage and the emissions to 5 percent opacity?collector exhaust points was the load to loading rate, or at least at the minimum operation controlled by the silo duquestions 4.a) and 4.b) below. If answering the visible emissions test?coatching rate representative of the notest controlled by the silo duquestions 4.a.	Yes No d conveying equipment Yes No ding of the silo conducted from 25 tons per hour rate, Yes No dist collector? (If answer wer is "No" then Yes No Yes No Yes No Yes No Ormal batching rate and Yes No
1. Were visible emiss 62-297, F.A.C.)? 2. Are emissions from controlled to the extended at a rate that is repulled to the extended at a rate that is repulled to the extended at a rate that is repulled to the extended at a rate that is repulled to this question is skip 4.a) and 4.b) at a) Was the batchin b) During the visil duration? 5. If emissions from the silo dust of the emissions from the emissions from the silo dust of the emissions from the silo dust of the emissions from the silo dust of the emissions from the emi	m silos, weigh hoppers (batch tent necessary to limit visible assions tests of the silo dust of the resentative of the normal silo unachievable in practice?	chers), and other enclosed storage and pole emissions to 5 percent opacity?collector exhaust points was the load to loading rate, or at least at the minimum operation controlled by the silo duquestions 4.a) and 4.b) below. If answers, or at least at the minimum operation controlled by the silo duquestions 4.a) and 4.b) below. If answers, operation are representative of the non	d conveying equipment Yes No ding of the silo conducted fimum 25 tons per hour rate, Yes No dist collector? (If answer wer is "No" then Yes No Ormal batching rate and Yes No Ormal batching rate and No ollector, which is separate

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) (check ☑ appropriate box(es)	
Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.) 1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of t annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)	
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 2. Did this facility demonstrate: a) initial compliance no later than 30 days after beginning operation? b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?	□Yes □ No
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior the AGP Notification form submission, and within 60 days prior to each anniversary date?	
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.) 4. Was the required test report filed with the department as soon as practical, but no later than 45 days after test was completed?	
PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C. (check ☑ appropriate box(es))	
	e 🗌
 (check ☑ appropriate box(es)) Is this facility: 1) a stationary ☑; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (<i>Please check ☑ only one box.</i>) If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, 	
 (check ☑ appropriate box(es)) Is this facility: 1) a stationary ☑; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (<i>Please check ☑ only one box.</i>) If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (<i>If your answer to this question is YES</i>, then proceed to questions 2.a), thru 2.d), below.)	ing ☐Yes ⊠ No ☐Yes ☐ No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414(2)(a) and (b), F.A.C. (continued) (check ☑ appropriate box(es))				
Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.) 1. Does the owner /operator of the concrete batching plant take remissions by: a) management of roads, parking areas, stock piles, and yards 1) paving and maintenance of roads, parking areas, stock piles, and yards 2) application of water or environmentally safe dust-suppremissions?	s, which shall include one or more of the follopiles, and yards?			
PART IV: SPECIAL CONDITIONS AND PROCEDURES – Rule 62-210.300(4)(d)4., F.A.C. A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment?————————————————————————————————————				
Michael Gordon	11/03/06			
Inspector's Name (Please Print)	Date of Inspection	<u> </u>		
	10-14 Months			
Inspector's Signature	Approximate Date of Next Inspection	_		

COMMENTS: During the inspection three cement trucks were being loaded from the hopper with batch mix. Emissions from the silo and weigh hopper are controlled by three dedicated dust collectors, two of which are situated on the silos with the third located next to the weigh hopper at ground level. No visible emissions were noted from the exhaust of the weigh hopper dust collector. A truck was driving too fast on site causing excess fugitive emissions. The truck loading shroud on the weigh hopper outlet is damaged, allowing fugitive emissions to escape during truck loading. Both problems were reported to the Plant Manager and the inspector was assured that the issues would be corrected.