Facility Name :	Blue Ribbon Cleaners
Facility Address :	160 U.S. Highway 17-92 Longwood, FL 32750
Date/Time :	March 11, 2009/9:46 a.m.
Persons present :	Chrissy Smith - Manager Danielle D. Owens - FDEP
Responsible Official:	Linda Westhoven
Phone/Email :	(407)339-1105

# 

Inspection Question	Rule Reference	Answer	
General Records:			
Type of facility? (CESQG, SQG, LQG*)		☐ CESQG ☐ SQG	
Generator ID #:		FLD982132375	
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]	☐ Yes	⊠ No
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]		☐ No
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]		☐ No
Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]		☐ No
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]	☐ Yes	⊠ No
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]	⊠ Yes	☐ No
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]	R/C	)
<ul> <li>Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes?</li> </ul>	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	☐ Yes	⊠ No
Storage of hazardous waste:			
The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance	Maximum quantity limits are:		
calculate the total weight of all perc waste in the storage area as follows:	CESQG = 2,200 lbs SQG = 13,200 lbs		
For 15-gal containers:		0 lbs	
# of containers0 x 120 lbs/container = lbs stored			
<ul> <li>For 30-gal containers:</li> <li># of containers x 240 lbs/container = lbs store</li> </ul>	d		
Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	☐ Yes	⊠ No

 $\frac{3/30/2009}{\text{*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.}}$ inspector initial\_\_\_\_

Is the facility in compliance with quantity and time limits for h		
SQG: is waste kept onsite ≤ 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ☒N/A
LQG*: is waste kept onsite ≤ 90 days?	LQG [40 CFR 262.34(a)]	☐ Yes ☐ No ☒N/A
Is there satellite accumulation?	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A
<ul> <li>If applicable, are satellite areas at/near the point of generation?</li> </ul>	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(3)]	⊠ Yes □ No
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	⊠ Yes □ No
<ul> <li>Are containers compatible with contents?</li> </ul>	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	⊠ Yes □ No
<ul> <li>Adequate aisle space and clearly marked exits?</li> </ul>	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	⊠ Yes □ No
<ul> <li>Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.]</li> </ul>	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	⊠ Yes □ No
<ul> <li>Are hazardous waste containers stored on a crack- free surface that will contain leaks or spills?</li> </ul>		⊠ Yes □ No
<ul><li>Is there adequate secondary containment?</li></ul>		
<ul> <li>Is entrance by unauthorized people restricted?</li> </ul>		⊠ Yes □ No
<ul> <li>Does the storage area have appropriate signage?</li> </ul>		
Record keeping		
Are manifests properly completed?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	
Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	⊠ Yes □ No
Exception reports?	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	☐ Yes ☐ No ☒N/A
LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	☐ Yes ☐ No ☒N/A
Are logs, shipping records, manifests kept at the facility for at least three years?	CESQG[62-730.030(4) F.A.C.] SQG [40 CFR 262.44] LQG [40 CFR 262.40]	⊠ Yes □ No
Does the facility ensure waste disposal to a permitted facility?	<b>CESQG</b> [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)]	⊠ Yes □ No
•	LQG [40 CFR 262.12(c)]	
Employee Training	SQG [40 CFR 262.34(d)(5)(iii)]	
Are employees trained in HW management?	LQG [40 CFR 265.16(a)&(b)]	∑ Yes ☐ No
	376.303, F.S.	0500747
program? If so, what is the Facility ID #?		9500616
Are dikes or other containment structures installed around each machine or item of equipment in which dry cleaning solvents are used and around any area in which solvents or waste-containing solvents are stored?	376.3078(9)(a), F.S.	⊠ Yes □ No
Were all spills of more than 1 quart of dry cleaning solvent outside of a containment structure, on or after July 1, 1995, reported by the owner or operator to the state through the State Warning Point?	403.161(1)(d), F.S.	☐ Yes ☐ No ☑N/A
If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?	403.161(11)(d), F.S.	☐ Yes ☐ No ☑N/A

 $3/30/2009 \\ {\hbox{\tt *If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.}} \\$ 

#### **AST/UST Questions:**

Inspection Question		Answer
Does the facility store petroleum products in a UST or AST?		☐ Yes ☐ No ☑N/A
Separator Water Treatment System Questions:		
Inspection Question		Answer
Is a separator water treatment system employed?		☐ Yes ☐ No ☒N/A
Is the treatment system directly plumbed to the dry		☐ Yes ☐ No ☒N/A
cleaning unit? If so, is it within secondary containment?		
Does the system include a filter to reduce the		☐ Yes ☐ No ☒N/A
concentrations of chlorinated solvent(s) in the wastewater		
prior to evaporation or discharge?		
Are records available to demonstrate that the filters have		☐ Yes ☐ No ☒N/A
been changed in accordance with the manufacturer's		
recommendations?	_	DAL DAL DAL
Are wastewaters that contain soaps, detergents, chlorine, rust, etc. excluded from the treatments system in order to		☐ Yes ☐ No ☒N/A
ensure that the filter is effective to treat the chlorinated		
solvents?		
Industrial Wastewater Standards	I D. L. D. C.	•
Inspection Question:	Rule Reference	Answer
Described for 196 of the description of the control	62.660 F.A.C.	
Does the facility discharge separator water, mop water		
from cleaning the work area, and vacuum return water to a sewer, tank, evaporator system provided with a filter to		⊠ Yes □ No
reduce chlorinated solvent concentrations, or container,		
and never to septic?		
Are solvent-based pre-spotters excluded from use on	62.600 F.A.C.	
garments that are being laundered in a system that		⊠ Yes □ No
discharges to septic?		
Does the vacuum vent upward so that condensed solvent-	403.087 F.S.	
containing water is returned to the vacuum tank rather		⊠ Yes □ No
than discharged onto ground?		
Is the boiler configured so that no contact water (separator	403.087 F.S.	
water or vacuum return water) is introduced and can be	403.007 1.3.	
discharged to the ground during the boiler bleed-off?	403.007 1.3.	⊠ Yes □ No
If the facility discharges to surface waters, is it in		⊠ Yes □ No
	62.620 F.A.C.	
compliance with NPDES?	62.620 F.A.C.	
If the facility discharges to the ground, is it in compliance		
If the facility discharges to the ground, is it in compliance with a state permit?	62.620 F.A.C.	☐ Yes ☐ No ☑N/A ☐ Yes ☐ No ☑N/A
If the facility discharges to the ground, is it in compliance	62.620 F.A.C. 62.620 F.A.C.	☐ Yes ☐ No ☒N/A
If the facility discharges to the ground, is it in compliance	62.620 F.A.C.	☐ Yes ☐ No ☒N/A

inspector initial\_\_\_\_ 3/30/2009 Page 3 of 4

**Dry Cleaning Equipment** 

Type	Manufacturer	Serial Number	Capacity	Age
Perc Machine #1	Aerotech USA C33			
Perc Machine #2	Aerotech USA C33			

Perc Machine #2 not operational at time of the inspection. Facility plans to dispose of the machine in the near future. This inspection was conducted in the presence of the manager, Chrissy Smith. The manager could not locate the leak detection log at time of the inspection and indicated that neither she nor the perc machine operator knew how to use the halogen leak detector. The weekly leak checks are being conducted by the R/O, Linda Westhoven. The facility was given 14 days to provide records of leak checks being conducted. On 03/24/09 a written response and log of the leak checks were received by the Department. The R/O stated, in the written response, the manager and perc machine operator have been trained on how to properly use the halogen leak detector