

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)	COM	PLAINT/DISCOVI	ERY (CI)		
	RE-INSPECTION (FUI)	ARM	S COMPLAINT N	O:		
AIRS ID#: 0571250 DA 7	Γ Ε : <u>07/26/07</u>	ARRIV	E: <u>9:00 AM</u>	DEPART: 9: 30	<u>) AM</u>	
FACILITY NAME: TAMPA MARRIOTT WATERSIDE						
FACILITY LOCATION: 405 Ice Palace Drive						
	TAMPA 33602					
RESPONSIBLE OFFICIAL: MARY SCOTT			PHONE: (813)204-6301			
CONTACT NAME:			PHONE:			
REMITTANCE YEAR:	2006 ENT	TITLEMENT I	PERIOD: 10/14/20 (effective d			
					7	
PART I: INSPECTION	<u></u>		<u> </u>			
	CE MINOR Non-C	COMPLIANCE	SIGNIFICA	ANT Non-COMPLIANC	CE	
					<u>'</u>	
PART II: FACILITY Concept of the content of the con	LASSIFICATION - Rule y one box in A)	62-213.300 FA	C			
transfer only, both types, x < (constructed b 3. Existing large dry-to-dry onl	y, x < 140 gal/yr x < 200 gal/yr < 140 gal/yr refore $12/9/91$) e area source y, $140 \le x \le 2,100$ gal/yr	dr tra bo (co 4. No dr	ew small area sour y-to-dry only, $x < 1$ ansfer only, $x < 200$ oth types, $x < 140$ ga constructed on or after ew large area source y-to-dry only, $140 \le$	$ 40 \text{ gal/yr} \\ \text{gal/yr} \\ \text{al/yr} \\ \text{er } 12/9/91) $ $ ce $		
both types, 14 (constructed b	$200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ refore 12/9/91)	bo	ansfer only, $200 \le x$ of th types, $140 \le x \le 0$ onstructed on or after	1,800 gal/yr		
	General Permit of business/petroleum ls above limits					
B . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 90 gallons.						

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check ☑ only one box			
Does the responsible official of the dry cleaning facility:			ich questi	ion)	
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes	□No	□N/A	
2.	Examine the containers for leakage?	⊠Yes	☐ No	□ N/A	
3.	Close and secure machine doors except during loading/unloading?	X Yes	☐ No		
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes	□ No	□ N/A	
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes	□No	⊠ N/A	
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)				
	1. If the facility classification is a Existing small area source, no controls are requi	red. Pro	ceed to I	Part V.	
2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993				
	4. If the facility classification is a <u>New large area source</u> , the machine should be econdenser. Complete both sections A and B below.	quipped v	vith a ref	rigerated	
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :		only each ques	one box for stion)	
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	□No		
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Yes	□No	□N/A	
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A	
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Yes	□No		
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes	□No	⊠N/A	
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	□No		

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No N/A			
a) Is the temperature differential equal to, or greater than 20° F?	☐Yes ☐ No ☐ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes No No			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	Yes No N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PART V: RECORDKEEPING REQUIREMENTS - Rule 62-213.300(3) FAC				
Does the responsible official:	(check ✓ only one box for each question)			
1. Maintain receipts for perc purchased?	- Xes No			
2. Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No			
	Z 165110			
3. Maintain leak detection inspection and repair reports for the following:				
Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or;				
a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	- Yes No N/A			
a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	-			
 a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments) 	-			
 a) documentation of leaks repaired w/in 24 hrs? or;	-			
 a) documentation of leaks repaired w/in 24 hrs? or;	-			
 a) documentation of leaks repaired w/in 24 hrs? or;	-			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check \square only one box for each question)

detection and repair inspection?				
•	-			
2. Does the facility maintain a leak log? \(\sum \) Yes \(\sum \) No				
c) Filter gaskets and seating Yes No N/A i) Exd) Pumps Yes No N/A j) Di	Muck cookers Yes No N/A tills Yes No N/A whaust dampers iverter valves Cartridge filter housings Yes No N/A			
4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces) b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetric to e) Halogen leak detector	b)			
Jason Golden	07/26/07			
Inspector's Name (Please Print)	Date of Inspection			
	07/27/08			
Inspector's Signature	Approximate Date of Next Inspection			

COMMENTS: Perc spill occurred on 05/24/07. Reported to EPC during this inspection. Spill cleaned and approved by Tampa Fire Department. Incident referred to EPC Solid Waste c/o Sean McGinnis on 08/10/07, after EPC received incident report from the Fire Co.