

## CONCRETE BATCHING PLANT



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: A	NNUAL (INS1, INS2)	COMPLAINT/DISCOVER	Y (CI)	
R	E-INSPECTION (FUI)	ARMS COMPLAINT NO:		
AIRS ID#: 0251042 DATE	: <u>5/21/2008</u>	ARRIVE: <u>2:05 PM</u>	DEPART: <u>2:25 PM</u>	
FACILITY NAME: TREMRON MIAMI, INC				
FACILITY LOCATION:	11321 NW 138th Stre	et		
	MIAMI 33178			
OWNER/AUTHORIZED REPRESENTATIVE: EDWIN PEREZ PHONE: (305)825-9000				
CONTACT NAME:		PHONE:		
ENTITLEMENT PERIOD: 11/2/2007 / 11/2/2012 (effective date) (end date)				
PART I: INSPECTION CO	OMPLIANCE STATUS	(check ☑ only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				
☐ IN COMPLIANCE	MINOR Non-COM	MPLIANCE SIGNIFICAN	T Non-COMPLIANCE	
☐ IN COMPLIANCE	MINOR Non-CO	MPLIANCE SIGNIFICAN	T Non-COMPLIANCE	
PART II: TESTING/RECO	ORDKEEPING REQUIR	MPLIANCE SIGNIFICAN  EMENTS – Rule 62-296.414, F.A		
PART II: TESTING/RECO	ORDKEEPING REQUIR			
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions	ORDKEEPING REQUIR ox(es))	EMENTS – Rule 62-296.414, F.A	.C.	
PART II: TESTING/RECO (check ☑ appropriate b Stack Emissions 1 Were visible emission 62-297, F.A.C.)?	ORDKEEPING REQUIR ox(es))  ns tests conducted during the second s	EMENTS – Rule 62-296.414, F.A	C.  nod 9 (Ref : Chapter	
PART II: TESTING/RECO (check ☑ appropriate box)  Stack Emissions  1 Were visible emission 62-297, F.A.C.)? 2 Are emissions from s	ORDKEEPING REQUIR ox(es))  as tests conducted during the second conducted during the s	EMENTS – Rule 62-296.414, F.A	C.  nod 9 (Ref.: Chapter  □Yes ☒ No I conveying equipment	
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, FAC)? 2 Are emissions from s controlled to the exte	ox(es))  ns tests conducted during the conducted du	EMENTS – Rule 62-296.414, F.A  nis site visit according to EPA Methers), and other enclosed storage and elemissions to 5 percent opacity?	.C.  nod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, F A C)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres	DRDKEEPING REQUIR ox(es))  Instests conducted during the state of the silo dust conducted during the state of the normal silo.	EMENTS – Rule 62-296.414, F.A  nis site visit according to EPA Methers), and other enclosed storage and emissions to 5 percent opacity? ollector exhaust points was the load loading rate, or at least at the minir	C.  nod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate b Stack Emissions  1 Were visible emission 62-297, F.A.C.)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un	ox(es))  as tests conducted during the conducted du	EMENTS – Rule 62-296.414, F.A  nis site visit according to EPA Methers), and other enclosed storage and emissions to 5 percent opacity? ollector exhaust points was the load loading rate, or at least at the minir	C.  nod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, F.A.C.)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un 4 Are emissions from the to this question is "Yester Area."	DRDKEEPING REQUIR ox(es))  as tests conducted during the state of the silo dust constative of the normal silo achievable in practice?	ers), and other enclosed storage and emissions to 5 percent opacity?	C.  mod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate becomes appropriate be	DRDKEEPING REQUIR ox(es))  as tests conducted during the state of the silo dust constative of the normal silo achievable in practice? the weigh hopper (batcher) es", then continue on to question 5	ers), and other enclosed storage and e emissions to 5 percent opacity?	C.  mod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate b)  Stack Emissions  1 Were visible emission 62-297, F A C)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un 4 Are emissions from the tothis question is "You skip 4 a) and 4 b) and a) Was the batching b) During the visible	DRDKEEPING REQUIR ox(es))  as tests conducted during the state of the silo dust continue of the normal silo achievable in practice? the weigh hopper (batcher) es", then continue on to question 5 operation in operation during emissions test, was the bate ox (es)	EMENTS – Rule 62-296.414, F.A  nis site visit according to EPA Methers), and other enclosed storage and e emissions to 5 percent opacity? ollector exhaust points was the load loading rate, or at least at the minimoperation controlled by the silo dusestions 4-a) and 4-b) below. If answ ) ng the visible emissions test? tching rate representative of the nor		
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, F.A.C.)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un 4 Are emissions from the to this question is "Ye skip 4.a) and 4.b) and a) Was the batching a b) During the visible duration?	DRDKEEPING REQUIR ox(es))  In tests conducted during the state of the silo dust contain the state of the normal silo achievable in practice?	EMENTS – Rule 62-296.414, F.A  nis site visit according to EPA Methers), and other enclosed storage and elemissions to 5 percent opacity?— ollector exhaust points was the load loading rate, or at least at the minimoperation controlled by the silo dusestions 4 a) and 4 b) below. If answ )————————————————————————————————————	C.  mod 9 (Ref.: Chapter	
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, F A C)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un 4 Are emissions from the to this question is "Ye skip 4.a) and 4.b) and a) Was the batching b) During the visible duration? 5 If emissions from the from the silo dust col	DRDKEEPING REQUIR ox(es))  Instests conducted during the continue of the normal sile achievable in practice?	EMENTS – Rule 62-296.414, F.A  mis site visit according to EPA Methods ers), and other enclosed storage and e emissions to 5 percent opacity?— ollector exhaust points was the load loading rate, or at least at the minimoperation controlled by the silo dus estions 4.a) and 4.b) below. If answ )————————————————————————————————————		
PART II: TESTING/RECO (check ☑ appropriate b  Stack Emissions  1 Were visible emission 62-297, F.A.C.)? 2 Are emissions from s controlled to the exte 3 During visible emissi at a rate that is repres unless such rate is un 4 Are emissions from the to this question is "Ye skip 4.a) and 4.b) and a) Was the batching b) During the visible duration? 5 If emissions from the from the silo dust col	DRDKEEPING REQUIR ox(es))  Instests conducted during the continue of the normal sile achievable in practice?	EMENTS – Rule 62-296.414, F.A  mis site visit according to EPA Methods ers), and other enclosed storage and e emissions to 5 percent opacity?— ollector exhaust points was the load loading rate, or at least at the minimoperation controlled by the silo dus estions 4.a) and 4.b) below. If answ )————————————————————————————————————		

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) (check ☐ appropriate box(es)
Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.)  1 Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)  Yes No
New Facilities – (permitted pursuant to Rule 62-210 300(4), F.A.C., Air General Permits)  2. Did this facility demonstrate:  a) initial compliance no later than 30 days after beginning operation?————————————————————————————————————
Existing Facilities – (permitted pursuant to Rule 62-210 300(4), F.A.C., Air General Permits)  3 In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date?
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)  4 Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed?
PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.300(4)(c)2., F.A.C. (check ☑ appropriate box(es))
PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C. (check ☐ appropriate box(es))  1. Is this facility: 1) a stationary ☒; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable ☐ concrete batching and/or nonmetallic mineral processing plants? (Please check ☐ only one box.)
(check ☑ appropriate box(es))  1. Is this facility: 1) a stationary ☒; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable ☐ concrete batching and/or nonmetallic mineral processing plants? (Please check ☒ only one box.)  2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (If your answer to this question is YES, then proceed to questions 2.a), thru 2.d), below.)————————————————————————————————————
(check ☑ appropriate box(es))  1. Is this facility: 1) a stationary ☒; 2) a relocatable ☐; or does it have: 3) both, stationary and relocatable ☐ concrete batching and/or nonmetallic mineral processing plants? (Please check ☑ only one box.)  2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (If your answer to this question is YES, then proceed to questions 2.a), thru 2.d), below.)————————————————————————————————————

PART III: OPERATING/RECORDKEEPING REQUIREMENTS - Rule 62-296.414(2)(a) and (b), F.A.C. (continued)				
(check ☑ appropriate box(es))				
<u>Unconfined</u> <u>Emissions</u> – (Rule 62-296.320(4)(c), F.A.C.)				
1 Does the owner /operator of the concrete batching plant	take reasonable precautions to control unconfined			
emissions by:				
	nd yards, which shall include one or more of the following:			
	, stock piles, and yards? 🏻 Yes 🗌 No			
<ol><li>application of water or environmentally safe dus</li></ol>	st-suppressant chemicals when necessary to control			
	her paved areas under control of the owner/operator to			
	s to reduce airborne particulate matter?   Yes   No			
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of				
	🛛 Yes 🔲 No			
b) use of spray bar, chute, or partial enclosure to mitig	ate emissions at the drop point to the truck?   Yes  No			
	• •			
DIDENT OPPOSIT COMPANY AND PROCESSIONS				
PART IV: SPECIAL CONDITIONS AND PROCEDURES	_ Rule 62-210.300(4)(d)4., F.A.C.			
A. New or Modified Process Equipment				
1 Since the last inspection has there been				
a) installation of any new process equipment?				
	replacement?Yes 🖾 No			
c) replacement of existing equipment substantially d	lifferent than that noted on the most			
d) If you answered <u>YES</u> to any of the above, did the				
notification form and appropriate fee (Rule 62-4.)	050, FAC) to the appropriate DEP or			
local program office?				
FRANK DELGADO	5/21/2008			
Inspector's Name (Please Print)	Date of Inspection			
15 all 11/8/12				
The state of the s				
Inspector's Signature	Approximate Date of Next Inspection			
COMMENTS: FACILITY WAS NOT OPERATIONAL AT 1				
	UES LOPEZ ACCOMPANIED ME IN THIS DUST COMPLAINT			
INVESTIGATION				
WE DID NOT OBSERVE ANY FUGITIVE PARTICULATES FROM THIS FACILITY.				