

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	☐ COMPLAINT/D	DISCOVERY (CI)		
	RE-INSPECTION (FUI)	ARMS COMPLA	AINT NO:			
AIRS ID#: 0251069 DA 7	ΓΕ: <u>9/27/06</u>	ARRIVE: 1:15 P	<u>M</u>	DEPART: <u>1:45 PM</u>		
FACILITY NAME: ST. JUDE DRY CLEANERS						
FACILITY LOCATION	8242 NE 2nd Aven	ue				
	MIAMI 33138					
RESPONSIBLE OFFICE	IAL: EDWARD PIERRE		PHONE: (3	05)754-2139		
CONTACT NAME: PHONE:						
REMITTANCE YEAR:	2002 ENT	TITLEMENT PERIOD:	9/21/2000 effective date)	/ 9/21/2005 (end date)		
	COMPLIANCE STATUS					
☐ IN COMPLIANO	CE MINOR Non-C	COMPLIANCE SIG	SNIFICANT N	on-COMPLIANCE		
	<u>LASSIFICATION</u> - Rule y one box in A)	62-213.300 FAC				
transfer only, both types, x	ly, x < 140 gal/yr x < 200 gal/yr	transfer only, both types, x	$\frac{1}{x}, \frac{1}{x} < 140 \text{ gal}$ $x < 200 \text{ gal/yr}$	r		
transfer only, both types, 14	e area source \Box ly, $140 \le x \le 2,100 \text{ gal/yr}$ $200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91)$	transfer only, both types, 14	rea source $1y, 140 \le x \le 2$ $200 \le x \le 1,80$ $40 \le x \le 1,800$ on or after $12/9$	00 gal/yr gal/yr		
drop store/out	General Permit a of business/petroleum ds above limits					
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was gallons.						

	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check only one box					
Do	es the responsible official of the dry cleaning facility:	for each question)					
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A					
2.	Examine the containers for leakage?	□Yes □ No □ N/A					
3.	Close and secure machine doors except during loading/unloading?	☐ Yes ☐ No					
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	□Yes □ No □ N/A					
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes □ No □ N/A					
	ART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)						
	1. If the facility classification is a Existing small area source, no controls are requ	nired. Proceed to Part V.					
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.						
	 If the facility classification is a Existing large area source, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993 If the facility classification is a New large area source, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below. 						
	•						
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)					
1.	Equipped all machines with the appropriate vent controls?	- Yes No					
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A					
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?						
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	\Begin{aligned} Yes \Box No					
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes No N/A					
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	- □Yes □No					

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)						
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)				
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No				
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No No				
	a) Is the temperature differential equal to, or greater than $20^{\rm o}{\rm F?}$	☐Yes ☐ No ☐ N/A				
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A				
	a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A				
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes No N/A				
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A				
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A				
PA	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for				
Do	pes the responsible official:	each question)				
1.	Maintain receipts for perc purchased?	Yes No				
2.	Maintain rolling monthly total of yearly perc consumption?	☐ Yes ☐ No				
3.	Maintain leak detection inspection and repair reports for the following:					
	a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A				
	b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	Yes No N/A				
4.	Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☐ N/A				
5.	Maintain exhaust duct monitoring data on perc concentrations?	Yes No N/A				
6.	Maintain a startup/shutdown/malfunction plan?	Yes No				
7.	Maintain deviation reports?	Yes No N/A				
	a) Problem corrected?	- Yes No N/A				
8.	Maintain a compliance plan, if applicable?	Yes No N/A				

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection? Yes	☐ No
	□ No
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	□No □N/A □No □N/A □No □N/A □No □N/A □No □N/A
4. Which method(s) of detection (is/are) used by the responsible official?	
a) Visual examination (condensed solvent on exterior surfaces)	//A
TERRENCE ANDERSON 9/2	27/06
Inspector's Name (Please Print) Date of Inspection	
N/A	
Inspector's Signature Approximate Date of Next	Inspection
COMMENTS:	

AMIE DAVIS, MARCELO BARROS & MAISHA REED WAS PART OF THE INSPECTION.
DRY CLEANING MACHINE OUT OF SERVICE (OVER 1 YEAR), FACILITY USED ONLY AS A DROP STORE AT PRESENT, RO COMPLETE NOTIFICATION TO SURRENDER PERMIT.