

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

		COMPLAINT/DISCOVER	Y (CI)	
RE-IN	NSPECTION (FUI)	ARMS COMPLAINT NO:		
AIRS ID#: 0251084 DATE: <u>1/</u>	13/2010	ARRIVE: <u>9:11 AM</u>	DEPART: <u>10:55 AM</u>	
FACILITY NAME: BARREIRO CONCRETE MATERIALS				
FACILITY LOCATION:	9409 NW 109TH ST			
	MEDLEY 33178-1224	4		
OWNER/AUTHORIZED REPRESENTATIVE: AMERICO BARREIRO PHONE: (305)258-7004				
CONTACT NAME:		PHONE:		
ENTITLEMENT PERIOD: 6/28/2009 / 6/28/2014				
(C	effective date) (end date)			
PART I: INSPECTION COM	PLIANCE STATUS (cl	heck 🗹 only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				
			n in the second	
PART II: TESTING/RECORD		<u>MENTS</u> – Rule 62-296.414, F.A	C.	
(check ☑ appropriate box(e		<u>MENTS</u> – Rule 62-296.414, F.A	C.	
(check ☑ appropriate box(expressions) 1. Were visible emissions to 62-297, F.A.C.)?	ests conducted during this	s site visit according to EPA Met	hod 9 (Ref.: Chapter ⊠Yes □ No	
(check ☑ appropriate box(e Stack Emissions 1. Were visible emissions te 62-297, F.A.C.)? 2. Are emissions from silos controlled to the extent ne	ests conducted during this, weigh hoppers (batchers ecessary to limit visible 6	s site visit according to EPA Methalogues site visit according to EPA Methalogues, and other enclosed storage and emissions to 5 percent opacity?	hod 9 (Ref.: Chapter	
(check ☑ appropriate box(e Stack Emissions 1. Were visible emissions te 62-297, F.A.C.)? 2. Are emissions from silos controlled to the extent n 3. During visible emissions at a rate that is representa	ess)) ests conducted during this , weigh hoppers (batchers ecessary to limit visible e tests of the silo dust colle tive of the normal silo lo	s site visit according to EPA Methalometers, and other enclosed storage and emissions to 5 percent opacity?ector exhaust points was the load pading rate, or at least at the minimal state of the sta	hod 9 (Ref.: Chapter	
(check ☑ appropriate box(e Stack Emissions 1. Were visible emissions te 62-297, F.A.C.)? 2. Are emissions from silos controlled to the extent n 3. During visible emissions at a rate that is representa unless such rate is unachi 4. Are emissions from the v to this question is "Yes",	ess)) ests conducted during this ests conducted during this ests of the pressure collection of the normal silo locative of the normal silo locative in practice? veigh hopper (batcher) of then continue on to ques	s site visit according to EPA Methanson, and other enclosed storage and emissions to 5 percent opacity?ector exhaust points was the load pading rate, or at least at the minimperation controlled by the silo dustions 4.a) and 4.b) below. If answers	hod 9 (Ref.: Chapter	
(check ☑ appropriate box(e Stack Emissions 1. Were visible emissions te 62-297, F.A.C.)? 2. Are emissions from silos controlled to the extent n 3. During visible emissions at a rate that is representa unless such rate is unach 4. Are emissions from the w to this question is "Yes", skip 4.a) and 4.b) and cor a) Was the batching oper b) During the visible em	ess)) ests conducted during this ests conducted during this e, weigh hoppers (batcher; ecessary to limit visible e tests of the silo dust colle tive of the normal silo lo ievable in practice? veigh hopper (batcher) or then continue on to ques ntinue on to question 5.)- ration in operation during issions test, was the batcl	s site visit according to EPA Methalians, and other enclosed storage and emissions to 5 percent opacity?—ector exhaust points was the load pading rate, or at least at the minimperation controlled by the silo dustions 4.a) and 4.b) below. If answers the visible emissions test?———————————————————————————————————	hod 9 (Ref.: Chapter	
(check ☑ appropriate box(existed Stack Emissions 1. Were visible emissions to 62-297, F.A.C.)?	ess)) ests conducted during this weigh hoppers (batchers ecessary to limit visible estests of the silo dust colle tieve of the normal silo lo tievable in practice? weigh hopper (batcher) op then continue on to ques intinue on to question 5.)- ration in operation during tiessions test, was the batcle igh hopper (batcher) oper or, are the visible emissions	s site visit according to EPA Methalians, and other enclosed storage and emissions to 5 percent opacity? ector exhaust points was the load oading rate, or at least at the minimperation controlled by the silo dustions 4.a) and 4.b) below. If answers the visible emissions test?hing rate representative of the normation are controlled by a dust coons tests of the weigh hopper (bat	hod 9 (Ref.: Chapter	

ART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued) (check ☑ appropriate box(es)
Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.) 1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 2. Did this facility demonstrate: a) initial compliance no later than 30 days after beginning operation?
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? Yes No
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.) 4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed?
ART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C. (check 🗹 appropriate box(es))
 (check appropriate box(es)) 1. Is this facility: 1) a stationary ; 2) a relocatable ; or does it have: 3) both, stationary and relocatable

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414(2)(a) and (b), F.A.C. (continued)				
(check ☑ appropriate box(es))				
<u>Unconfined</u> Emissions – (Rule 62-296.320(4)(c), F.A.C.)	1			
 Does the owner /operator of the concrete batching plant ta emissions by: 	ke reasonable precautions to control uncommed			
•	vards, which shall include one or more of the following:			
 a) management of roads, parking areas, stock piles, and yards, which shall include one or more of the following: 1) paving and maintenance of roads, parking areas, stock piles, and yards? \(\sigma\) Yes \(\sigma\) No 				
2) application of water or environmentally safe dust-				
emissions?				
removal of particulate matter from roads and other				
re-entrainment, and from building or work areas to	o reduce airborne particulate matter? Yes No			
4) reduction of stock pile height, or installation of wi	nd breaks to mitigate wind entrainment of			
b) use of spray bar, chute, or partial enclosure to mitigat	e emissions at the drop point to the truck? Yes No			
PART IV: SPECIAL CONDITIONS AND PROCEDURES -	Rule 62-210.300(4)(d)4., F.A.C.			
A. New or Modified Process Equipment				
1. Since the last inspection has there been				
a) installation of any new process equipment?	☐ Yes ☐ No			
	eplacement?			
c) replacement of existing equipment substantially dif				
	Yes No			
 d) If you answered <u>YES</u> to any of the above, did the of notification form and appropriate fee (Rule 62-4.05) 				
local program office?				
local program office.				
FRANK DELGADO	1/13/2010			
Inspector's Name (Please Print)	Date of Inspection			
	1/2011			
	1,2011			
Inspector's Signature	Approximate Date of Next Inspection			
	Approximate Date of Next Inspection			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN EMISSIONS TESTS ON THREE (3) SILOS EACH WITH A DU	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE UST COLLECTOR AND TWO (2) CONCRETE LOADOUTS			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN EMISSIONS TESTS ON THREE (3) SILOS EACH WITH A DU EACH WITH A SV-20 VENT DUST COLLECTORS. THE SILO	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE UST COLLECTOR AND TWO (2) CONCRETE LOADOUTS OS WERE LOADED WITH CEMENT AT A RATE OF 10 PSI.			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN EMISSIONS TESTS ON THREE (3) SILOS EACH WITH A DUEACH WITH A SV-20 VENT DUST COLLECTORS. THE SILO I WITNESSED VE TESTS ON THE 837 BBL SILO, THE DUST	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE UST COLLECTOR AND TWO (2) CONCRETE LOADOUTS OS WERE LOADED WITH CEMENT AT A RATE OF 10 PSI. IT COLLECTOR FOR THE SILO'S LOADOUT, THE 550 BBL			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN EMISSIONS TESTS ON THREE (3) SILOS EACH WITH A DU EACH WITH A SV-20 VENT DUST COLLECTORS. THE SILO I WITNESSED VE TESTS ON THE 837 BBL SILO, THE DUST CEMENT SILO AND IT'S LOADOUT. THE FLYASH SILO THE	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE UST COLLECTOR AND TWO (2) CONCRETE LOADOUTS OS WERE LOADED WITH CEMENT AT A RATE OF 10 PSI. IT COLLECTOR FOR THE SILO'S LOADOUT, THE 550 BBL			
COMMENTS: FRANCIS MORLU OF SOUTH FLORIDA EN EMISSIONS TESTS ON THREE (3) SILOS EACH WITH A DUE EACH WITH A SV-20 VENT DUST COLLECTORS. THE SILO I WITNESSED VE TESTS ON THE 837 BBL SILO, THE DUST	Approximate Date of Next Inspection VIRONMENTAL PERFORMED FIVE (5) VISIBLE JST COLLECTOR AND TWO (2) CONCRETE LOADOUTS OS WERE LOADED WITH CEMENT AT A RATE OF 10 PSI. IT COLLECTOR FOR THE SILO'S LOADOUT, THE 550 BBL RUCK WAS DELAYED AND I DID NOT WITNESS THE			