

## HALOGENATED SOLVENT DEGREASERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE:</b> ANNUAL (INS1, INS2)	COMPLAINT/DISC	COVERY (CI)				
<b>RE-INSPECTION (FUI)</b>	ARMS COMPLAIN	NT NO:				
AIRS ID#: 1030481 DATE: <u>1/15/13</u>	ARRIVE: <u>1030</u>	DEPART: <u>12:10</u>				
FACILITY NAME: UNILENS CORP USA						
FACILITY LOCATION: 10431 72ND ST N	1					
LARGO 33777-1	.511					
OWNER/AUTHORIZED REPRESENTATIVE:		HONE: (727)544-2531				
Email: CONTACT NAME: ALAN FRAZER	P	Mobile:           HONE:         (727)544-2531				
Email: ENTITLEMENT PERIOD: 5/7/2011 / 5/7/20 (effective date) (end d	016	Iobile:				
	late)					
PART I: INSPECTION COMPLIANCE STATUS (check 🗹 only one box)						
TAKI I, <u>INSLECTION</u> COMILIANCE STATC	<u>S</u> (check <b>I</b> only one box)					
		IFICANT Non-COMPLIANCE				
		IFICANT Non-COMPLIANCE				
	COMPLIANCE SIGNI	IFICANT Non-COMPLIANCE				
IN COMPLIANCE       MINOR Non-O         PART II:       NOTIFICATION – Rule 62-210.300 F	COMPLIANCE SIGNI	cation form that facility has the				
☑ IN COMPLIANCE       ☐ MINOR Non-O         PART II: NOTIFICATION – Rule 62-210.300 F.         (check ☑ appropriate box(es))         1. Halogenated solvent used at facility:         perchloroethylene         methylene chloride         1,1,1-trichloroethane         carbon tetrachloride         chloroform	COMPLIANCE SIGNI SIGNI AC 2. Indication on notific following machine t Batch Vap Batch Vap New In-lin Existing In Batch Cold	cation form that facility has the type(s). $\square$ por, $x \le 1.21 \text{ m}^2$ $\square$ ne $\square$				
IN COMPLIANCE       MINOR Non-O         PART II: NOTIFICATION – Rule 62-210.300 F.         (check Ø appropriate box(es))         1. Halogenated solvent used at facility:         perchloroethylene         methylene chloride         trichloroethylene         1,1,1-trichloroethane         carbon tetrachloride	COMPLIANCE SIGNI AC 2. Indication on notific following machine t Batch Vap Batch Vap New In-lin Existing In Batch Cold	cation form that facility has the type(s). bor, $x \le 1.21 \text{ m}^2$				
✓ IN COMPLIANCE       MINOR Non-O         PART II: NOTIFICATION – Rule 62-210.300 F.         (check ☑ appropriate box(es))         1. Halogenated solvent used at facility:         perchloroethylene         methylene chloride         trichloroethylene         1,1,1-trichloroethane         carbon tetrachloride         chloroform         chloroform	COMPLIANCE SIGNI AC 2. Indication on notific following machine t Batch Vap Batch Vap New In-lin Existing In Batch Cold	cation form that facility has the type(s). $\square$ por, $x \le 1.21 \text{ m}^2$ $\square$ ne $\square$				

PART IV: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC			
A. <u>Batch Vapor and In-Line Machines</u>			
1. Does the facility maintain an idling and downtime mode cover that is readily opened and closed, that completely covers, has no cracks, holes, or defects; OR maintain a room designed with reduced draft according to Part II, Section (5)(c)6.b of the permit notification?	⊠Yes	No	
2. Does the facility maintain a freeboard ratio of 0.75 or greater?	⊠Yes	No	
2. Decay the facility utilizes a parts hashed or parts whose size is less than $500$ of the			
3. Does the facility utilize a parts basket or parts whose size is less than 50% of the solvent-air interface area; OR introduce parts or parts basket at 0.9 m/min (3 ft/min) or less?	⊠Yes	No	
4. Does the facility conduct all spraying operations within the vapor zone or an area not directly exposed to ambient air?	⊠Yes	No	
5. Does the facility install and maintain an automated parts handling system capable of moving the parts/parts basket at 3.4 m/min. (11ft/min) or less?	⊠Yes	No	
6. Does the facility install and maintain a carbon adsorber on all machines using a lip exhaust? The exhaust concentration should not exceed 100 ppm halogenated solvent, the carbon adsorber should not be by-passed, the lip exhaust shall be located above the closed machine cover	r □Yes	No	N/A
<ul><li>7. Does the facility have each machine equipped with:</li><li>a. a device to shut off sump heat if the solvent level drops to the heater coils?</li><li>b. a device to shut off sump heat if the vapor level rises above the height of the</li></ul>		No	
<ul> <li>a device to shar on sumplicat if the vapor level rises above the height of the vapor condenser?</li> <li>c. a primary condenser?</li> </ul>		□N □N	
8. Does the facility store all waste solvent, still bottoms, and sump bottoms in closed containers?	⊠Yes	□No	
<ul> <li>B. <u>Batch Cold Cleaning Machines</u></li> <li>1. Does the facility collect and store all waste solvent in closed containers?</li> <li>2. Does the facility use a flexible hose or flushing device only within the</li> </ul>	⊠Yes	No	
freeboard area?	⊠Yes	No	
<ul><li>3. Does the facility drain cleaned parts for 15 seconds or longer or until dripping ceases, whichever is longer?</li><li>4. Does the facility maintain the solvent level inside the machine at or below</li></ul>		No	
<ul><li>the fill line?</li><li>5. Does the facility immediately clean up spills during solvent transfer?</li></ul>	Yes	No	
Store wipe rags in a covered container?	⊠Yes	No	
<ul> <li>6. Does the facility operate the agitator to produce a rolling motion? (applicable only when air or pump agitated solvent bath used).</li> <li>7. Does the facility ensure that the machine is not exposed to drafts greater than 40 m/min (132 ft/min) when the cover is open?</li></ul>		No	N/A
		No	
8. Does the facility ensure that sponges, fabrics, wood and paper products are <u>not</u> placed in the machine?	⊠Yes	No	
<ul> <li><u>Remote Reservoir Type Only</u></li> <li>9. Does the facility employ a tightly fitting cover over the solvent sump? The cover must be closed at all times except during parts cleaning.</li> <li><u>Immersion Type Only</u></li> </ul>	Yes	No	□N/A
10. Does the facility employ a tightly fitting cover and a water layer with a thickness of at least 2.5 cm (1 in.); OR employ a tightly fitting cover and maintain a freeboard ratio of 0.75? Tightly fitting cover must be closed at all times except during parts entry	<b>⊠v</b>		
and removal	⊠Yes	∐No	∐N/A

			t applicable to batch cold cleaning machines)		
	ose to meet requirements usin 1 device combination / work pr				
	control device combination / work practice standards				
idling	emission limit / work practice	standards (proceed to Part V	<i>T</i> )		
A. <u>Batch Vapo</u>	<u>or Machines</u> , x ≤ 1.21 m <sup>2</sup>				
(Select contr					
<u>combination</u>	<u>1)</u>	<u>DEVICE IN USE</u>			
1. 🗌 g	working mode cover	1.0 freeboard ratio -	superheated vapor		
2. 🛛 g	reduced room draft 🛛	1.0 freeboard ratio -	superheated vapor		
3. □g 4. □g	reduced room draft	1.0 freeboard ratio -	dwell		
$5. \Box g$	freeboard refrig. device	working mode cover			
6. 🔲 g	freeboard refrig. device	reduced room draft			
7. 🗌 g	freeboard refrig. device	1.0 freeboard ratio -			
8. □g 9. □g	freeboard refrig. device	dwell			
10. 🔤 g	carbon adsorber	1.0 freeboard ratio -	superheated vapor		
B. <u>Batch Vapo</u>	or <u>Machines</u> , x > 1.21 m <sup>2</sup>				
(Select cont	rol				
<u>combinatio</u>		<u>DEVICE IN USE</u>			
1. 🔲 g	freeboard refrig. device	superheated vapor	1.0 freeboard ratio		
2g	freeboard refrig. device	superheated vapor	working mode cover		
3. □g 4. □g	freeboard refrig. device freeboard refrig. device	superheated vapor	reduced room draft  carbon adsorber		
5. 🔤 g	freeboard refrig. device	reduced room draft -	dwell		
6. 🔲 g	freeboard refrig. device	reduced room draft -	1.0 freeboard ratio		
7. 🗋 g	1.0 freeboard ratio	reduced room draft -	superheated vapor		
C. <u>Existing</u> In	-Line Machines				
(Select contr					
<u>combination</u>	<u>1)</u>	<u>DEVICE IN USE</u>			
1. 🗌 g	freeboard refrig. device	1.0 freeboard ratio -			
2. 🗌 g	superheated vapor	1.0 freeboard ratio -			
3. □g 4. □g	freeboard refrig. device	dwell			
D. <u>New In-Lin</u>	ne Machines				
(Select contr combination		<u>DEVICE IN USE</u>			
comoniador	<u>+/</u>	DEVICE IN ODE			
	freeboard refrig. device	superheated vapor -			
	freeboard refrig. device superheated vapor	carbon adsorber			
L					

## PART VI: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC

## Has the responsible official maintained the following:

1. Owner's manuals, design specifications, and other instructional materials for cleaning	⊠Yes	ΠNo	
machine and control equipment?			
2. Date of installation for cleaning machine and all control devices? If the exact date is unknown, they must have a letter stating installation occurred before or after 11/29/93	⊠Yes	No	
3. Halogenated solvent content for each solvent used? ( <i>exempt if &lt;5% by weight</i> )	⊠Yes	No	
4. Estimates of annual solvent consumption for each machine?	Yes	No	
5. Dates of solvent additions and amounts added to each machine? (applicable only to	_	_	
those using an alternative emission limit)	⊠Yes	No	N/A
6. Idling emissions limit tests, including values obtained during the initial performance			
test? (applicable only to those using an idling emissions limit)	⊠Yes	ΠNo	N/A
7. All control device and parameter monitoring? ( <i>applicable only to batch vapor and</i>			
in-line machines)	⊠Yes	ΠNo	□N/A
8. Information on remedial actions in the event of exceedances or other repairs and			
subsequent monitoring of affected parameters?	⊠Yes	□No	∏N/A
9. Monthly emissions calculations ( <i>applicable only to those using an alternative or idling</i>			
emission limit)	⊠Yes	□No	□N/A
			$\Box N/A$
10. 3-month rolling average emissions calculations? ( <i>applicable only to those using an</i>	<b>V</b> v		
alternative emission limit)	⊠Yes	∐No	∐N/A
11. Cleaning capacity calculations? (applicable only to those using an alternative emission			
limit without a solvent-air interface)	<b>Yes</b>	No	⊠N/A

Jeff Morris

Inspector's Name (Please Print)

1/15/13

Date of Inspection

1/15/14

Inspector's Signature

Approximate Date of Next Inspection

**COMMENTS:**