

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) ☐ COMPLAINT/DISCOVERY (CI) ☐ RE-INSPECTION (FUI) ☐ ARMS COMPLAINT NO:							
AIRS ID#: 0251100 DATE: <u>5/24/2011</u> ARRIVE: <u>12:11 PM</u> DEPART	: <u>1:23 PM</u>						
FACILITY NAME: FERDINAND FUNERAL HOMES, LLC.							
FACILITY LOCATION: 2546 SW 8 Street							
MIAMI 33135							
OWNER/AUTHORIZED REPRESENTATIVE: FERNANDO CABALLERO PHONE: (305)631-0001 Email: Mobile: CONTACT NAME: PHONE: Email: Mobile: ENTITLEMENT PERIOD: 6/10/2007 / 6/9/2012 (effective date) (end date)							
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
	20.00						
PART II: ONSITE INTRODUCTORY MEETING	(1.17.1						
Name(s) of facility representative(s): <u>FERNANDO CABALLERO</u> Brief Notes:	(check ☑ only one box for each question)						
2. Is the Authorized Representative still FERNANDO CABALLERO? If no, who is?:	- ⊠ Yes □No						
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still? If no, who is?:							
4. Will facility be conducting VE test(s) during today's inspection?							

Emissions Unit Section 1 – 150 lb/hr Human Crematory Incinerator

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check	V	only one
		box for each question)		
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	⊠ Ye:	S	□No
	b. If yes, were design calculations provided then to confirm a sufficient volume in the		5	10
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time			
	at 1800 degrees Fahrenheit?	Yes		□No
	Crematory unit installed after February 1, 2007?	⊠ Yes	S	∐No
	Date of last inspection: 6/2/2010			
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years?	∑ Yes	a	□No
	b. Has a VE test been performed yet within the current calendar year?	Yes		□No
	c. If first year of operation, was a VE test performed within 30 days of commencing			
	operation?	X Yes	S	□No
	d. Date of last VE test: 6/2/2010	_		
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	Yes		□No
	f. Did the facility demonstrate compliance during the last VE test?	⊠ Yes	S	□No
	If no, what was the problem (if known)?			
				-
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check	N	only one
		box for		•
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	⊠ Yes	S	□No
	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?			□No
	b. Was the visible emissions test conducted according to EPA Method 9?	Yes	S	□No
	c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.d. Did the visible emission test demonstrate compliance with the limit?	⊠ Yes	C.	□No
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes			
	(5% optorty, six minute average, except and visite emissions not exceeding 15% optorty shall be anowed for up to six minutes	in any one	nour	
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes	s	⊠No
	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?		S	□No
	b. Was the visible emissions test conducted according to EPA Method 9?	☐ Yes	S	□No
	c. The visible emission test resulted in an opacity of % for the highest six minute average.	□ x z		
3	d. Did the visible emission test demonstrate compliance with the limit?		S	□No
Э.	is there any reason to ask for a special test to determine compnance with the FWI and CO standa.	Yes	c	⊠No
	If yes, what reason?		5	ZJ1 (0
D۸	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(.11	.7	1
LA	MONTORING/RECORDREET ING REQUIREMENTS	(check box for o		only one [uestion]
1	Were there any objectionable odors detected?	☐ Yes	c	⊠No
1.	An upwind/downwind survey of the facility was conducted. The observed parameters were:	1e:	3	₩7140
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)		
		/		
	Continuous Monitoring Systems –			
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the			
1.	secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	S	∐No
D	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\Box 1,800^1 \boxtimes 1,600^2$ degrees was determined?	☐ Yes	c	□No
	(Application or initial notification: \(^1\) received on or after 8/30/89; \(^2\) received before 8/30/89)	1e:	3	□110

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)							
c. Are the following records kept on file, available for inspection, for at least the past two years?							
All temperature measurements all continuous monitoring systems, monitoring devices, and performance testing measurements;	∐ Yes	∐No					
monitoring system all continuous performance evaluations	Yes	□No					
3) All CEMS or monitoring device calibration checks (last performed on ()	Yes	No					
4) Adjustments5) Preventive maintenance performed on systems/devices	☐ Yes ☐ Yes	∐No □No					
6) Corrective maintenance performed on systems/devices	Yes	□No					
d. Are the temperature charts properly documented with operator name, operator indication of	N						
when cremation in the primary chamber was begun, date, time, and temperature markingse. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	✓ Yes✓ Yes	No □No					
(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatica							
control combustion based on continuous in-stack opacity measurement?	Yes	⊠No					
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity?	☐ Yes	⊠No					
(3) Has the opacity measurement system been cleaned and checked for proper operation in		<u> </u>					
accordance with the manufacturer's recommended maintenance schedule?	Yes	□No					
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one					
	box for each	question)					
	box for each	question)					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F 							
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes	question)					
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic	Yes	□No					
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ———— b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? ————————————————————————————————————	☐ Yes						
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: 	Yes	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	Yes On Yes Yes Xes	No No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No □No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	Yes On Yes Yes Xes	NoNoNo					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremation process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	No No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremation process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> 	☐ Yes on Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ (check ☑	NoNoNo only one					
 If the application to construct was BEFORE and a actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ (check ☑	NoNoNo only one					
1. If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: ALLOWED MATERIALS 1. Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	Yes On Yes Yes On Yes Yes On Yes (check box for each	NoNoNo only one question)					
 If the application to construct was BEFORE and a actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes On Yes Yes On Yes Yes On Yes (check box for each	NoNoNo only one question)					

PART VI: EQUIPMENT MAINTENANCE		(check 🗹 box for each	only one question)					
1. Is the crematory unit maintained in accordance with the manufacture	er's specifications?	⊠ Yes	□No					
 Is there a written plan onsite which addresses the operating procedus shutdown and malfunction?	ristics?g each operating shift?	☐ Yes	□No □No □No □No					
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
Facility Section (continued)								
SPECIAL CONDITIONS AND PROCEDURES		(check	•					
Administrative Changes		box for each	n question)					
Administrative Changes: 1. Were there any changes in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or any other similar minor administrative change at the facility? Yes 2. If yes, did the facility provide written notification within 30 days of the change?			∷No∴No∴No∴No∴No∴No∴No∴No∴No∴No					
If the any answer to 3a. – d. is Yes, was a new registration for submitted 30 days prior to the change?	Yes	□No						
FRANK DELGADO	5/24/2011							
Inspector's Name (Please Print)	Date of Inspection							
	5/2012							
Inspector's Signature	Approximate Date of Next Insp	pection						
COMMENTS: ARLINGTON ENVIRONMENTAL SERVICES CONDUCTED A VISIBLE EMISSIONS TEST ON THE CREMATORY'S STACK. THE VE TEST STARTED AT 12:35 PM. THE SECONDARY CHAMBER TEMPERATURE WAS 1650 DEGREE F. THE PROCESS WEIGHT WAS 160 POUNDS. I DID NOT OBSERVE ANY VISIBLE EMISSIONS DURING THE TEST. THE HOUSEKEEPING IS GOOD.								