

SURFACE COATING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2)			
AIRS ID#: 0112578 DATE: 12/15/2011 ARRIVE: 1400 DEPART: 1500 FACILITY NAME: TWIN LAKES VEHICLE MAINTENANCE BODY SHOP			
FACILITY LOCATION: 3895 NW 10TH AVE OAKLAND PARK 33309-4645			
OWNER/AUTHORIZED REPRESENTATIVE: ASTON HENRY Email: Aston.Henry@browardschools.com CONTACT NAME: MICHAEL LOMONICO Email: Michael.Lomonico@browardschools.com ENTITLEMENT PERIOD: 12/3/2011 / 12/3/2016 (effective date) (end date) PHONE: (754)321-1900 Mobile: Wobile:			
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.300, F.A.C. (check ☑ appropriate box(es))			
1. Does the facility operate any emissions units other than the surface coating operations and emissions units which are exempt from permitting pursuant to the criteria of paragraph 62-210.300(3)(a) or (b), F.A.C., or have been exempted from permitting under Rule 62-4.040, F.A.C.? (Rule 62-210.300(3)(c)4.a., F.A.C.)			
PART III: CONTROL/OPERATING/MAINTANANCE REQUIREMENTS – Rule 62-210.300, F.A.C.			
 (check ☑ appropriate box(es)) Is/Are the surface coating operation(s) subject to a VOC Reasonably Available Control Technology (RACT) emission limiting standard of Chapter 62-296.500, F.A.C.? (Rule 62-210.300(3)(c)4.b., F.A.C.)	_		

(check ☑ appropriate box(es))	E REQUIREMENTS – Rule 62-210.300, F.A.C. – (continued)
b) monitoring the coating thickness to avoid excess c) considering the use of low-VOC coatings (e.g., d) implementing inventory control practices to pre e) implementing management practices to reduce V 1. spraying light colored coatings before dark cycles?	of reducing VOC emissions by: effective application with a minimum of overspray? sive coating? waterborne, ultra-violet cured, or powder coatings)? Ves No vent spillage?
PART IV: SPECIAL CONDITIONS AND PROCEDUR A. New or Modified Process Equipment 1. Since the last inspection has there been	
 a) installation of any new process equipment? b) alterations to existing process equipment with c) replacement of existing equipment substantial recent notification form? d) If you answered <u>YES</u> to any of the above, did notification form and appropriate fee (Rule 62 local program office? 	nout replacement?
 b) alterations to existing process equipment with c) replacement of existing equipment substantial recent notification form? d) If you answered <u>YES</u> to any of the above, did notification form and appropriate fee (Rule 62) 	nout replacement?
 b) alterations to existing process equipment with c) replacement of existing equipment substantial recent notification form? d) If you answered <u>YES</u> to any of the above, did notification form and appropriate fee (Rule 62 local program office? 	nout replacement?
b) alterations to existing process equipment with c) replacement of existing equipment substantial recent notification form?	nout replacement?

COMMENTS: In a compliance inspection conducted on 12/15/2011, AQD staff (E.Susky) observed operations at School Board facility. The facility has one large spray paint booth that is utilized to paint buses. The manager was not in, however he sends the VOC records to the department. A message was left for him. Houskeeping was good and the filters for the spray booth looked to be in good condition.