

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:						
AIRS ID#: 0790022 DATE: <u>07/15/2013</u> ARRIVE: <u>11:00</u> DEPART:	12:00					
FACILITY NAME: BEGGS CREMATORY						
FACILITY LOCATION: 235 NW Orange Ave						
MADISON 32340-2035						
OWNER/AUTHORIZED REPRESENTATIVE: ASHLEY BEGGS Email: madisonchapel@embarqmail.com CONTACT NAME: PARKS BAKER Email: madisonchapel@embarqmail.com ENTITLEMENT PERIOD: 4/19/2013 / 4/19/2018 (effective date) (end date) PHONE: (850)973-225 Mobile: PHONE: (850)973-225						
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
DADE H. ONGINE INTRODUCTORY MEETING						
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Parks Baker Brief Notes:	(check ✓ only one box for each question)					
2. Is the Authorized Representative still ASHLEY BEGGS?	⊠ Yes □No					
If different, did the facility provide an administrative update within 30 days? Is the facility contact still PARKS BAKER? If no, who is?:	☐ Yes ☐No ☐No					
4. Will facility be conducting VE test(s) during today's inspection?	Yes ⊠No ☐ Yes ☐No					

Emissions Unit Section 1 – Dual chamber gas-fired cremation unit for human remains

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check ☑	only one	
			box for each question)	
		DOX TOT CUCIT	question	
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or	N 10 10 1		
	after August 30, 1989?	⊠ Yes	□No	
	b. If yes, were design calculations provided then to confirm a sufficient volume in the			
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	∇ V ₂₀	□ No	
2	Crematory unit installed after February 1, 2007?	∑ Yes	□No ⊠No	
	Date of last inspection: 01/04/2012	∐ Yes	△INU	
	Past Visible Emissions (VE) tests:			
٠.	a. Was a VE test performed within each of the past 4 calendar years?	⊠ Yes	□No	
	b. Has a VE test been performed yet within the current calendar year?	Yes	□No	
	c. If first year of operation, was a VE test performed within 30 days of commencing	Z 105	L 10	
l	operation? N/A	☐ Yes	□No	
l	d. Date of last VE test: 03/21/2013			
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	⊠ Yes	□No	
	f. Did the facility demonstrate compliance during the last VE test?	_	□No	
	If no, what was the problem (if known)?	_		
	*			
D A	DT II. VICIDI E EMICCIONO TECTINO			
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑	only one	
		box for each	question)	
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	☐ Yes	⊠No	
	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?		□No	
	b. Was the visible emissions test conducted according to EPA Method 9?		□No	
	c. The visible emission test resulted in an opacity of % for the highest six minute average.			
	d. Did the visible emission test demonstrate compliance with the limit?	∐ Yes	□No	
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	in any one-hour)		
2	Was a visible emissions test conducted by the inspector during this site visit?	☐ Yes	⊠No	
۷.	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?	Yes	□No	
	b. Was the visible emissions test conducted according to EPA Method 9?		□No	
	c. The visible emission test resulted in an opacity of % for the highest six minute average.			
	d. Did the visible emission test demonstrate compliance with the limit?	- Yes	□No	
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standar			
		☐ Yes	⊠No	
	If yes, what reason?			
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹	only one	
		box for each	•	
			1	
1.				
	Were there any objectionable odors detected?	Yes	⊠No	
	An upwind/downwind survey of the facility was conducted. The observed parameters were:		⊠No	
		☐ Yes (1-10)	⊠No	
2	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-		⊠No	
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems -		⊠No	
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems — Is a continuous temperature monitoring system installed on each unit to record temperatures in the	(1-10)		
a	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems — Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?			
a	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems - Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at \(\sum 1,800^1 \) \(\sum 1,600^2 \) degrees was determined?	(1-10)		
a	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected- Continuous Monitoring Systems — Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ————————————————————————————————————	(1-10) × Yes	□No	

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c. Are the following records kept on file, available for inspection, for at least the past two years?		
1) All temperature measurements	☐ Yes	□No
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;		
monitoring system all continuous performance evaluations	☐ Yes☐ Yes	∐No □No
4) Adjustments	Yes	□No
5) Preventive maintenance performed on systems/devices	Yes	□No
6) Corrective maintenance performed on systems/devices	Yes Yes	□No
d. Are the temperature charts properly documented with operator name, operator indication of	_	
when cremation in the primary chamber was begun, date, time, and temperature markings	∐ Yes	∐No
e. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical	Yes	□No
control combustion based on continuous in-stack opacity measurement?	Yes	□No
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	_ ,,	
exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	∐ Yes	∐No
accordance with the manufacturer's recommended maintenance schedule?	☐ Yes	□No
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑	only one
TAKT IV. SECONDIKT COMBUSTION ZONE TEMI ERMICKES	. `	
	box for each	question)
1. If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	box for each	question)
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes	question)
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical combustion. 	Yes On	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? 	☐ Yes	
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes On	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	No No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes	No No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes on	NoNoNo
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNoNo
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNo only one
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNo only one
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes on ☐ Yes	NoNoNo only one question)
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes On ☐ Yes ☐ Yes On ☐ Yes On ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one question)

PART VI: EQUIPMENT MAINTENANCE	(check ☑ box for each	only one question)			
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	⊠ Yes	□No			
 2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? 3. Does the crematory allow for a visible check on the flame characteristics?		□No ⊠No			
If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?		□No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLI	IANCE				
Facility Section (continued)					
SPECIAL CONDITIONS AND PROCEDURES	(check b ox for each	only one question)			
Administrative Changes: 1. Were there any changes in the name, address, or phone number of the facility or authorized representati associated with a change in ownership or with a physical relocation of the facility or any emissions unit operations comprising the facility; or any other similar minor administrative change at the facility? 2. If yes, did the facility provide written notification within 30 days of the change? New or Modified Process Equipment or Change in Ownership: 3. Since the last registration form submittal has there been	Yes Yes	NoNoNoNoNoNoNoNoNoNoNo			
d. A change in ownership? If the any answer to 3a. – d. is Yes, was a new registration form and the appropriate fee submitted 30 days prior to the change?	☐ Yes	⊠No □No			
Stuart Bartlett 07/15/2013					
Inspector's Name (Please Print) Date of Inspection					
Inspector's Signature Approximate Date of Next Inspector. Reviewed temperature charts:		1110 1/202			

COMMENTS: The unit was not in operation at the time of the inspection. Reviewed temperature charts from the past two years. All charts reviewed were above 1600 degrees F. Suggested facility change charts more frequently to avoid writing over older data. Facility agreed to correct the issue.