

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (COMPLAINT NO:	CI)		
AIRS ID#: 0112605 DATE: <u>07/29/2013</u> ARRIVE: <u>1300</u>	DEPART: <u>1400</u>		
FACILITY NAME: SOUTHERN GROUTS AND MORTARS			
FACILITY LOCATION: 1505 SW 2ND PLACE			
POMPANO BEACH 33069-3202			
	54)943-2288 54)943-2288 54)444-9755		
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Brief Notes:	(check ☑ only one box for each question)		
2. Is the Authorized Representative still RON TICOU*?	YesNo		
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still PAT O'CONNOR*? If no, who is?:			
4. Will facility be conducting VE test(s) during today's inspection?			

Emissions Unit Section 1 -CCB Plant-Plt#1, 2silos (sand) w/central baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	X Yes	☐ No ☐ No ☐ No
DADEN EVELD ODGEDNATIONG DL. (2.20(.414/2) E.A. C		
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards</u>		
 Does the owner/operator of the concrete batching plant take reasonable precautions to control unc emissions by: 	onfined	
	f the fellowing	
 a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of 1) paving and maintenance of roads, parking areas, stock piles, and yards? 	X Yes	☐ No
application of water or environmentally safe dust-suppressant chemicals when necessary control emissions?	to \ Yes	□ No
3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne	_	_
particulate matter?		☐ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment particulate matter from stock piles?		☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck	? Yes	☐ No
2. If reasonable precautions <u>not</u> being taken: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?	Yes Yes Yes	⊠ No ⊠ No

Emissions Unit Section

2 - CCB Plant-Plt#1, 1 silo (cement) w/baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
1. Date of last inspection: <u>1/26/2012</u>		
	∇ v	□ N-
2. Did the emissions unit use reasonable precautions during the last inspection?		∐ No
If not: a. Did the inspector perform a general VE test (20% opacity)?	<u>U</u> Yes	∐ No
b. If tested: ($\underline{0}$)% opacity. Were the visible emissions < 20% opacity? \square N/A \square	Yes No)
c. What caused the problem(s) (if known)?		
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		
· · · ·		
Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and		
Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards		
Conveying Equipment, Conveyor Drop Formes, Routes, Farking Areas, Stock Fires, and Fartus		
1. Describe annual annual and the constant betalian about the annual annual annual annual annual annual annual		
1. Does the owner/operator of the concrete batching plant take reasonable precautions to control unco	nimea	
emissions by:		
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of		
1) paving and maintenance of roads, parking areas, stock piles, and yards?	X Yes	☐ No
2) application of water or environmentally safe dust-suppressant chemicals when necessary t	.0	
control emissions?		\square No
3) removal of particulate matter from roads and other paved areas under control of the		110
owner/operator to re-entrainment, and from building or work areas to reduce airborne	—	
particulate matter?		∐ No
 reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment 	of	
particulate matter from stock piles?	X Yes	□ No
rrr		
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?		☐ No
b. Ose of spray bar, endic, of partial encrosure to fillingate emissions at the drop point to the truck:	1cs	☐ 140
2. If reasonable precautions <u>not</u> being taken:		
	□ v	M M
a. Did the inspector perform a general VE test (20% opacity)?		⊠ No
b. If tested: ()% opacity. Were the visible emissions < 20% opacity?		⊠ No
c. What caused the problem(s) (if known)?		

Emissions Unit Section 3 -CCB Plant-Plt#1, 2 silos (cement) w/central baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION	
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	s 🔲 No
DADE II. EIEI D ODGEDWATIONG DL. (2 20/ 414/2) E A C	
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.	
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards</u>	
1. Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following	,.
1) paving and maintenance of roads, parking areas, stock piles, and yards? X Yes	
2) application of water or environmentally safe dust-suppressant chemicals when necessary to control emissions? Yes	s 🗌 No
3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne	
particulate matter? Yes	s 🗌 No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles? Yes	s 🗌 No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? Yes	s 🗌 No
2. If reasonable precautions <u>not</u> being taken:	
a. Did the inspector perform a general VE test (20% opacity)? Yes	
b. If tested: ()% opacity. Were the visible emissions < 20% opacity?	s 🛚 No

Emissions Unit Section 4 -CCB Plant-Plt#1, 4 silos (sand) w/central baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection? If not: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? N/A c. What caused the problem(s) (if known)?	Yes	☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards</u>		
Conveying Equipment, Conveyor Drop romes, Abaus, Larking Areas, Stock rices, and Larus		
 Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfine emissions by: 	ed	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the f		_ <u>_</u>
 paving and maintenance of roads, parking areas, stock piles, and yards? application of water or environmentally safe dust-suppressant chemicals when necessary to 	Yes	☐ No
control emissions?	- X Yes	☐ No
3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne		
particulate matter?	- X Yes	☐ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles?	∇ Ves	□ No
particulate matter from stock piles:	∐ 1cs	
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?	☐ Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken:		
a. Did the inspector perform a general VE test (20% opacity)?b. If tested: ()% opacity. Were the visible emissions < 20% opacity?	☐ Yes	⊠ No ⊠ No
c. What caused the problem(s) (if known)?		

Emissions Unit Section 5 –CCB Plant-Plt#1, 1 silo (CP FILLER) w/baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
Date of last inspection: 1/26/2012 Did the emissions unit use reasonable precautions during the last inspection? If not: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?		☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		ļ
Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and		
Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards		
Does the owner/operator of the concrete batching plant take reasonable precautions to control unce emissions by:	onfined	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of	the following:	
 paving and maintenance of roads, parking areas, stock piles, and yards? application of water or environmentally safe dust-suppressant chemicals when necessary 		☐ No
control emissions?		☐ No
3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne		
particulate matter?		☐ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment particulate matter from stock piles?	of Yes	☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck	? Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?	Yes Yes	⊠ No ⊠ No

Emissions Unit Section 6 –CCB Plant-Plt#1, MAIN, w/dust collector subject to Reasonable Precautions

DARKA EW E DEWEW DRIOD TO INSDECTION	
PART I: <u>FILE REVIEW PRIOR TO INSPECTION</u>	
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.	
	ļ
Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and	ļ
Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards	ļ
Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:	ļ
1) paving and maintenance of roads, parking areas, stock piles, and yards? \overline Yes	☐ No
2) application of water or environmentally safe dust-suppressant chemicals when necessary to	_
control emissions? Yes	☐ No
3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne	
particulate matter? Yes	□ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	
particulate matter from stock piles? Yes	☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken:	
a. Did the inspector perform a general VE test (20% opacity)?	⊠ No
b. If tested: ()% opacity. Were the visible emissions < 20% opacity?	⊠ No
c. What caused the problem(s) (if known)?	

Emissions Unit Section 7 – CCB Plant-Plt#2, silo #C (white cement) w/two baghouses subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION	
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	☐ No ☐ No ☐ No
DADEN THE DODGEDVATIONS D.L. (2.40/.414/2) E.A. C.	
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.	
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and</u> <u>Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards</u>	
Conveying Equipment, Conveyor Drop Formes, Routes, Farming Areas, Stock Files, and Taras	ļ
 Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfined emissions by: 	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:	
1) paving and maintenance of roads, parking areas, stock piles, and yards? X Yes	☐ No
2) application of water or environmentally safe dust-suppressant chemicals when necessary to control emissions? X Yes	□ No
3) removal of particulate matter from roads and other paved areas under control of the	_
owner/operator to re-entrainment, and from building or work areas to reduce airborne particulate matter? X Yes	□ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	
particulate matter from stock piles? Yes	∐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken:	
a. Did the inspector perform a general VE test (20% opacity)?	⊠ No ⊠ No
c. What caused the problem(s) (if known)?	M 140

Emissions Unit Section

8 - CCB Plant-Plt#2, silo #A (white cement) w/one baghouses subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION	
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.	
Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and	
Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards	
	ļ
1. Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:	
	ļ
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following: 1) paving and maintenance of roads, parking areas, stock piles, and yards?	□ No
2) application of water or environmentally safe dust-suppressant chemicals when necessary to	☐ 1NO
control emissions? Yes	☐ No
 removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne 	
particulate matter? 🛛 Yes	☐ No
4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	□ N ₂
particulate matter from stock piles? Yes	☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? Yes	⊠ No
2. If reasonable precautions not being taken:	
a. Did the inspector perform a general VE test (20% opacity)?	⊠ No
b. If tested: ()% opacity. Were the visible emissions < 20% opacity? Yes	⊠ No
c. What caused the problem(s) (if known)?	

Emissions Unit Section 9 -CCB Plant-Plt#2, silo #B (gray cement) w/one baghouse subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
Date of last inspection: 1/26/2012 Did the emissions unit use reasonable precautions during the last inspection? If not: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? \[\Delta / N/A \] c. What caused the problem(s) (if known)?		☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards</u>		
Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfine emissions by:	d	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the formula	⊠ Yes	□ No
 removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne 	_	
particulate matter?	_	☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?	☐ Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?	Yes Yes	⊠ No ⊠ No

Emissions Unit Section 10 –CCB Plant-Plt #2, 2 silos,#'sD&E(sand silos)ea.w/vent filter subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION	
1. Date of last inspection: 1/26/2012 2. Did the emissions unit use reasonable precautions during the last inspection?	☐ No ☐ No ☐ No
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.	
Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Yards	
1. Does the owner/operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following: 1) paving and maintenance of roads, parking areas, stock piles, and yards?	□ No□ No□ No□ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck? Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken: a. Did the inspector perform a general VE test (20% opacity)?	⊠ No ⊠ No

Emissions Unit Section 11 –CCB Plant-Plt#2, 2 sand silos #D&E, 8/30, ea w/vent filter subject to Reasonable Precautions

PART I: FILE REVIEW PRIOR TO INSPECTION		
Date of last inspection: 1/26/2012 Did the emissions unit use reasonable precautions during the last inspection? If not: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?	Yes	☐ No ☐ No ☐ No
DADEN SHELD ODGEDVATIONS DATES AND ALLOW FAR		
PART II: FIELD OBSERVATIONS – Rule 62-296.414(2), F.A.C.		
<u>Unconfined Emissions from Truck Loading and Unloading, Hoppers, Storage and Conveying Equipment, Conveyor Drop Points, Roads, Parking Areas, Stock Piles, and Ya</u>	rde	
 Does the owner/operator of the concrete batching plant take reasonable precautions to contro emissions by: 	ol unconfined	
a. Management of roads, parking areas, stock piles, and yards, which shall include one or m	ore of the following:	
 paving and maintenance of roads, parking areas, stock piles, and yards? application of water or environmentally safe dust-suppressant chemicals when nece 		☐ No
control emissions?	Yes	☐ No
 removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne 		
particulate matter?		☐ No
particulate matter from stock piles?		☐ No
b. Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the	truck? Yes	⊠ No
2. If reasonable precautions <u>not</u> being taken: a. Did the inspector perform a general VE test (20% opacity)? b. If tested: ()% opacity. Were the visible emissions < 20% opacity? c. What caused the problem(s) (if known)?	Yes Yes Yes	⊠ No ⊠ No

Facility Section (continued)

_					
<u>C(</u>	ONFIRMATION OF GENERAL PERMIT ELIGIBILITY		only one ch question)		
1.	Does this facility keep records to show that it does not have the potential to emit: a. 10 tons per year or more of any hazardous air pollutant? b. 25 tons per year or more of any combination of hazardous air pollutants? c 100 tons per year or more of any other regulated air pollutant?	Yes	☐ No ☐ No ☐ No		
2.	Does this facility include: a. Any emission units or activities not covered by the applicable air general permit (with the exception units and activities that are exempt from permitting pursuant to subsection Rule 62-210.300(3) or Rule 62-4.040, F.A.C.)?		⊠ No		
	b. Any emissions units or activities authorized by another air general permit where such other air general permit and this general permit specifically allow the use of one another at the same facility?		⊠ No		
3.	Is the total combined annual facility-wide fuel usage of all plants less than or equal to: a. 275,000 gallons of diesel fuel?	Yes Yes Yes Yes	NoNoNoNoNoNoNo		
4.	gal diesel/yr + gal gasoline/yr + MM SCF nat. gas/yr + MM gal prop. 275,000 gal diesel/yr 23,000 gal gasoline/yr 44 MM SCF nat. gas/yr + MM gal proparation maintained, available for inspection, site-wide records of monthly fuel consum for each consecutive 12-period for the past 5 years?	ne/yr	.00?		
Gl	GENERAL CONDITIONS (check ✓ only one box for each question)				
1.	Has the owner or operator allowed the circumvention of any air pollution control device, or allowed the emission of air pollutants without the proper operation of all applicable air pollution control devices?	∏ Yes	⊠ No		
2.	Does the owner or operator:	_			
	a. Maintain the authorized facility in good condition?b. Ensure that the facility maintains its eligibility to use the air general permit and complies with all	- ⊠ Yes	∐ No		
3.	terms and conditions of the air general permit?	Yes	☐ No		
	to the facility at reasonable times to inspect and test and to determine compliance with the air general permit and Department rules?	X Yes	☐ No		

RELOCATABLE PLANT:	1	(check 🗹	•		
1. Is the facility: stationary \(\subseteq \); relocatable \(\subseteq \); or consisting of both stationary and relocatable \(\subseteq \) box for each question) concrete batching and/or nonmetallic mineral processing plants? (<i>If only stationary, skip the following question 2.</i>)					
2. Is the relocatable concrete batching plant used to mix cement and soil for onsite soil augmentation or stabilization? (<i>If YES, answer 2. a and 2 .b; if NO, answer question 2.c below.</i>) a. Did the owner or operator notify the appropriate Department or		Yes	⊠ No		
e-mail, fax, or written communication at least one business day b. Did the owner or operator transmit a Facility Relocation Notific	prior to changing location?	Yes	☐ No		
to the Department or Local Air Program no later than five busin c. Did the owner or operator transmit a Facility Relocation Notifica	ess days following a relocation?	☐ Yes	☐ No		
to the appropriate Department or Local Air Program at least five			☐ No		
3. If the relocatable plant was co-located at a facility with a separate and the relocatable batch plant is not included as an emissions unit a. Was the relocatable batch plant being used for a non-routine pur If YES, what was the purpose?b. Were records kept by the owner/operator to indicate how long it	in that separate permit: pose (i.e, there is no repeated usage)		□ No		
co-located at the permitted facility?			☐ No ☐ No		
CHANGES	,	(check 🗹 box for each o			
Administrative Changes: 1. Were there any changes in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or any other similar minor administrative change at the facility? Yes No 2. If YES, did the facility provide written notification within 30 days of the change?					
New or Modified Process Equipment or Change in Ownership: 3. Since the last registration form submittal has there been a. Installation of any new process equipment? b. Alterations to existing process equipment without replacement? c. Replacement of existing equipment with equipment that is subs d. A change in ownership?	?tantially different?	☐ Yes	NoNoNoNoNoNo		
4. If the answer to any question 3a. – d. is YES, was a new registration 30 days prior to the change?		nitted Yes	☐ No		
Elizabeth F. Susky	07/29/2013				
Inspector's Name (Please Print)	Date of Inspection				
	07/29/2014				
Inspector's Signature	Approximate Date of Next Insp	ection			

facility .