



# CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

**INSPECTION TYPE:** ANNUAL (INS1, INS2)  COMPLAINT/DISCOVERY (CI)   
 RE-INSPECTION (FUI)  ARMS COMPLAINT NO:

**AIRS ID#:** 0251124 **DATE:** 8/29/2011 **ARRIVE:** 12:50PM **DEPART:** 1:35PM  
**FACILITY NAME:** TECHNO-COATINGS  
**FACILITY LOCATION:** 1865 NE 144TH ST  
 NORTH MIAMI 33181-1419  
**OWNER/AUTHORIZED REPRESENTATIVE:** SAUL CAMARGO **PHONE:** (305)945-2220  
**Email:** **Mobile:**  
**CONTACT NAME:** GABRIELA DUDASOVA **PHONE:** (305)945-2220  
**Email:** **Mobile:**  
**ENTITLEMENT PERIOD:** 7/31/2008 / 7/31/2013  
 (effective date) (end date)

**PART I: INSPECTION COMPLIANCE STATUS** (check  only one box)

IN COMPLIANCE  MINOR Non-COMPLIANCE  SIGNIFICANT Non-COMPLIANCE

**PART II: CLASSIFICATION – Rule 62-213.300 FAC**

Facility type(s)/applicable standard as indicated on notification form:

1. **Hard Chromium Plating**

- a. **Existing Large** (0.015 mg/dscm)
- b. **Existing Small** (0.03 mg/dscm) -----
- c. **New** (0.015 mg/dscm) -----
- d. **Alternative Standard** for existing facilities   
(0.03 mg/dscm) using a rolling average of  
rectifier capacity (less than 60 million A-hr/year)

2. **Decorative Chromium Plating/Anodizing**

- a. **Chromic Acid Bath**
  - 1) Emissions of  $\leq 0.01$  mg/dscm ( $4.4 \times 10^{-6}$  gr/dscf) -----
  - 2) Surface tension of  $\leq 45$  dynes/cm ( $3.1 \times 10^{-3}$  lb-f/ft) -----   
(May only be selected if a wetting agent is used.)
- b. **Trivalent Chromium Bath**
  - 1) With wetting agent -----
  - 2) Without wetting agent  $\leq 0.01$  mg/dscm ( $4.4 \times 10^{-6}$  gr/dscf) -----
- c. **Chromium Anodizing**
  - 1) Emissions of  $\leq 0.01$  mg/dscm ( $4.4 \times 10^{-6}$  gr/dscf) -----
  - 2) Surface tension of 45 dynes/cm ( $3.1 \times 10^{-3}$  lb-f/ft) -----   
(May only be selected if a wetting agent is used.)

**PART III: CONTROL TECHNOLOGY – Rule 62-213.300 FAC**

(Select control device)

**DEVICE IN USE?**

- |  |   |
|--|---|
| 1. <input type="checkbox"/> Composite Mesh Pad -----                     | <input type="checkbox"/> Yes <input type="checkbox"/> No            |
| 2. <input type="checkbox"/> Fiber Bed Mist Eliminator -----              | <input type="checkbox"/> Yes <input type="checkbox"/> No            |
| 3. <input type="checkbox"/> Packed Bed Scrubber -----                    | <input type="checkbox"/> Yes <input type="checkbox"/> No            |
| 4. <input type="checkbox"/> Packed Bed Scrubber/Composite Mesh Pad ----- | <input type="checkbox"/> Yes <input type="checkbox"/> No            |
| 5. <input type="checkbox"/> Foam Blanket Fume Suppressant -----          | <input type="checkbox"/> Yes <input type="checkbox"/> No            |
| 6. <input type="checkbox"/> Fume Suppressant w/ Wetting Agent -----      | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |

Has the facility conducted an initial performance test to establish monitoring parameters?  Yes  No  N/A  
 (Not required for sources using a wetting agent or 1-inch foam blanket thickness)

**PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300(3)**

Has the responsible official maintained the following records?

1. Quarterly inspection records for add-on air pollution control devices and monitoring equipment. *(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)* -----  Yes  No  N/A
2. Operations and Maintenance Plan (OMP). *(applicable only to a facility using a packed bed scrubber, fiber-bed mist eliminator, or composite mesh pad)* -----  Yes  No  N/A
3. Maintenance records for the source, add-on pollution control devices, and monitoring equipment (equipment identified, date performed, description). -----  Yes  No
4. Records of date of occurrence, duration, cause, and corrective action of each malfunction of process, add-on pollution control device, and monitoring equipment.  Yes  No
5. Results of all performance tests. -----  Yes  No  N/A
6. Records of monitoring data. *(not applicable to trivalent chromium baths using a wetting agent)* -----  Yes  No  N/A

**Composite Mesh Pad**

Measure the pressure drop across the CMP daily. -----  Yes  No

**Packed Bed Scrubber**

Measure the pressure drop across the PBS and the inlet velocity daily. -----  Yes  No

**Fiber-Bed Mist Eliminator**

Measure the pressure drop across the FBME and the upstream device daily. ---  Yes  No

**Packed Bed Scrubber/Composite Mesh Pad**

Measure the pressure drop across the CMP daily. -----  Yes  No

**Foam Blanket Fume Suppressant**

Measure the foam blanket thickness at the appropriate interval.. -----  Yes  No

**Fume Suppressant w/ Wetting Agent**

Measure the surface tension at the appropriate interval. -----  Yes  No

7. Purchase records of wetting agent components. -----  Yes  No  N/A
8. Records of the date and time that fume suppressants are added to the bath. ----  Yes  No  N/A
9. Records of rectifier capacity, if used to determine facility size. -----  Yes  No  N/A
10. Records of the total process operating time. -----  Yes  No
11. Records identifying specific periods of excess emissions. -----  Yes  No
12. Startup, Shutdown & Malfunction Plan. -----  Yes  No

MARUFUL MALIK

8/29/2011

\_\_\_\_\_  
Inspector's Name (Please Print)

\_\_\_\_\_  
Date of Inspection

8/29/2012

\_\_\_\_\_  
Inspector's Signature

\_\_\_\_\_  
Approximate Date of Next Inspection

**COMMENTS:** On August 29, 2011 I visited this facility to conduct the annual compliance inspection. On site I met Gabriela Dudasova, the Lab Manager. This facility has two vapor degreasers and only one is currently operational. This facility uses Gentech, a general cleaning solvent, to clean the metals after polishing. Review of MSDS indicates that they do not contain any hazardous materials.

**REVIEWED**

*By Ray Gordon at 3:10 pm, Sep 15, 2011*