

## **HUMAN CREMATORY**



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/D ARMS COMPL	DISCOVERY (CI)						
AIRS ID#: 0310516 DATE: <u>03/01/2013</u>	ARRIVE:	DEPART:						
FACILITY NAME: ETERNITY FUNERAL HOME & CREMATORY								
FACILITY LOCATION: 4856-B OAKDAL	E AVE							
JACKSONVILLE	32207-2562							
OWNER/AUTHORIZED REPRESENTATIVE: Email: CONTACT NAME: REX GILL Email: ENTITLEMENT PERIOD: 2/25/2011 / 2/25 (effective date) (end d	5/2016	PHONE: (904)348-557 Mobile: (904)234-502 PHONE: (904)348-557 Mobile: (904)234-502	25 29					
Facility Section								
PART I: <u>INSPECTION COMPLIANCE STATUS</u> (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
1. Name(s) of facility representative(s): Tommy Do	oyle		(check ✓ only one box for each question)					
Brief Notes: <u>Unit is B&amp;L Model N20AA fully a</u>								
2. Is the Authorized Representative still REX GILL If no, who is?:	://		⊠ Yes □No					
If different, did the facility provide an administra  3. Is the facility contact still REX GILL? If no, who is?:			☐ Yes ☐No ☐ Yes ☐No					
4. Will facility be conducting VE test(s) during toda If yes, was the compliance authority notified at le			Yes ⊠No ☐ Yes ☐No					

## Emissions Unit Section 1 – Human Crematory-prim/2ndarychmbrsNGfired150lbs/hrT&Omonitors

PA	ART I: FILE REVIEW PRIOR TO INSPECTION	(check <b>☑</b>	only one
		box for each question)	
		DOX 101 Cacii	question)
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or	_	
	after August 30, 1989?	⊠ Yes	□No
	b. If yes, were design calculations provided then to confirm a sufficient volume in the		
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time	_	
	at 1800 degrees Fahrenheit?	Yes	□No
	Crematory unit installed after February 1, 2007?	☐ Yes	⊠No
	Date of last inspection: 1/5/2011		
4.	Past Visible Emissions (VE) tests:		
l	a. Was a VE test performed within each of the past 4 calendar years?	Yes	□No
l	b. Has a VE test been performed yet within the current calendar year?	☐ Yes	⊠No
l	c. If first year of operation, was a VE test performed within 30 days of commencing		
l	operation?	Yes	□No
l	d. Date of last VE test: 3/23/12		·
l	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	Yes	□No
l	f. Did the facility demonstrate compliance during the last VE test?		□No
l	If no, what was the problem (if known)?	<del></del>	
_			
			<del></del>
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check 🗹	only one
		box for each	question)
1	Was a similar emissions test conducted by the facility for this unit during this gite visit?	□ Vag	⊠ No
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?		⊠No □No
	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?		=
	b. Was the visible emissions test conducted according to EPA Method 9?	- L Yes	∐No
	c. The visible emission test resulted in an opacity of % for the highest six minute average.		
	d. Did the visible emission test demonstrate compliance with the limit?	· $\square$ Yes	□No
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	3 in any one-iioui)	il i
2	Was a visible emissions test conducted by the inspector during this site visit?	- $\square$ Yes	⊠No
۷.	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?		⊠No □No
	b. Was the visible emissions test conducted according to EPA Method 9?		□No
	c. The visible emission test resulted in an opacity of was the highest six minute average.	. 🔲 168	□INO
	d. Did the visible emission test demonstrate compliance with the limit?	- Yes	□No
2	Is there any reason to ask for a special test to determine compliance with the PM and CO standa		□NO
э.	Is there any reason to ask for a special test to determine compliance with the rivi and CO standa	Yes	⊠No
	If was what reason?	☐ 1 es	<b>□N</b> 0
	If yes, what reason?		
_			
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹	only one
		box for each	question)
1	*** 4 11 4 11 1 . 3.4.4.30	□ 37.a	
1.	Were there any objectionable odors detected?	· U Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were:	(1.10)	
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
2	Continuous Manitanina Sustana		
	Continuous Monitoring Systems –		
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the	∇ v <sub>aa</sub>	$\square$ No
h	secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	∐No
υ	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence	_	
		$\bigvee V_{\alpha\alpha}$	N <sub>0</sub>
	time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?	⊠ Yes	□No

	PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)					
c.	Are the following records kept on file, available for inspection, for at least the past two years?	N-71 x 7				
	<ol> <li>All temperature measurements</li> <li>all continuous monitoring systems, monitoring devices, and performance testing measurements;</li> </ol>	⊠ Yes	∐No			
	monitoring system all continuous performance evaluations	Yes	□No			
	3) All CEMS or monitoring device calibration checks (last performed on (5/24/12)		□No			
1	4) Adjustments 5) Preventive maintenance performed on systems/devices	<ul><li>Yes</li><li>Yes</li></ul>	∐No □No			
	6) Corrective maintenance performed on systems/devices	Yes	□No			
d.	Are the temperature charts properly documented with operator name, operator indication of					
1	when cremation in the primary chamber was begun, date, time, and temperature markings	⊠ Yes	□No			
e.	Was the crematory unit installed after $2/1/07$ ? If no, skip e.(1) – (3)	☐ Yes	⊠No			
1	control combustion based on continuous in-stack opacity measurement?	Yes	□No			
i	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity?	□ Vas	□ No			
	(3) Has the opacity measurement system been cleaned and checked for proper operation in	∐ Yes	∐No			
	accordance with the manufacturer's recommended maintenance schedule?	Yes	□No			
		_				
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one			
		box for each	question)			
1.	If the application to construct was <b>BEFORE</b> August 30, 1989 is the:					
l	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F					
1	the control of the complete the management of company	□ V <sub>20</sub>	□мо			
	throughout the combustion process in the primary chamber?b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic		□No			
	throughout the combustion process in the primary chamber?  b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?		□No			
2.	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic	on				
2.	<ul> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?</li></ul>	on Yes	□No			
2.	<ul> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?</li> <li>If the application to construct ON or AFTER August 30, 1989 is the:</li> <li>a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?</li> </ul>	on ☐ Yes ⊠ Yes				
2.	<ul> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?</li></ul>	on ☐ Yes ⊠ Yes	□No			
2.	<ul> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?</li> <li>If the application to construct ON or AFTER August 30, 1989 is the:</li> <li>a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?</li> <li>b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic</li> </ul>	Yes  Yes  Yes	No			
	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	Yes  Yes  Yes  Yes	No			
	<ul> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?</li> <li>If the application to construct ON or AFTER August 30, 1989 is the:</li> <li>a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber?</li> <li>b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic</li> </ul>	on Yes  ☐ Yes  ☐ Yes  ☐ Yes  On Yes  ☐ (check ☑	□No □No □No only one			
	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	Yes  Yes  Yes  Yes	□No □No □No only one			
PA	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	Yes  Yes  Yes  Yes  (check  box for each	No			
PA	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? ————————————————————————————————————	Yes  Yes  Yes  Yes  (check  box for each	□No □No □No only one			
<b>P</b> A 1.	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	Yes  Yes  Yes  Yes  (check  box for each	No			

PART VI: <u>EQUIPMENT MAIN</u>	(check ☑ only one box for each question)							
1. Is the crematory unit maintained	ed in accordance with the m	anufacturer's specifications?	Yes	□No				
2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?			⊠ Yes	□No				
3. Does the crematory allow for a visible check on the flame characteristics?			∐ Yes	⊠No				
a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?				⊠No ⊠No				
PART VII: EU INSPECTION O	PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)							
☐ IN COMPLIANCE	MINOR Non-COMPLIA	ANCE SIGNIFICANT Non-COMPL	IANCE					
SPECIAL CONDITIONS AND		ection (continued)	(check ☑ box for eacl	•				
Administrative Changes:								
Were there any changes in the associated with a change in ow operations comprising the facil	nership or with a physical r ity; or any other similar mi	mber of the facility or authorized representate elocation of the facility or any emissions unit nor administrative change at the facility?0 days of the change?	ts or Yes	⊠No □No				
New or Modified Process Equipm	ent or Change in Ownership	<u>o</u> :						
3. Since the last registration form submittal has there been			Yes Yes	<ul><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li></ul>				
William Coffman		3/1/2013						
Inspector's Name (Ple	ease Print)	Date of Inspection						
Inspector's Signature Approximate Date of Next Inspection								
COMMENTS: Unit fully automa	atic.Rebricked and maint 9	0/3 -9/9 2012, unit inspected and maintaince d	one 5/24/12.					