

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS		· / —	
AIRS ID#: 0251129 DATE: <u>2/22/2013</u> ARRIVE: <u>9:45AM</u> DEPART: <u>11:10AM</u>			
FACILITY NAME: NICK PLATING			
<b>FACILITY LOCATION:</b> 535 NW	29th St		
MIAMI	33127-3917		
OWNER/AUTHORIZED REPRESENTATIVE: NELSIDO HERNANDEZ PHONE: (305)573-7656  Email: Mobile:  CONTACT NAME: PHONE: Email: Mobile:  ENTITLEMENT PERIOD: 10/27/2008 / 10/27/2013 (effective date) (end date)			
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating  a. Existing Large (0.015 mg/dscm)  b. Existing Small (0.03 mg/dscm)			
c. <u>New</u> (0.015 mg/dscm)	d. Alternative Standard for ex (0.03 mg/dscm) using a rolling rectifier capacity (less than 60	isting facilities   g average of	
2. <u>Decorative Chromium Plating/Anodizing</u>			
a. Chromic Acid Bath	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4x10<sup>-1</sup></li> <li>Surface tension of ≤ 45 dynes/cm (3.1: (May only be selected if a wetting age</li> </ol>	$\times 10^{-3}$ lb-f/ft)	
b. Trivalent Chromium Bath	<ol> <li>With wetting agent</li> <li>Without wetting agent ≤ 0.01mg/dscm</li> </ol>	(4.4x10 <sup>-6</sup> gr/dscf)	
c. <u>Chromium Anodizing</u>	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4x10<sup>-1</sup></li> <li>Surface tension of 45 dynes/cm (3.1x10 (May only be selected if a wetting age</li> </ol>		

PART III: <u>CONTROL TECHNOLOGY</u> – Rule 62-213.300 FAC	
(Select control	
<u>device</u> )	<u>DEVICE IN USE</u> ?
1. Composite Mesh Pad	∐Yes ∐No
2. Fiber Bed Mist Eliminator	
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	☐Yes ☐No
5. Foam Blanket Fume Suppressant	
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters?	□Yes □No □N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	
(-1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	
PART IV: <u>RECORDKEEPING/REPORTING</u> <u>REQUIREMENTS</u> – Rule 62-213.300	0(3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	74.7 T
monitoring equipment. (applicable only to a facility using a packed bed scrubbed	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	- LYes LNo LN/A
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description).	∐Yes ∐No
4. Records of date of occurrence, duration, cause, and corrective action of each	
malfunction of process, add-on pollution control device, and monitoring equipmen	
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using	
agent)	LYes LNo LN/A
~	
Composite Mesh Pad  Massayar the massayar duen comes the CMD deily	
Measure the pressure drop across the CMP daily	LYes LNo
Packed Bed Scrubber  Massyre the pressure drop corose the DBS and the inlet velocity deily	□vz □ <sub>XT</sub> .
Measure the pressure drop across the PBS and the inlet velocity daily.	- □Yes □No
Fiber-Bed Mist Eliminator  Massure the pressure dues across the EDME and the prestrain device deily	□x7 □xy_
Measure the pressure drop across the FBME and the upstream device daily	- Yes No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	- □Yes □No
Foam Blanket Fume Suppressant	□xz □xt.
Measure the foam blanket thickness at the appropriate interval	∐Yes ∐No
Fume Suppressant w/ Wetting Agent  Massyre the surface tension at the appropriate interval	May May-
Measure the surface tension at the appropriate interval	
7. Purchase records of wetting agent components.	
8. Records of the date and time that fume suppressants are added to the bath	
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time.	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	⊠Yes □No

MARUFUL MALIK	2/22/2013
Inspector's Name (Please Print)	Date of Inspection
	2/2014
Inspector's Signature	Approximate Date of Next Inspection

**COMMENTS:** On February 22, 2013 I visited this facility to verify the operational status and to conduct the annual compliance inspection. On site I met Nelsido Hernandez, the owner of the facility. This facility engages in Chromium Electroplating on Wednesday, Thursday, and Friday of the week and applies a wetting agent when necessary. Monthly efluent flow with frequency and parameter was reveiwed from 2/13/2012 through 2/13/2013. Purchase receipt of 110.23lbs of Chromic Acid Flake was available.

REVIEWED

By Ray Gordon at 4:02 pm, Feb 28, 2013