

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

<b>INSPECTION TYPE</b> :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVER	Y (CI)				
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:					
AIRS ID#: 0251132 DATE: <u>8/8/2007</u> ARRIVE: <u>10:15 AM</u> DEPART: <u>10:45 AM</u>							
FACILITY NAME: FORTINENTAL LLC							
FACILITY LOCATION: 1421 S Miami Avenue							
	MIAMI 33133						
RESPONSIBLE OFFICE	IAL: MARTHA MARTIN	PHONE:	: (786)487-6560				
CONTACT NAME:		PHONE	PHONE:				
REMITTANCE YEAR:	2005 <b>ENT</b>	TITLEMENT PERIOD: 9/18/2006 (effective date	/ 9/18/2011 ) (end date)				
PART I: <u>INSPECTION</u>	COMPLIANCE STATUS	$\underline{\mathbf{S}}$ (check $\underline{\mathbf{M}}$ only one box)					
☐ IN COMPLIANO	CE MINOR Non-Co	OMPLIANCE SIGNIFICAN	T Non-COMPLIANCE				
	LASSIFICATION - Rule y one box in A)	62-213.300 FAC					
transfer only, both types, x	ly, x < 140 gal/yr x < 200 gal/yr	2. New small area source dry-to-dry only, x < 140 transfer only, x < 200 ga both types, x < 140 gal/y (constructed on or after	) gal/yr al/yr yr				
transfer only, both types, 14	e area source $\Box$ ly, $140 \le x \le 2{,}100 \text{ gal/yr}$ $200 \le x \le 1{,}800 \text{ gal/yr}$ $0 \le x \le 1{,}800 \text{ gal/yr}$ before $12/9/91)$	4. New large area source dry-to-dry only, $140 \le x$ transfer only, $200 \le x \le$ both types, $140 \le x \le 1$ , (constructed on or after	1,800 gal/yr 800 gal/yr				
drop store/out	General Permit to f business/petroleum ds above limits						
<b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 0 gallons.							

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check <b>☑</b> only one box				
Does the responsible official of the dry cleaning facility:			ich questi	on)		
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes	□No	□N/A		
2.	Examine the containers for leakage?	⊠Yes	☐ No	□ N/A		
3.	Close and secure machine doors except during loading/unloading?	X Yes	☐ No			
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes	□ No	□ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes	□No	⊠ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a <b>Existing small</b> area source, no controls are requi	red. Pro	ceed to I	Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>					
	3. If the facility classification is a <b>Existing large area source</b> , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. <b>Complete both sections A and B below.</b> Carbon adsorber must have been installed prior to September 22, 1993					
	4. If the facility classification is a <u>New large area source</u> , the machine should be econdenser. Complete both sections A and B below.	quipped v	vith a ref	rigerated		
<b>A.</b>	Has the responsible official of all <u>existing large</u> <u>area &amp; new sources</u> :		only each ques	one box for stion)		
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	□No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Yes	□No	□N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Yes	□No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes	□No	⊠N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	□No			

PART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC (continued)	
B. Does the responsible official of an existing large or new large area source also: (check ☑ only one be each question)	ox for
Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Yes No	
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	□N/A □ N/A
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the	□ N/A
a) Is the perc concentration equal to, or less than 100 ppm? Yes No	□ N/A
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□ N/A
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	□ N/A
6. Route airflow to the carbon adsorber (if used) at all times? Yes No	□ N/A
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC    Does the responsible official: (check ☑ only one becach question)	ox for
1. Maintain receipts for perc purchased? No	
2. Maintain rolling monthly total of yearly perc consumption?   Yes   No	
3. Maintain leak detection inspection and repair reports for the following:	
a) documentation of leaks repaired w/in 24 hrs? or; Yes No	N/A
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Yes No	⊠ N/A
4. Maintain calibration data? (for applicable direct reading instruments) Yes No	N/A
S Milatin Land a marketin Land and the Control of t	N/A
5. Maintain exhaust duct monitoring data on perc concentrations? Yes No	
Maintain exhaust duct monitoring data on perc concentrations? Yes No      No      Amaintain a startup/shutdown/malfunction plan? Yes No	
6. Maintain a startup/shutdown/malfunction plan? Yes No	⊠ N/A
6. Maintain a startup/shutdown/malfunction plan?	⊠ N/A ⊠ N/A

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	X Yes No			
2. Does the facility maintain a leak log?				
	\bigsymbol{\omega} Yes \bigsymbol{\omega} No \bigsymbol{\omega} N/A			
4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces)				
**If using direct-reading instrumentation, is the equipment:				
FRANK DELGADO	8/8/07			
Inspector's Name (Please Print) D	Date of Inspection			
8/200	008			
Inspector's Signature A	Approximate Date of Next Inspection			
COMMENTS: RECORDS ARE AVAILABLE. NO LEAKS FOUND.				