

ANIMAL CREMATORY



COMPLIANCE INSPECTION CHECKLIST

RE-INSPECTION (FUI) ARMS COMPLAINT NO:	
AIRS ID#: 0830150 DATE: <u>9/21/09</u> ARRIVE: <u>11:45 p.m.</u> DEPART: <u>1:00 p.m.</u>	
FACILITY NAME: CENTRAL FLORIDA PET CREMATORY	
FACILITY LOCATION: 10725 SE 36TH AVE	
BELLEVIEW 34420-2864	
OWNER/AUTHORIZED REPRESENTATIVE: RICK ERWIN PHONE: (352)347-3900	
CONTACT NAME: Lisa Elliott PHONE: 3523473900	
ENTITLEMENT PERIOD: 2/23/2008 / 2/23/2013 (effective date) (end date)	
PART I: <u>INSPECTION</u> <u>COMPLIANCE</u> <u>STATUS</u> (check ✓ only one box)	
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE	
DADT II. TESTING/RECORDKEEPING REQUIREMENTS - Rule 62, 296 401 F A C	
PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected? □ Yes	es 🛛 No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected? ☐ Ye 2. Was a visible emissions test conducted during this site visit according to EPA Method 9 (Ref.: Chapter	_
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected? □ Yes	_
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	s 🛭 No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	s 🛭 No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	S No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	S No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	S No No No No No
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?	S No No No No No
1. Were there any objectionable odor(s) detected?	S No No No No No No No No No
1. Were there any objectionable odor(s) detected?	S No No No No No No No No No
(check appropriate box(es)) 1. Were there any objectionable odor(s) detected?	
(check ☑ appropriate box(es)) 1. Were there any objectionable odor(s) detected?————————————————————————————————————	
(check appropriate box(es)) 1. Were there any objectionable odor(s) detected?	No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))		
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record to	omporatu	res in the
primary and secondary chambers where there is a 1.0 second gas regidence time in the secondary chamber so	mbustion	zono in
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co		_
accordance with the manufacturer's instructions?		∐ No
a) Do temperature probes seem to be properly placed?		No
b) Are the following records kept on file, available for inspection for at least two years following the rec	ording of	f such
measurements, maintenance, reports and records?	<u> </u>	
1) All measurements (including CEMS)	ĭ Yes	∐ No
2) Monitoring device		∐ No
3) Performance Testing Measurements		∐ No
4) CEMS Performance Evaluation		No No
5) All CEMS or monitoring device calibration checks		No No
6) Adjustments	Yes	No No
7) Preventive maintenance performed on systems/devices	Yes	No No
8) Corrective maintenance performed on systems/devices	Yes	⊠ No
2. Was this crematory unit constructed: (check only one ☑ box)		
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)		
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)		
3. If constructed BEFORE August 30, 1989 is the:		
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F ?	Yes	☐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F		
throughout the combustion process in the primary chamber?	Yes	□ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature		
is equal to or greater than 1400°F ?	Yes	□ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to		
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the		
secondary chamber combustion zone according to the manufacturer's instructions?	Yes	□ No
4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the:		
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence times.	ıe.	
@ 1800° F?	⊠Yes	□ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	∐ 1 Cs	
throughout the combustion process in the primary chamber?	⊠Yes	□ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation		
c) secondary chamber combustion zone temperature equal to or greater than 1000 F before the cremation		□ Na
process begins in the primary chamber?	⊠Yes	∐ No
5. Are appropriate leak-proof containers containing no more than 0.5 % (percent) by weight chlorinated	□ x z	□ N.
plastics used during the cremation of dead animals?		∐ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the		
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of		
their use and for at least two years after their use?	☐Yes	∐ No
b) If plastic bags are used for the cremation of animals are they non-chlorinated and no less than 3 mils	_	_
thick?	∐Yes	∐ No
c) Are dead animals, which have been used for medical or commercial experimentation, or other		
materials, including biomedical wastes (Rule 62-210.200, F.A.C.), incinerated at this location?	Yes	☐ No
6. During this review period, was the largest batch load cremated 500 pounds per hour or less?	\boxtimes Yes	☐ No
7. Have all crematory operators been trained and certified by a Department-approved training program?	Yes	☐ No
a) Are copies of the training certificates all crematory operators kept on file at the facility for the duration	n	
of the operator's employment & for an additional two years after termination of employment?	Yes	☐ No

PART IV: SPECIAL CONDITIONS AND PROCEDURE A. New or Modified Process Equipment	ES – Rule 62-296.401, F.A.C.		
 Since the last inspection has there been installation of any new process equipment?			□No □No □No □No □No
Allen Rainey	9/21/09		
Inspector's Name (Please Print)	Date of Inspection		
Inspector's Signature	Approximate Date of Next Inspect	ion	

COMMENTS:

- 1. I, Allen Rainey, performed a compliance inspection and met with Lisa Elliott, crematory operator. Arrived to find only one of the two cremation units performing a pet cremation. The pet's owner was in attendance. Both units are manufactured by Crawford, model CP 500P. One unit has serial number P/306/0021/00 (Unit 1), and the other has serial number A/306/0031/00 (Unit 2). Unit 1 was in operation; Unit 2 was not.
- 2. Ms. Elliott reports that Unit A was purchased last year from Belleview Pet Crematory. Unit A is used as a backup and when business is heavy.
- 3. Both units have Partlow program logic controllers (PLC) and temperature chart recorders. There appears to be at least a 50 degree F. difference between the PLC temperature and the chart recorder temperature on Unit 1. When the PLC indicated 1,632 degrees F., the chart recorder indicated close to 1,700 degrees F. The "ALM" LED was blinking on Unit 1. Ms. Elliott did not know why.
- 4. Reviewed temperature charts from September 2007 to the present. Ms. Elliot stated no other records are maintained. Ms. Elliott states sometime between 9/3/09 and 9/8/09, Matthew Crumbaker of Pure Flame adjusted Unit 1 to prevent both the primary and secondary burners from firing when heating up the cold unit in order to save fuel. She has not received Mr. Crumbaker's invoice. Beginning Charts for Unit 2 show there are temperature drops below 1,600 degrees F. lasting less than 15 minutes on 9/14/09 & 9/21/09. Ms. Elliott states that is when the door is opened to reposition the body. She plans to contact Mr. Crumbaker to adjust the unit.
- 5. No containers are used in the pet cremations.
- 6. Six photographs were taken.
- 7. The locations of the thermocouples were measured. The thermocouples are 3' 2" away from the front of the unit, on the left side when facing the units. The stack is on the left rear when facing the unit.
- 8. All unanswered questions in Parts II IV are not applicable.
- 9. No objectionable odors were detected.