

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOV	ERY (CI)				
	RE-INSPECTION (FUI)	ARMS COMPLAINT N	0:				
AIRS ID#: 0251159 DA	ГЕ: <u>5/4/2010</u>	ARRIVE: <u>02:20PM</u>	DEPART: <u>02:40PM</u>				
FACILITY NAME: CLI	EAN & CLEAN USA						
FACILITY LOCATION	: 1923 Ponce De Leon I	Blvd					
	CORAL GABLES 3	3134-4412					
OWNER/AUTHORIZED REPRESENTATIVE: MARISOL BAUTE PHONE: (786)306-9963							
CONTACT NAME:		PHON	E :				
ENTITLEMENT PERIO	DD: 11/22/2003 / 11/22/2 (effective date) (end date)	2008 Facility may be operati	ng without Entitlement!				
PART I: <u>INSPECTION COMPLIANCE STATUS</u> (check ✓ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
PART II: FACILITY CLASSIFICATION - Rule 62-213.300 FAC (check ☑ only one box in A)							
transfer only, both types, x	y, x < 140 gal/yr x < 200 gal/yr	2. New small area sour dry-to-dry only, $x < 1$ transfer only, $x < 200$ both types, $x < 140$ ga (constructed on or aft	40 gal/yr gal/yr al/yr				
transfer only, both types, 14	e area source \Box y, $140 \le x \le 2,100 \text{ gal/yr}$ $200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ sefore $12/9/91)$	4. New large area sourd dry-to-dry only, $140 \le x \le 140 \le x \le 140$	\leq x \leq 2,100 gal/yr \leq 1,800 gal/yr 1,800 gal/yr				
drop store/out	General Permit a of business/petroleum ds above limits						
B . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was gallons.							

PA	RT III: GENERAL CONTROL REQUIREMENTS - Rule 62-213.300 FAC		only or			
Does the responsible official of the dry cleaning facility:			ch questi	on)		
1.	1. Store perc, and wastes containing perc, in tightly sealed & impervious containers?		□No	□N/A		
2.	Examine the containers for leakage?	Yes	☐ No	□ N/A		
3.	Close and secure machine doors except during loading/unloading?	Yes	☐ No			
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	∐Yes	□ No	□ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	∐Yes	□No	□ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source , no controls are required.	red. Pro	ceed to I	Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
 If the facility classification is a Existing large area source, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993 If the facility classification is a New large area source, the machine should be equipped with a refrigerated condenser. Complete both sections A and B below. 						
A.	Has the responsible official of all <u>existing large area & new sources</u> :		only each ques	one box for stion)		
1.	Equipped all machines with the appropriate vent controls?	□Yes	□No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	□Yes	□No	□N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	∐Yes	□No	□N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	□Yes	□No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	Yes	□No	□N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	∐Yes	□No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)				
Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No				
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- □Yes □ No □N/A				
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No □ N/A				
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A				
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A				
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A				
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A				
6. Route airflow to the carbon adsorber (if used) at all times?	□Yes □ No □ N/A				
PART V: RECORDKEEPING REQUIREMENTS – Rule 62-213.300(3) FAC					
Does the responsible official:	(check ✓ only one box for each question)				
1. Maintain receipts for perc purchased?	Yes No				
2. Maintain rolling monthly total of yearly perc consumption?	☐ Yes ☐ No				
3. Maintain leak detection inspection and repair reports for the following:					
a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A				
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days					
and parts installed w/in 5 days of receipt?	Yes No N/A				
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments)	 Yes No N/A Yes No N/A 				
	Yes No N/A				
4. Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A				
4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations?	Yes No N/A Yes No N/A Yes No				
4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan?	Yes No N/A Yes No N/A Yes No Yes No Yes No				
 4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan? 7. Maintain deviation reports?	Yes No N/A Yes No N/A Yes No Yes No N/A Yes No N/A Yes No N/A				

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?	— — —				
2. Does the facility maintain a leak log?	Yes No				
b) Door gaskets and seating	ack cookers Yes No N/A Ils Yes No N/A naust dampers Yes No N/A erter valves Yes No N/A rtridge filter housings Yes No N/A				
4. Which method(s) of detection (is/are) used by the responsible offici	4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces)					
5) Verified for accuracy by use of duplicate samples (calorimetric only)? 5) Yes No					
MARUFUL MALIK	05/04/2010				
Inspector's Name (Please Print)	Date of Inspection				
Inspector's Signature	Approximate Date of Next Inspection				
COMMENTS: This facility is operating as a drop store. No Dry Cleaning Machine was on site.					