

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVERY	(CI)		
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:			
AIRS ID#: 0251164 DA 7	ΓΕ: <u>12/2/2009</u>	ARRIVE: <u>10:22 AM</u>	DEPART: <u>11:10 AM</u>		
FACILITY NAME: D & B DRY CLEANER SERVICES					
FACILITY LOCATION	4791 NW 167 ST				
	MIAMI 33055-4242				
OWNER/AUTHORIZE	D REPRESENTATIVE: FERN	IANDO CORDRO PHONE:	(305)625-0161		
CONTACT NAME:		PHONE:			
ENTITLEMENT PERIOD: 11/9/2006 / 11/9/2011 (effective date) (end date)					
PART I: <u>INSPECTION</u>	COMPLIANCE STATUS (che	ck 🗹 only one box)			
☐ IN COMPLIANC	CE MINOR Non-COMPL	LIANCE SIGNIFICANT	Non-COMPLIANCE		
	LASSIFICATION - Rule 62-213 y one box in A)	3.300 FAC			
(check 🗷 only	y one box iii A)				
A. 1. Existing smal	l <u>area source</u> ly, x < 140 gal/yr	2. New small area source dry-to-dry only, x < 140 g	Nal/vr		
transfer only,	x < 200 gal/yr	transfer only, x < 200 gal/			
both types, x <		both types, x < 140 gal/yr (constructed on or after 12	2/9/91)		
(constructed before 12/9/91) (constructed on or after 12/9/91)					
3. Existing large	e area source	4. New large area source dry-to-dry only, $140 \le x \le$	2 100 gal/yr		
transfer only,	$200 \le x \le 1,800 \text{ gal/yr}$	transfer only, $200 \le x \le 1$,			
	$40 \le x \le 1,800 \text{ gal/yr}$ before $12/9/91$)	both types, $140 \le x \le 1,80$ (constructed on or after 12)			
5. Ineligible for General Permit					
drop store/out	t of business/petroleum ds above limits				
B . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 120 gallons.					

PA	RT III: GENERAL CONTROL REQUIREMENTS - Rule 62-213.300 FAC	(check ☑ only one box				
Does the responsible official of the dry cleaning facility:			for each question)			
	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	⊠Yes	□No	□N/A		
2.	Examine the containers for leakage?	⊠Yes	☐ No	□ N/A		
3.	Close and secure machine doors except during loading/unloading?	X Yes	☐ No			
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	⊠Yes	☐ No	□ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	∐Yes	□ No	⊠ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source, no controls are requi	ired. Proc	eed to I	Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993					
	4. If the facility classification is a <u>New large area source</u> , the machine should be econdenser. Complete both sections A and B below.	quipped w	ith a refi	rigerated		
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :		only oach ques	one box for stion)		
1.	Equipped all machines with the appropriate vent controls?	⊠Yes	□No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	⊠Yes	□No	□N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	⊠Yes	□No	□N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	⊠Yes	□No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes	□No	⊠N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	⊠Yes	□No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2. Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- □Yes □ No □N/A			
a) Is the temperature differential equal to, or greater than 20° F?	☐Yes ☐ No ☐ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	☐Yes ☐ No ☐ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	□Yes □ No □ N/A			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PART V: <u>RECORDKEEPING</u> <u>REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for			
Does the responsible official:	each question)			
1. Maintain receipts for perc purchased?	Yes No			
2. Maintain rolling monthly total of yearly perc consumption?	⊠ Yes □ No			
3. Maintain leak detection inspection and repair reports for the following:				
a) documentation of leaks repaired w/in 24 hrs? or;	Yes No N/A			
b) documentation of parts ordered to repair leak and leak repaired w/in 2 days				
and parts installed w/in 5 days of receipt?	☐ Yes ☐ No N/A			
	 ☐ Yes ☐ No ☑ N/A ☐ Yes ☐ No ☑ N/A 			
and parts installed w/in 5 days of receipt?	Yes No N/A			
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments)	☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A			
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations?	 Yes			
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan?	Yes No N/A Yes No N/A Yes No Yes No Yes No No N/A			
and parts installed w/in 5 days of receipt? 4. Maintain calibration data? (for applicable direct reading instruments) 5. Maintain exhaust duct monitoring data on perc concentrations? 6. Maintain a startup/shutdown/malfunction plan?	Yes No N/A Yes No N/A Yes No Yes No Yes No Yes No N/A			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection?				
2. Does the facility maintain a leak log?				
c) Filter gaskets and seating	fuck cookers			
4. Which method(s) of detection (is/are) used by the responsible official?				
a) Visual examination (condensed solvent on exterior surfaces)				
FRANK DELGADO	12/2/2009			
Inspector's Name (Please Print)	Date of Inspection			
	12/2010			
Inspector's Signature	Approximate Date of Next Inspection			

COMMENTS: KARLA CASTRO ATTENDED ME.

THE DRY CLEANING MACHINE WAS NOT OPERATING AT THE TIME OF THE INSPECTION. RECORDS ARE AVAILABLE.

THERE WAS A LEAK BEHIND THE MACHINE CAUSED BY THE LINT TRAP DOOR. THE VIOLATION WAS CORRECTED ON THE SPOT. THERE IS LITTLE SPACE BETWEEN THE BACK OF THE DRY CLEANING MACHINE AND THE WALL.